

Drug Use and Related Matters Among Adult Arrestees, 2001

Overview

The Arrestee Drug Abuse Monitoring program (ADAM) measures the extent of drug use in the high-risk population of people who have been arrested and booked. The data are collected in participating counties through probability-based sampling of adult male arrestees and purposive sampling of adult female arrestees. Information comes from interviews and urinalyses obtained voluntarily and recorded confidentially in booking facilities, usually on the day of arrest and always within 48 hours of arrest.

As part of this process, research teams in the participating counties interview arrestees in each facility during one- to three-week periods in each quarter of the year. Interviewers collect demographic data and ask arrestees about what drugs they use, how often they use them, and how and where they purchase illicit drugs. Other questions ask about housing situation during the past year, method of support, and health insurance. After the interview, each respondent is asked to provide a urine sample, which is analyzed to detect drug use.

This tabular booklet presents findings from 33 ADAM sites that collected data in 2001. Each table is organized by site location and indicates the percentage of adult arrestees who qualified for the variable. The same series of 16 tables is presented for men in all sites, and for women in sites in which at least 25 interviews were completed with adult female arrestees. These tables were prepared by NORC at the University of Chicago—the ADAM national contractor. An overview of the tables is presented below:

- Table 1 arrays the ADAM sites by their geographic location, number of booking facilities, and number of interviews completed in each quarter.
- Table 2 provides demographic data about ADAM interviewees.
- In Table 3, we display the percentage of arrestees who tested positive for the most commonly reported drugs.
- Tables 4 through 8 indicate the frequency that arrestees reported using selected drugs over the prior year.
- In Tables 9 and 10, we show rates of arrestee heavy drinking and drug use and their risk for dependence, as determined by a clinically based dependency screen.
- Tables 11 through 14 detail arrestees' drug market participation, including failed attempts to purchase drugs.
- Finally, Tables 15 and 16 display the proportion of arrestees who reported receiving drug treatment and having health insurance in the prior year.

Male Arrestee Tables

Description of Sample

Table 1. ADAM Sites in 2001—Male Sample and Interviews

Table 2. Demographic Characteristics of Male ADAM 2001 Respondents

Drug Test Results

Table 3. Male ADAM 2001—Drug Test Results (NIDA-5 Drugs)

Drug Use Self-Reports

Table 4. Male ADAM 2001—Crack Cocaine Use

Table 5. Male ADAM 2001—Powder Cocaine Use

Table 6. Male ADAM 2001—Marijuana Use

Table 7. Male ADAM 2001—Methamphetamine Use

Table 8. Male ADAM 2001—Opiate Use

Table 9. Male ADAM 2001—Heavy Drug Use and Risk for Dependence

Table 10. Male ADAM 2001—Heavy Alcohol Use and Risk for Dependence

Drug Market Behavior

Table 11. Male ADAM 2001—Drug Acquisition in the Past 30 Days

Table 12. Male ADAM 2001—Last Drug Buy Was Outdoors

Table 13. Male ADAM 2001—Any Failed Drug Purchase in the Past 30 Days

Table 14. Male ADAM 2001—Failed Drug Purchases Due to Police Activity

Treatment & Insurance

Table 15. Male ADAM 2001—Drug Treatment Status

Table 16. Male ADAM 2001—Health Insurance Status

Table 1: ADAM Sites in 2001—Male Sample and Interviews

Primary City	County Catchment / Study Area	# County Booking Facilities		Completed Interviews (unweighted)					Arrest Bookings Sampled
		Total	Adult Male Data Collected	Quarter 1	Quarter 2	Quarter 3	Quarter 4	Total	
Albany, NY	Capital Area	19	7	118	156	154	107	535	3,257
Albuquerque, NM	Bernalillo County	1	1	123	152	175	152	602	4,255
Anchorage, AK	Anchorage Borough	3	2	148	149	169	105	571	1,120
Birmingham, AL	Jefferson County	12	3	0	135	131	142	408	1,396
Charlotte, NC	Charlotte-Metro	1	1	155	163	177	0	495	3,187
Chicago, IL	Cook County	5	3	0	0	0	302	302	8,825
Cleveland, OH	Cuyahoga County	50	6	269	245	210	217	941	4,103
Dallas, TX	Dallas County	23	4	358	0	0	0	358	3,272
Denver, CO	Denver County	1	1	202	184	196	189	771	4,187
Des Moines, IA	Polk County	5	3	98	110	107	133	448	2,024
Detroit, MI	Wayne County	55	6	0	0	262	227	489	1,080
Honolulu, HI	Oahu	8	1	139	139	144	124	546	2,305
Indianapolis, IN	Marion County	1	1	219	201	192	202	814	8,850
Kansas City, MO	Jackson County	11	5	0	0	142	120	262	1,475
Laredo, TX	Webb County	2	1	87	97	61	43	288	719
Las Vegas, NV	Clark County	4	5	303	348	361	358	1,370	7,877
Minneapolis, MN	Hennepin County	17	2	218	171	224	224	837	5,042
New Orleans, LA	Orleans Parish	1	1	171	164	166	171	672	8,111
New York, NY	Manhattan	6	2	282	239	0	221	742	10,409
Oklahoma City, OK	Oklahoma County	1	1	183	197	183	183	746	3,337
Omaha, NE	Douglas County	2	1	107	121	106	122	456	4,616
Philadelphia, PA	County of Philadelphia	7	5	0	210	210	214	634	3,972
Phoenix, AZ	Maricopa County	9	3	461	431	430	452	1,774	15,468
Portland, OR	Multnomah County	1	1	209	198	211	202	820	4,538
Sacramento, CA	Sacramento County	8	1	168	186	180	184	718	6,816
Salt Lake City, UT	Salt Lake County	1	1	189	203	0	181	573	2,545
San Antonio, TX	Bexar County	2	2	148	175	157	197	677	9,080
San Diego, CA	San Diego County	2	2	179	176	219	255	829	10,124
San Jose, CA	Santa Clara County	4	1	224	222	231	226	903	8,475
Seattle, WA	King County	7	4	247	168	233	188	836	6,175
Spokane, WA	Spokane County	1	1	125	111	102	98	436	2,775
Tucson, AZ	Pima County	1	1	157	188	179	189	713	3,953
Tulsa, OK	Tulsa County	1	1	0	0	158	0	158	158*
Median		4	2	157	168	175	184	634	4,145

Note: Although ADAM data are generally collected on a county basis, the primary (most populous) city in each county is noted here and identifies the site in other tables in this report.

* Data on total bookings during the sampling period were not collected in the Tulsa ADAM affiliate site, therefore these interviews are self-weighted.

Table 2: Demographic Characteristics of Male ADAM 2001 Respondents (Weighted to Represent Booked Arrestees)

Primary City	Age (%)					Mean Age	Race/Ethnicity (%)				Employed (%)	High School Diploma (%)	Stable Housing Situation, Past 30 Days (%)
	15–20	21–25	26–30	31–35	36+		White	Black	Hispanic	Other			
Albany, NY	16.6	20.6	13.0	16.5	33.4	31.3	50.5	43.2	3.9	2.4	64.1	71.5	90.7
Albuquerque, NM	10.5	20.8	14.5	17.9	36.3	32.9	23.6	8.7	55.6	12.1	66.1	76.2	81.7
Anchorage, AK	12.2	19.6	14.7	12.1	41.4	32.9	50.8	13.9	4.1	31.2	52.2	82.3	77.2
Birmingham, AL	17.6	21.7	14.9	9.2	36.7	32.1	19.4	79.5	0.4	0.8	65.4	70.9	92.0
Charlotte, NC	21.5	22.5	17.0	12.3	26.6	29.3	26.0	64.9	8.7	0.4	68.8	64.6	85.2
Chicago, IL	26.3	19.8	13.8	13.3	26.7	29.4	6.5	85.7	0.8	7.0	55.4	49.8	97.6
Cleveland, OH	16.2	23.3	15.4	10.8	34.3	31.1	18.8	78.5	2.3	0.4	58.8	66.4	89.8
Dallas, TX	17.7	23.3	17.8	16.1	25.2	30.2	32.5	51.5	15.6	0.4	69.3	76.5	90.6
Denver, CO	13.6	20.6	11.8	15.8	38.2	32.4	28.0	24.6	43.3	4.1	61.4	63.4	75.0
Des Moines, IA	17.7	22.3	13.6	15.8	30.5	30.4	74.5	17.2	6.6	1.6	56.2	74.2	88.7
Detroit, MI	22.0	21.1	13.2	16.1	27.6	30.1	26.8	69.8	0.9	2.5	58.8	68.7	92.2
Honolulu, HI	11.9	19.6	15.5	14.4	38.8	32.9	22.5	7.8	2.7	67.0	49.4	81.1	75.4
Indianapolis, IN	15.3	21.3	16.8	14.5	32.1	31.1	43.2	55.7	1.0	0.1	70.6	65.7	93.6
Kansas City, MO	24.5	17.0	14.4	15.6	28.5	29.8	38.2	59.1	2.5	0.3	60.9	60.1	87.6
Laredo, TX	25.5	20.7	19.1	15.1	19.6	28.7	19.5	0.4	80.1	0.0	66.6	50.7	96.8
Las Vegas, NV	11.3	20.3	12.8	14.7	40.9	33.1	55.5	27.3	13.9	3.3	64.6	76.5	84.5
Minneapolis, MN	17.6	22.3	13.8	14.7	31.7	30.6	34.4	59.7	0.3	5.6	57.8	77.8	86.7
New Orleans, LA	20.0	22.2	17.4	8.5	31.9	30.5	14.7	85.0	0.0	0.3	60.7	54.5	90.0
New York, NY	13.3	16.7	10.4	16.2	43.4	33.1	9.5	60.9	28.1	1.4	45.7	59.2	82.7
Oklahoma City, OK	16.1	17.9	16.1	12.4	37.6	32.4	50.0	39.0	5.5	5.5	69.6	72.8	89.6
Omaha, NE	13.8	19.4	17.1	14.7	35.0	31.9	51.7	44.6	2.6	1.0	69.8	80.1	90.6
Philadelphia, PA	16.8	20.1	14.7	12.7	35.7	31.6	26.5	72.3	0.1	1.0	49.5	69.9	92.0
Phoenix, AZ	16.6	20.7	16.2	16.4	30.0	30.7	51.8	12.7	28.4	7.0	66.0	66.8	86.6
Portland, OR	9.2	19.1	15.6	17.6	38.5	33.1	63.9	25.0	8.4	2.7	41.6	77.3	75.9
Sacramento, CA	16.9	20.8	14.5	11.6	36.2	31.7	44.7	36.2	14.5	4.5	55.1	73.9	82.1
Salt Lake City, UT	13.9	23.6	11.4	17.1	34.0	32.1	62.7	4.7	20.7	12.0	69.9	66.3	84.8
San Antonio, TX	23.3	24.1	16.0	11.3	25.2	29.4	31.1	16.2	52.4	0.3	66.7	62.4	94.5
San Diego, CA	12.7	19.7	14.2	15.8	37.6	32.7	37.7	23.8	33.0	5.4	61.5	73.4	76.1
San Jose, CA	12.7	21.6	16.3	14.2	35.1	31.9	33.8	12.8	45.8	7.5	68.7	77.8	85.7
Seattle, WA	15.1	18.2	14.4	15.1	37.2	32.3	61.2	30.2	1.6	7.0	56.1	78.5	76.8
Spokane, WA	16.2	22.2	14.0	13.0	34.6	31.2	81.2	10.2	2.4	6.2	45.8	76.8	86.3
Tucson, AZ	15.2	20.6	17.2	12.2	34.8	32.0	44.3	11.1	38.7	6.0	66.2	71.4	83.1
Tulsa, OK	15.2	18.4	12.0	12.7	41.8	33.4	58.0	28.7	5.1	8.3	71.8	73.7	88.4
Median	16.2	20.7	14.7	14.7	34.8	31.7	37.7	30.2	5.5	3.3	61.5	71.5	86.7

Table 3: Male ADAM 2001—Drug Test Results (NIDA-5 Drugs)

Primary City	Percentage of Arrestees Testing Positive For:*							Interviews With Completed Urine Tests (%)
	Cocaine	Opiates	Marijuana	Methamphetamine	PCP	Any NIDA-5 Drug	Multiple Drugs	
Albany, NY	29.6	4.1	46.5	0.0	0.2	62.6	17.2	73.4
Albuquerque, NM	36.7	16.0	37.9	9.5	0.0	63.8	28.0	96.2
Anchorage, AK	19.4	4.4	38.2	0.8	0.0	51.9	9.8	83.0
Birmingham, AL	29.1	6.4	48.6	0.2	0.0	63.4	18.1	83.4
Charlotte, NC	31.6	3.3	47.7	0.5	0.0	65.5	16.8	85.0
Chicago, IL	40.6	21.8	50.2	0.2	5.1	83.5	28.0	95.0
Cleveland, OH	35.3	3.5	47.0	0.1	8.8	68.5	24.2	79.3
Dallas, TX	30.4	4.8	32.9	1.7	2.3	51.8	18.7	95.0
Denver, CO	33.8	5.2	40.0	3.4	0.0	61.8	19.1	94.5
Des Moines, IA	8.7	2.2	43.1	22.0	1.4	56.6	18.6	90.5
Detroit, MI	22.2	7.2	47.8	0.0	0.0	64.1	11.2	74.1
Honolulu, HI	10.8	3.4	30.2	37.4	0.0	59.4	20.6	84.7
Indianapolis, IN	32.3	5.1	49.6	0.6	2.5	66.0	20.8	96.3
Kansas City, MO	33.8	0.3	49.0	1.0	8.6	69.2	22.6	72.6
Laredo, TX	35.0	10.7	26.4	0.0	0.0	49.1	20.4	89.8
Las Vegas, NV	21.0	5.0	35.1	20.5	1.8	59.9	20.4	94.4
Minneapolis, MN	28.0	5.4	53.6	2.4	3.4	68.8	21.8	91.3
New Orleans, LA	37.3	15.6	44.9	0.0	0.0	67.8	24.3	96.6
New York, NY	44.6	18.7	40.5	0.1	1.5	76.1	25.0	94.2
Oklahoma City, OK	21.6	5.0	50.7	10.9	2.5	68.4	19.7	98.1
Omaha, NE	20.3	3.4	55.8	15.6	0.0	69.1	22.6	84.2
Philadelphia, PA	36.7	13.2	42.7	0.0	6.9	71.0	25.7	94.9
Phoenix, AZ	27.2	6.0	39.7	25.3	1.5	69.0	26.3	93.7
Portland, OR	26.8	11.0	36.2	20.4	0.1	67.8	22.0	92.7
Sacramento, CA	17.8	8.2	47.6	29.3	1.6	73.3	26.5	94.0
Salt Lake City, UT	16.0	4.9	34.3	17.2	0.0	53.6	16.3	88.8
San Antonio, TX	29.6	9.1	40.7	2.6	0.1	57.1	21.4	95.8
San Diego, CA	14.1	7.6	36.4	27.9	0.9	61.5	22.0	92.0
San Jose, CA	13.2	2.8	38.5	30.2	3.1	62.3	21.4	89.0
Seattle, WA	32.0	10.3	35.1	11.1	1.8	63.6	23.0	91.1
Spokane, WA	18.5	8.1	42.1	19.5	2.3	61.6	24.7	90.3
Tucson, AZ	35.6	5.9	43.5	5.4	0.7	63.4	23.7	89.6
Tulsa, OK	20.0	2.0	48.0	0.0	1.3	60.7	9.3	97.4
Median	29.1	5.4	42.7	2.6	1.3	63.6	21.4	91.3

*These five drugs are the "NIDA-5 drugs", established by NIDA as a standard test panel of commonly used illegal drugs. They are the drugs analyzed in this report.

Note: Percentages in this table and subsequent tables are based on weighted data.

Table 4: Male ADAM 2001—Crack Cocaine Use

Primary City	Percentage of Arrestees Reporting Crack Cocaine Use in:			Average No. of Days in Past 30 Used Crack Cocaine*
	Past 7 Days	Past 30 Days	Past Year	
Albany, NY	13.4	16.4	20.3	7.0
Albuquerque, NM	17.7	21.3	26.8	8.4
Anchorage, AK	8.4	10.7	14.4	5.0
Birmingham, AL	13.3	15.1	18.1	9.6
Charlotte, NC	16.0	17.4	21.1	8.2
Chicago, IL	20.2	23.0	24.8	8.9
Cleveland, OH	19.0	20.7	23.2	8.3
Dallas, TX	14.4	16.8	18.3	10.3
Denver, CO	17.1	19.3	22.4	6.8
Des Moines, IA	3.0	6.2	10.8	3.9
Detroit, MI	12.5	14.5	16.0	9.5
Honolulu, HI	10.7	12.0	16.2	6.5
Indianapolis, IN	13.1	15.0	19.4	7.6
Kansas City, MO	17.6	19.8	30.2	9.3
Laredo, TX	3.2	3.2	5.3	10.0
Las Vegas, NV	10.4	12.0	14.1	7.5
Minneapolis, MN	14.0	15.6	21.2	6.4
New Orleans, LA	16.5	17.5	18.9	10.9
New York, NY	21.3	22.0	23.4	12.2
Oklahoma City, OK	9.8	12.4	13.7	6.5
Omaha, NE	7.8	9.1	10.7	8.8
Philadelphia, PA	20.2	21.9	23.7	10.8
Phoenix, AZ	14.6	16.7	21.9	7.9
Portland, OR	14.3	16.9	22.3	6.6
Sacramento, CA	10.4	11.7	16.2	5.3
Salt Lake City, UT	5.1	7.5	12.5	5.0
San Antonio, TX	4.6	5.3	8.6	6.7
San Diego, CA	7.6	9.2	11.5	5.4
San Jose, CA	4.8	6.7	10.3	2.9
Seattle, WA	20.7	24.3	28.6	8.1
Spokane, WA	11.8	15.8	24.1	5.9
Tucson, AZ	14.7	17.5	22.4	7.2
Tulsa, OK	11.8	11.8	17.4	9.3
Median	13.3	15.6	18.9	7.6

* Asked of those who said they had used crack cocaine in the past year.

Table 5: Male ADAM 2001—Powder Cocaine Use

Primary City	Percentage of Arrestees Reporting Powder Cocaine Use in:			Average No. of Days in Past 30 Used Powder Cocaine*
	Past 7 Days	Past 30 Days	Past Year	
Albany, NY	4.9	8.0	12.8	4.1
Albuquerque, NM	11.8	18.0	24.2	4.9
Anchorage, AK	5.1	7.4	11.8	3.5
Birmingham, AL	6.2	8.7	10.9	5.7
Charlotte, NC	7.8	10.2	15.1	3.8
Chicago, IL	3.9	4.4	7.0	6.7
Cleveland, OH	4.2	5.4	7.7	6.7
Dallas, TX	9.7	10.4	14.2	6.6
Denver, CO	11.1	13.9	19.8	4.2
Des Moines, IA	1.7	3.9	9.3	3.3
Detroit, MI	1.9	3.5	5.4	4.8
Honolulu, HI	1.7	3.0	5.9	3.2
Indianapolis, IN	5.3	7.6	12.5	3.8
Kansas City, MO	3.4	7.0	10.7	6.5
Laredo, TX	11.7	14.9	18.4	5.8
Las Vegas, NV	6.7	9.0	12.9	6.3
Minneapolis, MN	3.7	5.6	11.6	2.9
New Orleans, LA	9.4	10.9	12.3	8.2
New York, NY	15.1	17.4	21.4	8.3
Oklahoma City, OK	4.9	6.9	11.7	4.5
Omaha, NE	2.3	3.8	6.7	3.6
Philadelphia, PA	9.9	11.4	13.5	5.5
Phoenix, AZ	8.5	11.8	18.9	3.5
Portland, OR	9.1	11.8	17.3	4.2
Sacramento, CA	2.6	3.4	6.5	1.9
Salt Lake City, UT	8.2	10.6	16.8	3.2
San Antonio, TX	14.7	16.9	25.9	4.6
San Diego, CA	3.5	5.9	10.7	3.5
San Jose, CA	5.6	7.7	12.3	2.1
Seattle, WA	8.6	12.0	17.8	5.9
Spokane, WA	6.5	9.9	17.5	3.7
Tucson, AZ	14.9	21.3	31.4	4.3
Tulsa, OK	2.6	3.9	7.7	2.7
Median	6.2	8.7	12.5	4.2

* Asked of those who said they had used powder cocaine in the past year.

Table 6: Male ADAM 2001—Marijuana Use

Primary City	Percentage of Arrestees Reporting Marijuana Use in:			Average No. of Days in Past 30 Used Marijuana*
	Past 7 Days	Past 30 Days	Past Year	
Albany, NY	41.4	47.2	55.7	12.0
Albuquerque, NM	36.7	43.1	51.1	10.8
Anchorage, AK	37.1	44.0	51.5	9.7
Birmingham, AL	40.2	46.5	52.6	10.2
Charlotte, NC	44.6	48.4	54.6	11.1
Chicago, IL	43.8	50.2	56.6	12.4
Cleveland, OH	44.1	51.0	56.4	10.3
Dallas, TX	33.5	38.3	44.0	11.3
Denver, CO	40.5	45.4	51.0	10.1
Des Moines, IA	38.2	44.6	54.4	10.4
Detroit, MI	41.5	48.5	55.6	10.9
Honolulu, HI	31.5	36.7	44.1	8.9
Indianapolis, IN	40.6	46.6	55.4	11.5
Kansas City, MO	49.5	55.0	66.1	10.6
Laredo, TX	19.3	20.2	24.4	11.9
Las Vegas, NV	36.2	43.2	48.4	9.7
Minneapolis, MN	50.0	56.7	64.6	10.6
New Orleans, LA	43.4	47.1	52.0	11.5
New York, NY	45.2	48.7	56.7	12.3
Oklahoma City, OK	47.5	54.2	61.2	10.8
Omaha, NE	45.6	48.6	55.1	12.1
Philadelphia, PA	45.5	49.8	55.3	10.7
Phoenix, AZ	39.0	45.6	51.7	9.9
Portland, OR	34.9	42.6	53.8	7.9
Sacramento, CA	46.8	53.8	62.5	9.9
Salt Lake City, UT	30.1	36.6	44.5	9.0
San Antonio, TX	36.1	40.7	48.0	10.4
San Diego, CA	39.0	43.6	50.2	9.6
San Jose, CA	35.7	41.5	47.1	9.6
Seattle, WA	37.9	46.9	55.6	9.0
Spokane, WA	44.9	52.9	62.5	10.2
Tucson, AZ	41.8	48.7	55.0	11.9
Tulsa, OK	47.4	51.3	59.4	8.8
Median	40.6	46.9	54.6	10.4

* Asked of those who said they had used marijuana in the past year.

Table 7: Male ADAM 2001—Methamphetamine Use

Primary City	Percentage of Arrestees Reporting Methamphetamine Use in:			Average No. of Days in Past 30 Used Methamphetamine*
	Past 7 Days	Past 30 Days	Past Year	
Albany, NY	0.3	1.0	1.6	3.0
Albuquerque, NM	9.0	13.1	16.5	6.7
Anchorage, AK	1.5	1.9	3.4	5.2
Birmingham, AL	0.4	0.7	1.5	2.1
Charlotte, NC	0.4	0.6	0.9	5.1
Chicago, IL	0.2	0.2	0.2	3.5
Cleveland, OH	0.1	0.1	0.1	6.8
Dallas, TX	2.0	2.3	4.9	6.4
Denver, CO	4.4	6.0	8.4	7.8
Des Moines, IA	20.2	24.9	32.4	8.9
Detroit, MI	0.0	0.2	0.3	3.9
Honolulu, HI	28.8	32.5	36.6	10.0
Indianapolis, IN	0.8	1.4	3.0	3.8
Kansas City, MO	1.6	5.1	15.0	4.3
Laredo, TX	0.0	0.4	0.8	1.6
Las Vegas, NV	19.3	22.6	26.6	8.1
Minneapolis, MN	2.9	3.8	6.7	4.3
New Orleans, LA	0.1	0.5	0.7	1.8
New York, NY	0.1	0.2	0.8	2.4
Oklahoma City, OK	11.3	13.5	19.3	8.5
Omaha, NE	12.5	14.5	16.5	11.4
Philadelphia, PA	0.0	0.2	0.5	1.4
Phoenix, AZ	20.5	24.3	28.9	9.6
Portland, OR	15.9	21.2	27.6	6.2
Sacramento, CA	22.4	27.0	34.2	8.3
Salt Lake City, UT	18.3	21.1	26.2	8.1
San Antonio, TX	1.9	2.3	3.9	6.0
San Diego, CA	23.9	26.9	33.8	6.9
San Jose, CA	24.9	28.0	34.1	8.3
Seattle, WA	11.5	14.2	17.7	8.3
Spokane, WA	20.1	22.9	29.9	7.9
Tucson, AZ	6.7	8.5	13.0	8.7
Tulsa, OK	17.0	20.3	24.5	9.0
Median	4.4	6.0	13.0	6.7

* Asked of those who said they had used methamphetamine in the past year.

Table 8: Male ADAM 2001—Opiate Use

Primary City	Percentage of Arrestees Reporting Opiate Use in:			Average No. of Days in Past 30 Used Opiates*
	Past 7 Days	Past 30 Days	Past Year	
Albany, NY	3.2	3.4	4.2	13.6
Albuquerque, NM	12.5	14.2	16.7	12.5
Anchorage, AK	1.0	1.2	1.7	11.0
Birmingham, AL	0.2	0.3	0.8	5.1
Charlotte, NC	1.7	2.4	3.2	9.5
Chicago, IL	18.1	20.5	21.3	12.1
Cleveland, OH	2.7	2.9	3.1	12.8
Dallas, TX	3.9	4.2	7.0	8.9
Denver, CO	2.8	3.5	5.4	9.1
Des Moines, IA	0.3	0.4	1.2	3.7
Detroit, MI	3.5	4.2	5.0	11.8
Honolulu, HI	2.4	2.6	2.7	13.8
Indianapolis, IN	1.5	1.7	1.8	15.9
Kansas City, MO	0.5	1.5	4.5	2.8
Laredo, TX	3.8	4.7	6.1	10.5
Las Vegas, NV	2.5	3.3	4.3	12.0
Minneapolis, MN	2.7	2.8	3.6	10.4
New Orleans, LA	12.7	13.3	14.2	12.0
New York, NY	16.1	17.5	18.9	14.5
Oklahoma City, OK	1.2	1.4	2.1	10.8
Omaha, NE	0.3	0.3	0.9	17.3
Philadelphia, PA	10.8	12.0	12.7	13.2
Phoenix, AZ	4.5	5.5	6.8	10.3
Portland, OR	8.0	10.2	12.3	8.7
Sacramento, CA	5.8	7.0	8.7	9.7
Salt Lake City, UT	5.3	6.4	8.8	9.2
San Antonio, TX	5.6	6.2	8.8	8.5
San Diego, CA	4.7	5.2	7.7	8.8
San Jose, CA	2.2	2.3	4.2	4.2
Seattle, WA	8.8	11.0	13.3	10.6
Spokane, WA	5.6	6.8	9.8	10.1
Tucson, AZ	3.1	3.7	6.0	12.1
Tulsa, OK	0.7	0.7	1.3	5.7
Median	3.2	3.7	5.4	10.5

* Asked of those who said they had used an opiate in the past year.

Table 9: Male ADAM 2001—Heavy Drug Use and Risk for Dependence

Primary City	Heavy Use of a NIDA-5 Drug^a (%)	Injected Drugs, Past Year (%)	At Risk for Drug Dependence^b (%)
Albany, NY	40.1	3.6	37.1
Albuquerque, NM	41.7	21.2	44.4
Anchorage, AK	29.2	2.6	26.3
Birmingham, AL	27.9	2.5	32.5
Charlotte, NC	35.7	3.2	35.2
Chicago, IL	53.9	2.2	48.1
Cleveland, OH	35.5	2.4	37.4
Dallas, TX	33.8	7.0	36.7
Denver, CO	32.8	8.6	34.9
Des Moines, IA	41.0	9.3	42.0
Detroit, MI	37.7	3.3	38.0
Honolulu, HI	34.2	2.8	38.3
Indianapolis, IN	35.6	1.7	35.0
Kansas City, MO	47.5	7.6	49.2
Laredo, TX	15.9	4.3	19.7
Las Vegas, NV	35.7	10.5	38.3
Minneapolis, MN	39.6	4.2	38.6
New Orleans, LA	40.5	10.2	41.7
New York, NY	50.0	6.9	50.9
Oklahoma City, OK	39.8	11.2	38.6
Omaha, NE	40.7	6.4	33.1
Philadelphia, PA	45.1	7.9	45.7
Phoenix, AZ	42.9	12.2	45.1
Portland, OR	40.6	18.3	41.4
Sacramento, CA	45.1	15.3	45.7
Salt Lake City, UT	33.2	14.2	37.9
San Antonio, TX	32.4	7.6	34.3
San Diego, CA	38.9	12.5	39.5
San Jose, CA	34.3	6.8	36.7
Seattle, WA	42.9	15.7	45.7
Spokane, WA	47.2	16.9	42.5
Tucson, AZ	42.0	8.7	41.1
Tulsa, OK	36.1	13.6	44.8
Median	39.6	7.6	38.6

a. Heavy use is defined here, as in the National Survey on Drug Use and Health, as 13 or more days of self-reported consumption of a drug in a 30-day period in the year before the interview. The NIDA-5 drugs are cocaine, opiates, marijuana, methamphetamine, and PCP. The list was established by NIDA as a standard panel of commonly used illegal drugs. They are the drugs analyzed in this report.

b. Dependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding drug use experiences during the prior year.

Note: Questions were asked of arrestees who reported using drugs.

Table 10: Male ADAM 2001—Heavy Alcohol Use and Risk for Dependence

Primary City	Binge Drinking, Past 30 Days^a (%)	Heavy Drinking, Past 30 Days^b (%)	At Risk for Alcohol Dependence^c (%)
Albany, NY	55.0	32.5	32.5
Albuquerque, NM	66.6	41.2	45.6
Anchorage, AK	66.0	38.4	40.8
Birmingham, AL	49.4	28.7	27.2
Charlotte, NC	45.7	25.4	24.7
Chicago, IL	35.1	18.5	24.4
Cleveland, OH	45.8	28.9	30.3
Dallas, TX	51.2	23.6	26.2
Denver, CO	57.3	32.0	34.9
Des Moines, IA	53.1	28.9	35.0
Detroit, MI	44.1	23.6	25.9
Honolulu, HI	49.3	25.5	29.5
Indianapolis, IN	49.6	29.3	28.9
Kansas City, MO	42.1	34.2	32.2
Laredo, TX	54.8	27.1	22.1
Las Vegas, NV	53.0	29.8	29.9
Minneapolis, MN	47.7	24.6	29.2
New Orleans, LA	43.0	25.2	26.3
New York, NY	31.2	21.0	27.5
Oklahoma City, OK	55.5	31.8	36.1
Omaha, NE	45.9	22.4	24.6
Philadelphia, PA	35.8	18.6	22.8
Phoenix, AZ	56.2	32.9	31.3
Portland, OR	43.3	20.5	28.6
Sacramento, CA	47.7	30.1	31.6
Salt Lake City, UT	50.4	28.1	30.5
San Antonio, TX	54.3	30.2	30.3
San Diego, CA	54.3	28.7	33.6
San Jose, CA	50.6	26.0	30.3
Seattle, WA	53.5	29.8	30.3
Spokane, WA	59.0	32.3	35.0
Tucson, AZ	54.7	30.3	35.6
Tulsa, OK	62.3	33.1	37.3
Median	50.6	28.9	30.3

a. Binge drinking is defined in the NHSDA as consumption of five or more drinks on at least one occasion in a month.

b. Heavy drinking is defined in the NHSDA as consumption of five or more drinks on five or more occasions in a month.

c. Dependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding alcohol use experiences during the prior year.

Note: Questions were asked of arrestees who reported consuming alcohol.

Table 11: Male ADAM 2001—Drug Acquisition in the Past 30 Days

Primary City	Crack Cocaine			Powder Cocaine			Marijuana			Opiates			Methamphetamine		
	% of Arrestees	Mean No. of Days in Past 30*		% of Arrestees	Mean No. of Days in Past 30*		% of Arrestees	Mean No. of Days in Past 30*		% of Arrestees	Mean No. of Days in Past 30*		% of Arrestees	Mean No. of Days in Past 30*	
		Cash Purchase	Non-cash Purchase		Cash Purchase	Non-cash Purchase									
Albany, NY	18.2	9.1	5.4	9.6	5.2	2.4	47.9	11.8	5.4	3.3	21.6	2.4	1.0	30.0	1.0
Albuquerque, NM	22.8	13.3	7.6	20.4	4.5	3.6	42.1	4.8	5.9	15.3	18.4	7.4	12.9	7.3	5.9
Anchorage, AK	11.4	10.9	7.0	9.9	7.2	5.6	41.9	6.9	5.2	1.1	26.5	10.4	1.9	3.9	5.8
Birmingham, AL	16.0	10.3	10.2	9.8	7.6	3.6	44.9	8.7	4.2	0.8	8.5	2.1	0.7	1.3	1.0
Charlotte, NC	19.4	11.9	9.5	10.1	7.3	5.2	46.8	9.8	6.7	2.3	13.0	3.0	0.4	0.0	10.1
Chicago, IL	25.2	11.5	3.6	5.2	5.4	1.0	50.2	14.2	5.6	21.0	18.5	7.5	0.2	3.0	0.0
Cleveland, OH	23.9	11.7	6.3	6.8	5.0	2.7	52.5	11.4	5.1	3.2	15.0	6.5	0.1	2.0	1.0
Dallas, TX	17.5	13.3	10.2	13.5	7.2	4.2	38.2	9.4	5.2	4.1	16.5	6.9	3.4	11.0	8.6
Denver, CO	19.7	9.8	4.4	14.9	6.1	3.8	46.4	5.6	4.5	4.0	16.4	7.8	6.1	7.5	6.9
Des Moines, IA	7.4	9.4	3.0	4.4	2.3	3.5	44.0	5.3	4.8	0.6	7.4	7.7	24.5	8.6	6.7
Detroit, MI	16.7	12.9	5.0	4.4	2.1	2.7	47.7	11.3	5.5	4.7	17.3	4.1	0.2	0.0	6.0
Honolulu, HI	12.4	14.2	7.2	4.3	7.8	1.6	35.6	7.6	6.2	2.8	19.5	6.2	32.5	10.5	8.1
Indianapolis, IN	15.8	10.5	5.7	8.3	4.3	5.0	47.2	8.9	5.2	1.7	18.0	5.6	1.1	6.1	7.5
Kansas City, MO	18.4	12.8	6.1	7.6	4.1	2.1	51.2	9.9	6.7	1.3	1.4	4.0	4.4	2.8	2.9
Laredo, TX	3.5	17.1	7.2	15.0	9.0	3.7	20.2	8.3	8.0	4.8	14.2	5.0	0.5	0.0	0.0
Las Vegas, NV	12.7	12.9	6.8	9.5	10.6	5.1	43.5	5.3	4.7	3.7	24.7	6.0	22.9	9.2	6.7
Minneapolis, MN	16.5	9.4	6.9	6.9	7.2	5.5	53.7	10.5	5.9	3.0	14.6	4.9	3.8	12.1	4.9
New Orleans, LA	18.6	14.5	8.2	11.1	11.0	4.3	47.6	11.7	4.8	13.5	17.7	4.9	0.5	2.6	2.0
New York, NY	22.3	17.3	5.9	17.0	12.8	6.1	48.3	14.9	6.7	16.6	18.5	7.4	0.1	14.0	0.0
Oklahoma City, OK	13.5	10.7	8.5	8.5	4.9	3.6	53.0	6.5	6.4	1.7	9.6	2.4	14.0	7.8	6.4
Omaha, NE	10.0	16.1	6.6	6.2	2.2	1.7	47.1	8.8	6.2	0.3	30.0	3.0	15.1	8.5	5.9
Philadelphia, PA	24.5	14.6	8.6	12.8	6.6	2.6	50.0	13.4	6.2	12.5	20.6	4.5	0.2	0.0	1.0
Phoenix, AZ	18.3	14.0	7.1	12.9	5.3	3.2	47.5	5.1	5.5	5.7	19.3	4.6	25.1	9.0	8.1
Portland, OR	17.3	11.6	4.8	12.0	9.3	2.9	41.2	7.7	4.3	10.7	15.3	4.7	21.0	7.3	5.4
Sacramento, CA	12.7	10.3	6.3	4.0	6.0	2.0	52.9	9.1	6.1	6.7	18.7	5.3	27.5	10.3	5.7
Salt Lake City, UT	8.0	7.8	4.2	11.4	8.1	4.4	37.3	5.6	5.0	6.6	14.4	5.3	21.8	10.7	8.1
San Antonio, TX	5.8	9.8	5.7	17.8	6.6	4.1	42.5	7.6	4.6	6.3	20.1	3.3	2.4	7.0	7.6
San Diego, CA	9.9	10.3	3.9	6.5	6.2	2.8	44.8	7.1	6.6	5.8	19.0	6.9	27.7	8.0	5.7
San Jose, CA	7.3	11.7	6.5	8.1	5.5	2.5	41.0	5.7	5.2	2.5	11.0	4.3	28.0	6.1	6.0
Seattle, WA	24.8	12.8	7.0	12.8	9.1	5.4	45.4	6.8	5.4	11.1	15.7	5.7	13.2	9.7	7.6
Spokane, WA	15.9	11.5	7.0	12.2	6.2	4.1	52.9	6.5	5.5	7.2	17.6	7.2	23.0	8.5	6.6
Tucson, AZ	19.1	11.5	7.1	24.8	5.5	3.5	49.9	5.1	6.6	4.2	20.4	6.9	9.5	7.7	6.9
Tulsa, OK	12.3	15.3	6.2	4.5	2.5	1.3	54.5	3.5	3.2	0.6	15.0	1.0	20.8	6.7	4.5
Median	16.5	11.7	6.6	9.8	6.2	3.6	47.1	7.7	5.5	4.1	17.6	5.3	6.1	7.5	5.9

* Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

Table 12: Male ADAM 2001—Last Drug Buy Was Outdoors

Primary City	Percentage of Last Buys in an Outdoor Location				
	Marijuana	Crack Cocaine	Powder Cocaine	Opiates	Methamphetamine
Albany, NY	38.1	48.4	53.4	48.5	0.0
Albuquerque, NM	18.0	27.7	13.5	42.4	10.6
Anchorage, AK	25.6	17.3	19.4	40.3	29.0
Birmingham, AL	33.2	30.5	23.8	0.0	0.0
Charlotte, NC	41.7	41.7	30.6	59.9	0.0
Chicago, IL	80.1	80.6	73.2	86.2	0.0
Cleveland, OH	62.4	66.7	38.3	39.6	0.0
Dallas, TX	27.1	39.8	10.5	9.4	9.2
Denver, CO	41.0	53.0	42.6	61.3	19.6
Des Moines, IA	19.1	27.5	34.0	32.0	9.4
Detroit, MI	34.0	35.7	41.6	56.7	0.0
Honolulu, HI	46.9	44.2	36.9	62.3	26.8
Indianapolis, IN	32.1	35.3	42.8	42.5	21.6
Kansas City, MO	30.5	61.2	28.1	35.8	8.3
Laredo, TX	22.5	33.8	20.2	40.4	0.0
Las Vegas, NV	23.4	45.8	30.8	60.9	12.7
Minneapolis, MN	53.6	51.6	50.9	58.3	9.4
New Orleans, LA	60.3	68.7	66.0	64.0	57.7
New York, NY	83.7	80.8	73.7	82.9	100.0
Oklahoma City, OK	24.3	40.7	10.5	10.4	6.8
Omaha, NE	25.1	23.2	3.3	0.0	7.9
Philadelphia, PA	75.2	71.4	62.5	93.0	0.0
Phoenix, AZ	15.9	25.9	19.7	35.2	6.7
Portland, OR	33.7	56.4	60.0	59.6	15.5
Sacramento, CA	37.0	51.1	43.8	36.5	13.7
Salt Lake City, UT	21.9	17.4	36.4	33.9	12.9
San Antonio, TX	27.0	27.1	21.4	19.9	0.0
San Diego, CA	28.1	61.8	29.3	42.3	19.2
San Jose, CA	24.1	65.4	30.1	27.2	26.8
Seattle, WA	39.6	58.8	39.2	56.2	20.2
Spokane, WA	20.4	39.2	21.7	25.8	4.6
Tucson, AZ	26.5	32.5	20.1	42.2	2.7
Tulsa, OK	35.1	40.0	25.0	0.0	9.5
Median	32.1	41.7	30.8	42.2	9.4

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

Table 13: Male ADAM 2001—Any Failed Drug Purchase in the Past 30 Days

Primary City	Percentage Reporting Failed Drug Buy in Last 30 Days				
	Marijuana	Crack Cocaine	Powder Cocaine	Opiates	Methamphetamine
Albany, NY	34.6	36.2	22.2	24.4	100.0
Albuquerque, NM	35.6	32.0	35.7	23.1	38.5
Anchorage, AK	52.1	41.1	38.1	14.5	13.9
Birmingham, AL	32.6	41.4	24.5	0.0	0.0
Charlotte, NC	51.5	41.8	53.1	35.3	0.0
Chicago, IL	26.5	29.0	17.1	34.6	0.0
Cleveland, OH	35.0	32.6	32.7	25.4	100.0
Dallas, TX	44.4	36.3	22.9	27.4	34.3
Denver, CO	42.4	49.9	23.8	21.5	31.2
Des Moines, IA	35.0	16.5	14.9	0.0	49.3
Detroit, MI	65.4	55.8	41.6	39.6	0.0
Honolulu, HI	47.0	38.1	27.7	35.7	41.2
Indianapolis, IN	57.3	54.0	46.4	30.1	26.9
Kansas City, MO	52.9	30.0	16.5	87.6	58.9
Laredo, TX	22.8	8.5	32.6	30.2	0.0
Las Vegas, NV	38.8	37.7	23.3	15.1	45.3
Minneapolis, MN	36.8	29.7	17.0	21.8	32.3
New Orleans, LA	44.9	47.2	38.8	31.4	0.0
New York, NY	22.2	22.8	15.9	27.2	0.0
Oklahoma City, OK	32.0	36.3	34.5	49.5	31.1
Omaha, NE	29.4	54.6	21.8	100.0	17.2
Philadelphia, PA	45.6	32.0	38.0	13.3	0.0
Phoenix, AZ	25.9	19.4	22.5	18.8	22.0
Portland, OR	28.5	31.0	23.0	22.0	31.0
Sacramento, CA	46.3	43.4	22.2	28.5	37.0
Salt Lake City, UT	48.1	26.5	34.3	11.7	48.9
San Antonio, TX	29.1	29.0	26.4	17.2	18.7
San Diego, CA	40.5	35.3	21.2	21.1	32.5
San Jose, CA	22.8	23.3	23.9	31.1	28.9
Seattle, WA	32.0	34.3	23.7	24.6	32.7
Spokane, WA	22.1	33.0	17.9	23.8	24.1
Tucson, AZ	31.4	33.6	18.2	2.5	35.3
Tulsa, OK	23.8	40.0	25.0	0.0	36.4
Median	35.0	34.3	23.8	24.4	31.1

Note: Question was asked of arrestees who said they had purchased drugs in the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

Table 14: Male ADAM 2001—Failed Drug Purchases Due to Police Activity

Primary City	Percentage Reporting Last Failed Drug Buy Due to Police Activity				
	Marijuana	Crack Cocaine	Powder Cocaine	Opiates	Methamphetamine
Albany, NY	11.6	22.4	33.1	0.0	0.0
Albuquerque, NM	5.2	20.6	3.3	3.9	0.0
Anchorage, AK	9.0	6.9	0.0	0.0	0.0
Birmingham, AL	20.7	24.6	22.5	N.A.	N.A.
Charlotte, NC	5.0	25.0	4.2	33.8	N.A.
Chicago, IL	19.1	21.2	0.0	23.5	N.A.
Cleveland, OH	11.5	11.5	9.3	0.0	100.0
Dallas, TX	2.1	1.2	0.0	0.0	0.0
Denver, CO	7.1	16.5	19.2	30.3	18.5
Des Moines, IA	0.0	18.6	0.0	N.A.	1.7
Detroit, MI	5.9	1.7	0.0	16.4	N.A.
Honolulu, HI	6.6	4.7	0.0	0.0	6.7
Indianapolis, IN	2.6	1.3	4.0	0.0	0.0
Kansas City, MO	13.2	28.5	0.0	0.0	0.0
Laredo, TX	16.7	0.0	14.3	0.0	N.A.
Las Vegas, NV	5.0	9.2	0.0	0.0	5.1
Minneapolis, MN	6.6	6.6	0.0	10.1	0.0
New Orleans, LA	10.6	14.9	31.5	22.9	N.A.
New York, NY	26.3	25.0	21.3	27.3	N.A.
Oklahoma City, OK	1.1	5.1	5.8	0.0	14.9
Omaha, NE	1.3	6.1	0.0	0.0	0.0
Philadelphia, PA	9.6	18.0	19.7	34.5	N.A.
Phoenix, AZ	9.2	9.3	3.0	4.9	14.8
Portland, OR	7.5	33.3	18.0	7.8	2.9
Sacramento, CA	2.7	7.9	0.0	0.0	4.9
Salt Lake City, UT	0.0	0.0	0.0	0.0	4.8
San Antonio, TX	14.1	51.4	19.9	14.6	0.0
San Diego, CA	1.2	0.0	0.0	0.0	2.0
San Jose, CA	7.7	6.7	14.5	0.0	5.2
Seattle, WA	3.1	9.0	0.0	13.1	0.0
Spokane, WA	4.5	28.3	12.0	32.3	4.3
Tucson, AZ	2.3	5.2	0.0	0.0	0.0
Tulsa, OK	0.0	16.7	0.0	N.A.	0.0
Median	6.6	9.3	3.0	0.0	1.7

N.A. = Not applicable

Note: Question was asked of arrestees who said they had attempted to purchase drugs in the past 30 days but failed.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

Table 15: Male ADAM 2001 Drug Treatment Status

Primary City	Treated* in Past Year (%)
Albany, NY	12.6
Albuquerque, NM	15.0
Anchorage, AK	8.3
Birmingham, AL	5.1
Charlotte, NC	10.3
Chicago, IL	9.2
Cleveland, OH	8.3
Dallas, TX	5.4
Denver, CO	11.5
Des Moines, IA	12.6
Detroit, MI	8.2
Honolulu, HI	7.4
Indianapolis, IN	7.2
Kansas City, MO	15.9
Laredo, TX	2.5
Las Vegas, NV	6.6
Minneapolis, MN	15.8
New Orleans, LA	5.6
New York, NY	18.0
Oklahoma City, OK	7.0
Omaha, NE	4.8
Philadelphia, PA	10.9
Phoenix, AZ	9.1
Portland, OR	17.7
Sacramento, CA	6.9
Salt Lake City, UT	12.0
San Antonio, TX	4.4
San Diego, CA	11.8
San Jose, CA	12.0
Seattle, WA	13.3
Spokane, WA	14.0
Tucson, AZ	10.8
Tulsa, OK	6.5
Median	9.2

*Treatment could be inpatient or outpatient.

Table 16: Male ADAM 2001 Health Insurance Status

Primary City	Had Health Insurance, Past Year (%)
Albany, NY	39.9
Albuquerque, NM	32.7
Anchorage, AK	40.1
Birmingham, AL	44.2
Charlotte, NC	42.0
Chicago, IL	31.7
Cleveland, OH	40.5
Dallas, TX	35.1
Denver, CO	27.3
Des Moines, IA	32.8
Detroit, MI	47.2
Honolulu, HI	52.1
Indianapolis, IN	39.4
Kansas City, MO	40.8
Laredo, TX	25.5
Las Vegas, NV	38.2
Minneapolis, MN	47.7
New Orleans, LA	37.4
New York, NY	45.3
Oklahoma City, OK	36.3
Omaha, NE	32.7
Philadelphia, PA	45.9
Phoenix, AZ	34.3
Portland, OR	49.2
Sacramento, CA	38.7
Salt Lake City, UT	34.8
San Antonio, TX	32.9
San Diego, CA	37.7
San Jose, CA	39.9
Seattle, WA	35.5
Spokane, WA	39.0
Tucson, AZ	33.6
Tulsa, OK	34.6
Median	38.2

Female Arrestee Tables

Description of Sample

Table 1. ADAM Sites in 2001—Female Sample and Interviews

Table 2. Demographic Characteristics of Female ADAM 2001 Respondents

Drug Test Results

Table 3. Female ADAM 2001—Drug Test Results (NIDA-5 Drugs)

Drug Use Self-Reports

Table 4. Female ADAM 2001—Crack Cocaine Use

Table 5. Female ADAM 2001—Powder Cocaine Use

Table 6. Female ADAM 2001—Marijuana Use

Table 7. Female ADAM 2001—Methamphetamine Use

Table 8. Female ADAM 2001—Opiate Use

Table 9. Female ADAM 2001—Heavy Drug Use and Risk for Dependence

Table 10. Female ADAM 2001—Heavy Alcohol Use and Risk for Dependence

Drug Market Behavior

Table 11. Female ADAM 2001—Drug Acquisition in the Past 30 Days

Table 12. Female ADAM 2001—Last Drug Buy Was Outdoors

Table 13. Female ADAM 2001—Any Failed Drug Purchase in the Past 30 Days

Table 14. Female ADAM 2001—Failed Drug Purchases Due to Police Activity

Treatment & Insurance

Table 15. Female ADAM 2001— Drug Treatment Status

Table 16. Female ADAM 2001—Health Insurance Status

Table 1: ADAM Sites in 2001—Female Sample and Interviews

Primary City	County Catchment / Study Area	# County Booking Facilities		Completed Interviews (unweighted)				
		Total	Adult Female Data Collected	Quarter 1	Quarter 2	Quarter 3	Quarter 4	Total
Albany, NY	Capital Area	19	7	17	19	15	18	69
Albuquerque, NM	Bernalillo County	1	1	5	18	4	49	76
Anchorage, AK	Anchorage Borough	3	2	30	38	32	22	122
Charlotte, NC	Charlotte-Metro	1	1	11	29	22	0	62
Cleveland, OH	Cuyahoga County	50	6	130	146	136	94	506
Denver, CO	Denver County	1	1	57	53	58	65	233
Des Moines, IA	Polk County	5	2	4	16	17	11	48
Honolulu, HI	Oahu	8	1	23	32	15	24	94
Indianapolis, IN	Marion County	1	1	64	78	72	74	288
Laredo, TX	Webb County	2	1	23	15	7	8	53
Las Vegas, NV	Clark County	4	4	112	0	0	0	112
New Orleans, LA	Orleans Parish	1	1	67	76	81	80	304
New York, NY	Manhattan	6	2	74	52	0	12	138
Oklahoma City, OK	Oklahoma County	1	1	110	101	87	107	405
Omaha, NE	Douglas County	2	1	13	11	15	14	53
Phoenix, AZ	Maricopa County	9	3	117	126	116	99	458
Portland, OR	Multnomah County	1	1	43	43	31	7	124
Sacramento, CA	Sacramento County	8	1	8	21	20	9	58
Salt Lake City, UT	Salt Lake County	1	1	47	37	0	9	93
San Diego, CA	San Diego County	2	2	74	73	80	74	301
San Jose, CA	Santa Clara County	4	1	29	35	36	50	150
Tucson, AZ	Pima County	1	1	25	49	67	72	213
Median		2	1	36.5	37.5	26.5	23	123

Note: Although ADAM data are generally collected on a county basis, the primary (most populous) city in each county is noted here and identifies the site in other tables in this report. Sites where fewer than 25 female interviews were completed during the year are omitted from this report. Current ADAM procedures do not include collection of data on total female bookings during the sampling period, therefore all female data are self-weighted.

Table 2: Demographic Characteristics of Female ADAM 2001 Respondents

Primary City	Age (%)					Mean Age	Race/Ethnicity (%)				Employed (%)	High School Diploma (%)	Stable Housing Situation, Past 30 Days (%)
	15–20	21–25	26–30	31–35	36+		White	Black	Hispanic	Other			
Albany, NY	18.8	26.1	10.1	11.6	33.3	30.4	58.0	36.2	2.9	2.9	51.5	67.6	94.1
Albuquerque, NM	11.8	25.0	11.8	15.8	35.5	31.4	35.5	10.5	47.4	6.6	40.0	72.0	82.7
Anchorage, AK	15.6	18.9	12.3	13.1	40.2	31.9	46.3	13.2	3.3	37.2	29.7	73.1	74.4
Charlotte, NC	11.3	19.4	9.7	25.8	33.9	31.5	21.0	75.8	3.2	0.0	35.0	62.3	80.3
Cleveland, OH	11.9	16.0	13.0	18.4	40.7	32.7	29.4	68.4	2.0	0.2	44.4	66.1	90.7
Denver, CO	16.3	19.3	16.7	18.9	28.8	30.8	32.8	32.8	29.7	4.7	40.8	67.8	81.1
Des Moines, IA	8.3	18.8	14.6	22.9	35.4	33.0	75.0	18.8	2.1	4.2	50.0	84.8	91.3
Honolulu, HI	10.6	27.7	14.9	13.8	33.0	31.4	22.3	3.2	1.1	73.4	28.3	75.0	78.0
Indianapolis, IN	7.6	22.2	19.4	18.1	32.6	31.9	47.2	52.8	0.0	0.0	49.5	61.8	91.7
Laredo, TX	22.6	20.8	24.5	7.5	24.5	28.8	20.8	0.0	79.2	0.0	34.0	58.5	96.2
Las Vegas, NV	16.1	9.8	20.5	17.9	35.7	32.0	63.4	30.4	4.5	1.8	57.1	71.4	92.8
New Orleans, LA	14.8	21.4	17.4	12.5	33.9	30.9	16.8	83.2	0.0	0.0	46.4	66.1	92.8
New York, NY	13.8	9.4	8.7	22.5	45.7	34.2	13.1	68.6	16.8	1.5	34.1	58.0	84.8
Oklahoma City, OK	19.5	23.0	13.6	13.3	30.6	30.1	55.9	32.4	3.7	7.9	47.4	70.3	91.2
Omaha, NE	24.5	24.5	18.9	11.3	20.8	29.0	52.8	47.2	0.0	0.0	52.8	83.0	94.3
Phoenix, AZ	12.4	18.1	15.9	17.5	36.0	31.7	60.0	14.7	17.8	7.5	43.3	68.5	85.0
Portland, OR	17.7	19.4	7.3	19.4	36.3	31.9	70.2	22.3	2.5	5.0	36.1	70.5	76.0
Sacramento, CA	12.1	6.9	17.2	19.0	44.8	33.3	41.4	44.8	12.1	1.7	34.5	81.8	80.0
Salt Lake City, UT	16.1	30.1	6.5	15.1	32.3	30.3	68.8	7.5	17.2	6.5	50.5	62.4	89.1
San Diego, CA	14.3	17.3	15.6	15.9	36.9	31.8	43.5	28.4	19.4	8.7	40.3	68.9	74.7
San Jose, CA	15.3	22.7	11.3	16.7	34.0	30.8	36.5	14.2	41.9	7.4	52.1	80.1	88.3
Tucson, AZ	14.1	22.5	14.6	16.9	31.9	31.1	54.0	6.2	31.8	8.1	44.4	64.3	83.8
Median	14.6	20.1	14.6	16.8	34.0	31.5	44.9	29.4	4.1	4.5	43.9	68.7	86.7

Table 3: Female ADAM 2001—Drug Test Results (NIDA-5 Drugs)

Primary City	Percentage of Arrestees Testing Positive For:*							Interviews With Completed Urine Tests (%)
	Cocaine	Opiates	Marijuana	Methamphetamine	PCP	Any NIDA-5 Drug	Multiple Drugs	
Albany, NY	43.8	12.5	39.6	0.0	2.1	62.5	29.2	71.6
Albuquerque, NM	46.2	18.5	24.6	4.6	0.0	66.2	26.2	93.0
Anchorage, AK	22.8	8.9	30.7	1.0	0.0	55.4	6.9	87.8
Charlotte, NC	63.0	3.7	18.5	0.0	0.0	68.5	16.7	87.1
Cleveland, OH	50.0	5.4	27.7	0.2	5.4	70.7	17.1	86.7
Denver, CO	45.0	2.4	33.0	4.3	0.0	63.6	19.6	94.7
Des Moines, IA	12.5	7.5	40.0	27.5	0.0	60.0	27.5	88.9
Honolulu, HI	9.7	4.2	13.9	36.1	0.0	50.0	11.1	80.9
Indianapolis, IN	41.2	7.2	37.6	0.7	0.7	67.0	19.4	98.9
Laredo, TX	26.5	10.2	14.3	0.0	0.0	34.7	14.3	92.5
Las Vegas, NV	26.5	6.1	23.5	15.5	2.0	53.1	18.4	88.3
New Orleans, LA	38.1	7.6	25.1	0.0	0.3	56.4	13.7	95.7
New York, NY	56.9	13.9	32.1	0.7	1.5	77.4	23.4	99.3
Oklahoma City, OK	26.8	3.6	41.0	15.8	2.3	63.6	23.1	97.7
Omaha, NE	28.2	7.7	35.9	10.3	0.0	64.1	15.4	73.6
Phoenix, AZ	31.6	6.3	26.5	32.3	1.7	72.3	22.9	92.7
Portland, OR	37.2	21.2	23.9	20.4	0.9	72.6	24.8	91.9
Sacramento, CA	29.8	10.6	27.7	42.6	0.0	80.9	27.7	85.5
Salt Lake City, UT	21.7	15.9	18.8	18.8	0.0	49.3	23.2	76.1
San Diego, CA	16.5	8.6	27.7	37.4	1.1	66.9	21.9	93.0
San Jose, CA	14.6	6.5	34.1	38.2	4.1	70.7	23.6	87.0
Tucson, AZ	35.4	10.3	28.7	12.4	0.0	57.9	24.1	92.9
Median	30.7	7.7	27.7	11.4	0.2	63.9	22.4	90.4

*These five drugs are the "NIDA-5 drugs", established by NIDA as a standard test panel of commonly used illegal drugs. They are the drugs analyzed in this report.

Table 4: Female ADAM 2001—Crack Cocaine Use

Primary City	Percentage of Arrestees Reporting Crack Cocaine Use in:			Average No. of Days in Past 30 Used Crack Cocaine*
	Past 7 Days	Past 30 Days	Past Year	
Albany, NY	25.0	21.9	27.9	10.5
Albuquerque, NM	28.6	39.4	47.3	10.9
Anchorage, AK	31.5	19.8	25.9	8.0
Charlotte, NC	26.7	42.6	50.8	10.0
Cleveland, OH	32.1	40.7	46.0	10.5
Denver, CO	32.7	29.5	33.6	11.5
Des Moines, IA	33.3	11.6	15.2	1.3
Honolulu, HI	19.8	7.2	12.5	9.8
Indianapolis, IN	32.0	28.3	34.8	10.1
Laredo, TX	9.4	5.7	5.7	8.0
Las Vegas, NV	23.4	14.4	17.1	9.6
New Orleans, LA	29.5	28.0	30.5	9.5
New York, NY	36.1	34.4	35.5	13.1
Oklahoma City, OK	39.2	18.7	21.9	8.4
Omaha, NE	35.8	17.0	17.0	11.1
Phoenix, AZ	28.0	23.3	29.2	11.7
Portland, OR	21.4	24.6	34.7	6.5
Sacramento, CA	35.3	28.8	32.7	8.4
Salt Lake City, UT	21.1	14.3	17.4	8.3
San Diego, CA	34.0	14.7	17.2	7.7
San Jose, CA	32.1	5.0	7.5	6.1
Tucson, AZ	28.2	22.2	29.1	10.3
Median	30.5	22.1	28.5	9.7

* Asked of those who said they had used crack cocaine in the past year.

Table 5: Female ADAM 2001—Powder Cocaine Use

Primary City	Percentage of Arrestees Reporting Powder Cocaine Use in:			Average No. of Days in Past 30 Used Powder Cocaine*
	Past 7 Days	Past 30 Days	Past Year	
Albany, NY	9.5	12.5	14.7	1.9
Albuquerque, NM	5.8	15.9	23.3	3.7
Anchorage, AK	4.5	11.6	25.2	3.1
Charlotte, NC	10.2	11.7	16.4	6.3
Cleveland, OH	4.9	8.8	14.3	4.2
Denver, CO	8.4	11.9	17.7	5.5
Des Moines, IA	0.0	2.3	2.2	0.4
Honolulu, HI	2.4	2.4	2.2	0.4
Indianapolis, IN	3.6	6.7	14.2	6.1
Laredo, TX	17.0	17.0	17.0	8.3
Las Vegas, NV	5.5	5.5	8.2	4.9
New Orleans, LA	4.7	5.7	8.3	9.8
New York, NY	13.0	16.8	18.8	7.7
Oklahoma City, OK	5.9	8.0	11.2	4.7
Omaha, NE	1.9	1.9	7.5	12.0
Phoenix, AZ	6.9	9.6	15.7	3.6
Portland, OR	11.9	14.4	20.7	5.5
Sacramento, CA	1.9	1.9	7.3	3.2
Salt Lake City, UT	12.1	12.1	19.8	4.5
San Diego, CA	2.4	3.4	8.1	3.6
San Jose, CA	5.0	6.4	9.6	2.7
Tucson, AZ	11.6	17.5	27.3	5.2
Median	5.7	9.2	14.5	4.6

* Asked of those who said they had used powder cocaine in the past year.

Table 6: Female ADAM 2001—Marijuana Use

Primary City	Percentage of Arrestees Reporting Marijuana Use in:			Average No. of Days in Past 30 Used Marijuana*
	Past 7 Days	Past 30 Days	Past Year	
Albany, NY	5.7	26.6	38.2	9.7
Albuquerque, NM	12.3	38.6	44.6	9.4
Anchorage, AK	12.6	32.4	46.1	8.2
Charlotte, NC	13.7	31.1	45.0	8.2
Cleveland, OH	14.5	41.4	48.2	7.7
Denver, CO	16.0	40.4	48.3	8.3
Des Moines, IA	17.6	39.5	45.7	6.2
Honolulu, HI	8.5	28.9	32.6	8.7
Indianapolis, IN	14.0	38.5	46.9	9.6
Laredo, TX	2.0	9.4	11.3	7.4
Las Vegas, NV	6.6	30.6	35.8	10.2
New Orleans, LA	10.5	34.8	42.6	9.4
New York, NY	10.5	40.0	44.2	12.2
Oklahoma City, OK	15.4	46.2	51.9	9.3
Omaha, NE	10.5	39.6	43.4	11.0
Phoenix, AZ	12.7	37.2	46.2	6.6
Portland, OR	8.9	30.5	38.8	6.8
Sacramento, CA	17.5	42.3	52.7	7.4
Salt Lake City, UT	10.1	26.4	37.0	5.8
San Diego, CA	13.5	40.8	45.5	8.6
San Jose, CA	11.2	36.9	45.5	9.0
Tucson, AZ	10.0	34.7	41.3	10.2
Median	11.8	37.1	44.8	8.7

* Asked of those who said they had used marijuana in the past year.

Table 7: Female ADAM 2001—Methamphetamine Use

Primary City	Percentage of Arrestees Reporting Methamphetamine Use in:			Average No. of Days in Past 30 Used Methamphetamine*
	Past 7 Days	Past 30 Days	Past Year	
Albany, NY	0.0	1.6	1.5	0.0
Albuquerque, NM	2.9	8.8	17.6	6.3
Anchorage, AK	0.9	1.8	3.4	7.1
Charlotte, NC	0.0	0.0	1.6	21.5
Cleveland, OH	0.2	0.6	1.0	3.0
Denver, CO	4.8	7.0	10.8	7.5
Des Moines, IA	16.7	20.9	26.7	7.0
Honolulu, HI	29.3	32.5	44.3	8.9
Indianapolis, IN	1.4	1.8	3.1	7.6
Laredo, TX	0.0	0.0	0.0	0.0
Las Vegas, NV	8.2	10.0	17.0	9.7
New Orleans, LA	0.0	1.0	1.0	1.1
New York, NY	0.0	0.0	0.0	0.0
Oklahoma City, OK	12.6	14.7	19.9	8.6
Omaha, NE	7.5	9.4	11.3	3.4
Phoenix, AZ	24.5	28.9	34.2	9.6
Portland, OR	20.5	28.8	36.4	8.6
Sacramento, CA	37.0	42.6	45.5	9.4
Salt Lake City, UT	16.7	19.8	29.3	11.2
San Diego, CA	30.4	33.1	38.4	9.2
San Jose, CA	35.0	38.2	45.5	8.5
Tucson, AZ	9.6	11.2	19.9	9.0
Median	7.9	9.7	17.3	8.1

* Asked of those who said they had used methamphetamine in the past year.

Table 8: Female ADAM 2001—Opiate Use

Primary City	Percentage of Arrestees Reporting Opiate Use in:			Average No. of Days in Past 30 Used Opiates*
	Past 7 Days	Past 30 Days	Past Year	
Albany, NY	6.3	9.4	11.9	9.1
Albuquerque, NM	20.6	20.6	24.7	11.9
Anchorage, AK	0.0	0.9	1.7	0.2
Charlotte, NC	1.7	1.7	5.0	7.6
Cleveland, OH	3.1	4.1	6.8	11.5
Denver, CO	2.6	2.6	4.3	15.9
Des Moines, IA	0.0	0.0	0.0	0.0
Honolulu, HI	4.8	4.8	6.7	11.9
Indianapolis, IN	2.5	2.8	5.2	10.6
Laredo, TX	7.5	7.5	7.5	12.7
Las Vegas, NV	2.7	2.7	2.7	20.4
New Orleans, LA	6.1	7.0	8.3	14.1
New York, NY	11.5	11.5	12.3	13.6
Oklahoma City, OK	1.6	1.6	2.0	6.5
Omaha, NE	0.0	1.9	1.9	20.8
Phoenix, AZ	3.7	4.8	7.0	7.7
Portland, OR	16.4	18.6	22.3	11.1
Sacramento, CA	9.6	9.6	9.1	10.6
Salt Lake City, UT	5.5	8.8	14.1	8.3
San Diego, CA	4.1	4.8	6.7	12.5
San Jose, CA	3.5	4.3	4.1	11.2
Tucson, AZ	5.3	6.3	9.8	11.8
Median	3.9	4.8	6.8	11.4

* Asked of those who said they had used an opiate in the past year.

Table 9: Female ADAM 2001—Heavy Drug Use and Risk for Dependence

Primary City	Heavy Use of a NIDA-5 Drug^a (%)	Injected Drugs, Past Year (%)	At Risk for Drug Dependence^b (%)
Albany, NY	35.3	8.2	37.7
Albuquerque, NM	50.7	25.4	58.3
Anchorage, AK	31.9	4.5	34.5
Charlotte, NC	37.7	3.3	47.5
Cleveland, OH	43.2	4.6	52.8
Denver, CO	34.1	8.8	39.5
Des Moines, IA	21.7	4.8	34.1
Honolulu, HI	25.8	4.8	34.5
Indianapolis, IN	30.6	5.7	41.8
Laredo, TX	18.9	7.5	17.0
Las Vegas, NV	30.4	4.7	40.2
New Orleans, LA	31.0	7.0	42.0
New York, NY	44.9	9.2	42.5
Oklahoma City, OK	37.0	14.0	42.1
Omaha, NE	34.0	8.0	30.2
Phoenix, AZ	40.8	14.3	52.1
Portland, OR	49.6	32.2	52.5
Sacramento, CA	49.1	22.2	64.8
Salt Lake City, UT	32.6	13.6	40.9
San Diego, CA	44.1	11.3	49.2
San Jose, CA	36.3	7.7	48.9
Tucson, AZ	33.7	11.8	42.9
Median	34.7	8.1	42.1

a. Heavy use is defined here, as in the National Survey on Drug Use and Health, as 13 or more days of self-reported consumption of a drug in a 30-day period in the year before the interview. The NIDA-5 drugs are cocaine, opiates, marijuana, methamphetamine, and PCP. The list was established by NIDA as a standard panel of commonly used illegal drugs. They are the drugs analyzed in this report.

b. Dependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding drug use experiences during the prior year.

Note: Questions were asked of arrestees who reported using drugs.

Table 10: Female ADAM 2001—Heavy Alcohol Use and Risk for Dependence

Primary City	Binge Drinking, Past 30 Days^a (%)	Heavy Drinking, Past 30 Days^b (%)	At Risk for Alcohol Dependence^c (%)
Albany, NY	32.8	14.1	18.8
Albuquerque, NM	45.1	22.5	39.7
Anchorage, AK	53.6	27.7	42.1
Charlotte, NC	39.3	26.2	33.9
Cleveland, OH	45.1	27.3	28.9
Denver, CO	42.5	23.7	29.7
Des Moines, IA	43.2	22.7	20.5
Honolulu, HI	23.8	9.6	16.3
Indianapolis, IN	44.3	23.4	33.6
Laredo, TX	28.3	13.2	13.7
Las Vegas, NV	32.4	11.9	17.3
New Orleans, LA	33.8	22.3	25.8
New York, NY	16.4	9.7	13.6
Oklahoma City, OK	38.7	16.5	27.4
Omaha, NE	28.3	9.4	17.3
Phoenix, AZ	38.5	20.0	25.6
Portland, OR	22.0	14.4	17.6
Sacramento, CA	35.2	22.2	29.6
Salt Lake City, UT	33.0	15.4	23.9
San Diego, CA	36.6	19.2	25.3
San Jose, CA	31.9	18.1	22.9
Tucson, AZ	45.3	21.6	27.9
Median	35.9	19.6	25.5

a. Binge drinking is defined in the NHSDA as consumption of five or more drinks on at least one occasion in a month.

b. Heavy drinking is defined in the NHSDA as consumption of five or more drinks on five or more occasions in a month.

c. Dependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding alcohol use experiences during the prior year.

Note: Questions were asked of arrestees who reported consuming alcohol.

Table 11: Female ADAM 2001—Drug Acquisition in the Past 30 Days

Primary City	Crack Cocaine			Powder Cocaine			Marijuana			Opiates			Methamphetamine		
	% of Arrestees	Mean No. of Days in Past 30*		% of Arrestees	Mean No. of Days in Past 30*		% of Arrestees	Mean No. of Days in Past 30*		% of Arrestees	Mean No. of Days in Past 30*		% of Arrestees	Mean No. of Days in Past 30*	
		Cash Purchase	Non-cash Purchase		Cash Purchase	Non-cash Purchase									
Albany, NY	27.7	14.8	7.9	12.3	1.0	4.0	30.8	8.9	7.0	7.7	26.0	4.3	0.0	0.0	0.0
Albuquerque, NM	40.3	18.4	7.7	20.8	2.3	1.4	38.9	3.2	3.0	20.8	24.0	4.0	9.7	2.5	2.9
Anchorage, AK	19.5	15.6	6.9	13.3	11.2	5.3	35.4	7.5	7.7	0.9	1.0	0.0	1.8	10.5	0.0
Charlotte, NC	41.0	11.7	5.3	11.5	25.0	5.7	26.2	5.9	5.7	1.6	30.0	0.0	0.0	0.0	0.0
Cleveland, OH	42.5	14.2	6.8	9.1	5.9	2.9	41.9	9.7	4.9	4.0	21.1	8.4	0.6	1.0	1.0
Denver, CO	30.6	17.0	6.6	12.2	13.2	1.5	41.5	5.0	4.7	3.1	29.6	0.0	7.4	15.5	6.3
Des Moines, IA	9.1	8.0	2.7	2.3	1.0	0.0	36.4	3.1	2.2	0.0	0.0	0.0	20.5	5.3	5.8
Honolulu, HI	8.3	26.7	1.5	3.6	1.0	0.0	29.8	9.4	4.0	6.0	13.7	3.5	33.3	7.6	6.2
Indianapolis, IN	28.8	12.8	7.0	8.1	5.1	5.1	38.9	6.3	5.5	3.2	23.2	15.5	1.8	1.0	12.0
Laredo, TX	5.7	30.0	5.5	17.0	12.7	6.4	11.3	5.7	9.8	7.5	23.3	2.5	0.0	0.0	0.0
Las Vegas, NV	14.3	15.4	9.0	6.3	21.0	3.0	31.3	6.2	2.5	2.7	30.0	11.0	9.8	7.8	4.1
New Orleans, LA	27.7	12.7	7.3	6.3	13.9	6.0	35.6	9.8	5.2	6.6	18.5	10.9	0.7	0.0	1.5
New York, NY	33.6	14.0	4.3	16.4	8.6	1.9	40.7	12.6	7.8	11.2	17.8	6.5	0.0	0.0	0.0
Oklahoma City, OK	18.9	11.2	7.5	8.8	8.6	4.9	46.0	6.6	6.1	1.5	12.4	2.5	14.9	4.9	8.3
Omaha, NE	17.0	22.2	9.7	5.7	4.7	5.0	39.6	8.6	2.6	1.9	23.0	23.0	9.4	3.5	5.0
Phoenix, AZ	24.0	18.5	12.1	11.0	5.6	4.0	39.1	3.0	4.6	4.9	16.7	4.2	29.7	8.7	7.4
Portland, OR	25.2	10.7	6.5	14.3	8.2	2.3	29.4	4.1	5.1	18.5	18.5	6.4	28.6	9.2	5.0
Sacramento, CA	27.8	13.3	4.6	1.9	0.0	20.0	42.6	8.3	6.1	11.1	16.5	11.7	42.6	12.1	6.6
Salt Lake City, UT	15.4	9.3	8.4	16.5	7.8	4.6	25.3	2.9	6.3	11.0	14.5	1.5	20.9	12.8	9.0
San Diego, CA	15.6	11.6	8.1	4.1	10.2	2.3	43.2	5.9	6.8	4.8	22.1	3.7	34.4	8.4	8.9
San Jose, CA	6.3	12.3	6.4	6.9	5.0	2.2	35.7	9.5	6.7	4.9	16.4	8.0	37.5	7.0	5.4
Tucson, AZ	24.5	16.6	8.4	22.5	7.3	4.8	37.0	6.6	6.6	7.5	14.3	15.5	13.0	11.3	9.4
Median	24.3	14.1	7.0	10.1	7.6	4.0	36.7	6.5	5.6	4.9	18.5	4.3	9.8	6.2	5.2

* Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

Table 12: Female ADAM 2001— Last Drug Buy Was Outdoors

Primary City	Percentage of Last Buys in an Outdoor Location				
	Marijuana	Crack Cocaine	Powder Cocaine	Opiates	Methamphetamine
Albany, NY	33.3	30.8	0.0	25.0	N.A.
Albuquerque, NM	25.0	18.2	0.0	25.0	0.0
Anchorage, AK	9.5	38.5	50.0	0.0	50.0
Charlotte, NC	40.0	31.6	0.0	0.0	N.A.
Cleveland, OH	46.2	60.6	27.8	56.3	0.0
Denver, CO	33.3	47.1	38.5	57.1	16.7
Des Moines, IA	25.0	50.0	0.0	N.A.	0.0
Honolulu, HI	72.7	80.0	100.0	33.3	54.5
Indianapolis, IN	22.2	32.7	30.8	66.7	0.0
Laredo, TX	0.0	100.0	16.7	50.0	N.A.
Las Vegas, NV	18.2	12.5	66.7	100.0	0.0
New Orleans, LA	58.7	58.8	80.0	75.0	0.0
New York, NY	63.3	68.3	44.4	50.0	N.A.
Oklahoma City, OK	17.3	15.9	0.0	33.3	20.0
Omaha, NE	27.3	20.0	0.0	0.0	0.0
Phoenix, AZ	16.7	16.4	26.3	28.6	17.5
Portland, OR	18.2	63.6	85.7	75.0	28.6
Sacramento, CA	16.7	18.2	N.A.	25.0	7.1
Salt Lake City, UT	12.5	12.5	20.0	42.9	0.0
San Diego, CA	37.5	30.8	20.0	27.3	15.9
San Jose, CA	23.5	50.0	25.0	25.0	16.7
Tucson, AZ	22.2	28.1	5.0	11.1	0.0
Median	24.3	32.2	25.0	33.3	3.6

N.A. = Not applicable

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

Table 13: Female ADAM 2001—Any Failed Drug Purchase in the Past 30 Days

Primary City	Percentage Reporting Failed Drug Buy in Last 30 Days				
	Marijuana	Crack Cocaine	Powder Cocaine	Opiates	Methamphetamine
Albany, NY	21.4	46.2	0.0	0.0	N.A.
Albuquerque, NM	11.1	34.8	16.7	41.7	0.0
Anchorage, AK	71.4	64.3	66.7	0.0	0.0
Charlotte, NC	75.0	55.0	0.0	0.0	N.A.
Cleveland, OH	42.6	39.5	36.8	50.0	0.0
Denver, CO	55.0	46.4	12.5	0.0	50.0
Des Moines, IA	71.4	50.0	0.0	N.A.	16.7
Honolulu, HI	41.7	40.0	0.0	33.3	47.4
Indianapolis, IN	42.0	50.8	35.7	16.7	100.0
Laredo, TX	33.3	0.0	33.3	0.0	N.A.
Las Vegas, NV	40.0	45.5	33.3	33.3	83.3
New Orleans, LA	40.3	36.5	44.4	36.8	0.0
New York, NY	15.8	30.2	15.0	8.3	N.A.
Oklahoma City, OK	52.9	44.4	25.0	80.0	58.8
Omaha, NE	28.6	16.7	0.0	0.0	33.3
Phoenix, AZ	28.3	19.3	8.3	25.0	24.2
Portland, OR	20.0	21.7	21.4	26.3	41.2
Sacramento, CA	25.0	66.7	N.A.	50.0	64.3
Salt Lake City, UT	0.0	37.5	33.3	16.7	30.0
San Diego, CA	21.6	40.6	40.0	25.0	41.5
San Jose, CA	50.0	33.3	40.0	60.0	32.3
Tucson, AZ	22.2	32.4	25.0	18.2	25.0
Median	36.7	39.8	25.0	25.0	32.8

N.A. = Not applicable

Note: Question was asked of arrestees who said they had purchased drugs in the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

Table 14: Female ADAM 2001—Failed Drug Purchases Due to Police Activity

Primary City	Percentage Reporting Last Failed Drug Buy Due to Police Activity				
	Marijuana	Crack Cocaine	Powder Cocaine	Opiates	Methamphetamine
Albany, NY	33.3	0.0	N.A.	N.A.	N.A.
Albuquerque, NM	0.0	0.0	0.0	0.0	N.A.
Anchorage, AK	0.0	0.0	0.0	N.A.	N.A.
Charlotte, NC	16.7	10.0	N.A.	N.A.	N.A.
Cleveland, OH	2.3	7.1	14.3	12.5	N.A.
Denver, CO	0.0	7.7	0.0	N.A.	0.0
Des Moines, IA	0.0	0.0	N.A.	N.A.	0.0
Honolulu, HI	0.0	0.0	N.A.	0.0	0.0
Indianapolis, IN	0.0	6.3	20.0	0.0	0.0
Laredo, TX	0.0	N.A.	0.0	N.A.	N.A.
Las Vegas, NV	0.0	0.0	0.0	0.0	0.0
New Orleans, LA	4.0	11.1	25.0	14.3	N.A.
New York, NY	33.3	38.5	0.0	100.0	N.A.
Oklahoma City, OK	2.8	0.0	25.0	0.0	10.0
Omaha, NE	0.0	0.0	N.A.	N.A.	0.0
Phoenix, AZ	16.7	25.0	0.0	66.7	12.5
Portland, OR	50.0	20.0	0.0	0.0	0.0
Sacramento, CA	0.0	0.0	N.A.	0.0	0.0
Salt Lake City, UT	N.A.	0.0	0.0	0.0	0.0
San Diego, CA	0.0	7.7	0.0	33.3	4.5
San Jose, CA	0.0	50.0	0.0	0.0	0.0
Tucson, AZ	0.0	9.1	0.0	0.0	0.0
Median	0.0	6.3	0.0	0.0	0.0

N.A. = Not applicable

Note: Question was asked of arrestees who said they had attempted to purchase drugs in the past 30 days but failed.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

Table 15: Female ADAM 2001—Drug Treatment Status

Primary City	Treated* in Past Year (%)
Albany, NY	19.7
Albuquerque, NM	16.0
Anchorage, AK	12.1
Charlotte, NC	27.9
Cleveland, OH	14.9
Denver, CO	15.9
Des Moines, IA	15.2
Honolulu, HI	8.9
Indianapolis, IN	10.4
Laredo, TX	5.7
Las Vegas, NV	7.2
New Orleans, LA	6.9
New York, NY	11.9
Oklahoma City, OK	9.3
Omaha, NE	7.5
Phoenix, AZ	10.2
Portland, OR	23.3
Sacramento, CA	23.6
Salt Lake City, UT	13.2
San Diego, CA	14.7
San Jose, CA	9.0
Tucson, AZ	13.8
Median	12.7

*Treatment could be inpatient or outpatient.

Table 16: Female ADAM 2001—Health Insurance Status

Primary City	Had Health Insurance, Past Year (%)
Albany, NY	52.9
Albuquerque, NM	41.3
Anchorage, AK	38.5
Charlotte, NC	42.6
Cleveland, OH	48.9
Denver, CO	40.9
Des Moines, IA	58.7
Honolulu, HI	56.5
Indianapolis, IN	47.2
Laredo, TX	30.2
Las Vegas, NV	40.2
New Orleans, LA	39.6
New York, NY	56.5
Oklahoma City, OK	37.3
Omaha, NE	55.8
Phoenix, AZ	49.6
Portland, OR	60.3
Sacramento, CA	53.7
Salt Lake City, UT	33.3
San Diego, CA	44.0
San Jose, CA	50.7
Tucson, AZ	51.0
Median	48.1