




U.S. Department
of Transportation
National Highway
Traffic Safety
Administration

Police Personnel Allocation Manual

State-Wide Agencies



154016

User's Guide

POLICE ALLOCATION MANUAL

USER'S GUIDE

Determination of the Number and Allocation of Personnel for
Police Traffic Services for State-Wide Agencies

- PAM Version 4.0 -

July 1991

NCJRS

APR 27 1995

ACQUISITIONS

Prepared by

THE TRAFFIC INSTITUTE
Northwestern University

for

NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION
U. S. Department of Transportation

Contract No. DTNH22-88-C-05016

154016

**U.S. Department of Justice
National Institute of Justice**

This document has been reproduced exactly as received from the person or organization originating it. Points of view or opinions stated in this document are those of the authors and do not necessarily represent the official position or policies of the National Institute of Justice.

Permission to reproduce this ~~document~~ material has been granted by

Public Domain

U.S. Department of Transportation

to the National Criminal Justice Reference Service (NCJRS).

Further reproduction outside of the NCJRS system requires permission of the ~~document~~ owner.

FOREWORD

The Police Allocation Manual (PAM) and the Police Allocation Manual User's Guide were developed and field tested by The Traffic Institute of Northwestern University under a contract (No. DTNH22-88-C-05016) issued by the Office of Traffic Safety of the National Highway Traffic Safety Administration, U.S. Department of Transportation. Principal Investigator and author for the study was Dr. William Stenzel. Dr. Stenzel was assisted by Mr. Roy Lucke who had prime responsibility for the design, implementation, and coordination of the field test program. The Contracting Officer's Technical Representative for the project was Mr. David Seiler (The Office of Traffic Safety).

The PAM project was initiated in June 1988 and Phase I was completed in February 1990. The Phase I field test was conducted during the summer and fall of 1989. Phase II of the project was completed in July 1991. Several versions or "editions" of the Manual were produced during the project. Version 1.0 was completed in March 1989. Version 2.0 was completed in June 1989 and was used for the Phase I field test. Version 3.0 was completed at the end Phase I (February 1990), Version 3.5 was submitted to NHTSA in January 1991, and Version 4.0 was completed in July 1991.

The project team wishes to thank the following state agencies which served as field test sites for the study. (The project liaison person for each agency is identified with an "*". Ranks and titles reflect those held during the Phase I field test.)

Arizona Department of
Public Safety

Lt. Colonel Larry N. Thompson,
Chief
Arizona Highway Patrol Bureau

* Captain Coy Johnston
Arizona Highway Patrol Bureau

Trooper Jack Bell
Arizona Highway Patrol Bureau

California Highway Patrol

Commissioner M. J. Hannigan
Department of California Highway
Patrol

- * Captain Gary Townsend
Operational Planning Section
Department of California Highway
Patrol

Captain Robert Haworth
Operational Planning Section
Department of California Highway
Patrol

Mr. Alan J. Bailey
Operational Planning Section
Department of California Highway
Patrol

Colorado State Patrol

Colonel John N. Dempsey,
Chief
Colorado State Patrol

- * Lt. Ralph Martin
Colorado State Patrol

Lt. Michael Farnsworth
Colorado State Patrol

Ms. Leslie Nelson
Colorado State Patrol

Florida Highway Patrol

Bobby R. Burkett, Director
Florida Highway Patrol

- * Mr. James M. Roddenberry
Management Review Specialist
Florida Highway Patrol

Illinois State Police

William O'Sullivan, Deputy Director
Division of State Troopers

- * Mr. James G. Milbrandt, Bureau Chief
Management Information Bureau
Illinois State Police

Mr. Charles Clark
Management Information Bureau
Illinois State Police

Massachusetts State Police

William McCabe, Commissioner
Massachusetts State Police

- * Lt. Col. Thomas J. Kennedy
Research and Development
Massachusetts State Police

Corporal Alfred L. Lussier
Research and Development
Massachusetts State Police

Nebraska State Patrol

Col. H. W. LeGrande, Superintendent
Nebraska State Patrol

Lt. Jerry Petersen
Research and Planning
Nebraska State Patrol

- * Sgt. Steve Evans
Research and Planning
Nebraska State Patrol

Ms. Diann Bauer
Research and Planning
Nebraska State Patrol

New York State Police

Thomas A. Constantine,
Superintendent
New York State Police

- * Lt. Colonel James McMahon
Assist. Deputy Superintendent
Planning and Research
New York State Police

Mr. Leonard B. Clifford
Planning and Research
New York State Police

Completion of the Manual would not have been possible without the cooperation of the 46 state and provincial law enforcement agencies that provided information about their current staffing and deployment procedures to the project. A list of the 46 agencies is presented below:

Alabama Department of
Public Safety

Alaska State Troopers

Arizona Highway Patrol	Arkansas State Police
California Highway Patrol	Colorado State Patrol
Connecticut State Police	Delaware State Police
Florida Highway Patrol	Georgia Department of Public Safety
Idaho Department of Law Enforcement	Illinois State Police
Indiana State Police	Iowa State Patrol
Kansas Highway Patrol	Kentucky State Police
Louisiana State Police	Maryland State Police
Massachusetts State Police	Michigan State Police
Minnesota State Patrol	Missouri Highway Patrol
Montana Highway Patrol	Nebraska State Patrol
Nevada Highway Patrol	New Hampshire State Police
New Jersey State Police	New York State Police
North Carolina State Highway Patrol	North Dakota Highway Patrol
Ohio State Highway Patrol	Oklahoma Highway Patrol
Ontario Provincial Police	Oregon State Police
Pennsylvania State Police	Rhode Island State Police
Royal Canadian Mounted Police	South Dakota Highway Patrol
Tennessee Highway Patrol	Texas Highway Patrol
Utah Highway Patrol	Vermont State Police
Virginia State Police	Washington State Patrol
West Virginia State Patrol	Wisconsin State Patrol

The project team also wishes to thank Messrs. Michael Buren and Alex Weiss of The Traffic Institute, Mr. Sid Girling of the Ontario Provincial Police, and Mr. Richard Raub of the Illinois

State Police (ISP) all of whom reviewed initial drafts of the Manual and provided many valuable suggestions.

A special acknowledgment is extended to Mr. Raub of the ISP. Many of the ideas used in the Manual reflect concepts developed and documented by Mr. Raub and his colleagues in a series of ISP reports beginning in 1981. Mr. Raub's outstanding work into the identification and estimation of the major elements of staffing and allocation of state-wide police agency resources provided many of the basic components for the PAM model.

A special note of thanks is extended to Ms. Darry Ware whose diligence and persistence helped to insure that a steady stream of project materials were sent to the field test agencies in a timely manner.

TABLE OF CONTENTS

	<u>Page</u>
FOREWORD	iii
TABLE OF CONTENTS	ix
SECTION 1: INTRODUCTION	1
Police Allocation Manual Project	1
Police Allocation Manual Procedures	1
Contents of the <u>User's Guide</u>	2
How to Use the <u>Guide</u>	3
SECTION 2: GENERAL IMPLEMENTATION STRATEGIES	3
Uses and Limitations of the <u>Manual</u>	3
Guidelines for First-Time PAM Users	5
SECTION 3: DATA DEFINITION AND COLLECTION ISSUES	6
Data Collection Categories	6
Selecting Autonomous Patrol Areas (APAs)	8
State Agency Example #1	9
State Agency Example #2	9
Worksheet Options and the Use of Performance Standards	10
Administrative Time per Trooper (Worksheet 2)	10
Table 1: Values Used for Selected PAM Input Data Items, 1989 Phase I Field, Seven Agencies	11
Self-Initiated Time per Trooper (Worksheet 4)	15
Patrol Availability (Worksheet 5)	15

Number of Staff and Command Personnel (Worksheet 8)	15
Strategies for Controlling the Data Collection Effort .	16
APA-Independent Data	16
APA-Dependent Data	16
State Agency Example #1	17
State Agency Example #2	18
Table 2: APA Category Characteristics, State Agency #1	19
Table 3: APA Category Characteristics, State Agency #2	19
Discussion of Individual Data Items	20
Highway Types	20
Immediate Response Percent	21
On-Duty Hours per Year per Trooper	21
Patrol Coverage	22
Patrol Interval	22
Patrol Speed	22
Response Speed	23
Self-Initiated Time	24
Service Time	24
Shift Length	25
Special Assignment Personnel	26
Staff and Command Personnel	26
Travel Time	26
SECTION 4: RECOMMENDED DATA COLLECTION AND IMPLEMENTATION PROCEDURE	27
Step 1: Obtain Initial Staffing Level Estimates with Minimum Data Collection Effect	27
Step 2: Assess the Quality of the Input Data Items . .	27
Step 3: Investigate the Sensitivity of the Staffing Estimates to Changes in Individual Input Data Items	28
Step 4: Improve Accuracy of Important Data Items . . .	28

Page

APPENDIX A: COMPREHENSIVE LIST OF PAM INPUT DATA A-1

Worksheet 1: Operations, Workload, and Highway Data	A-1
Worksheet 2: Administrative Time	A-2
Worksheet 3: Reactive Time	A-3
Worksheet 4: Proactive Time - Self-Initiated	A-3
Worksheet 5: Proactive Time - Patrol	A-4
Worksheet 6: Average Daily Number of On-Duty Troopers	A-4
Worksheet 7: Special Assignments and Field Supervision	A-5
Worksheet 8: Total Staff Requirements	A-6
Worksheet 9: Allocation of Patrol Personnel Among Several APAs	A-6
Supplemental Worksheet: Patrol Availability - Immediate Response	A-6

APPENDIX B: GLOSSARY AND WORKSHEET ABBREVIATIONS AND NOTATION

Glossary	B-1
Worksheet Abbreviations and Notation	B-11

APPENDIX C: EXAMPLE USING PAM WORKSHEETS 1-9 TO DETERMINE STAFFING REQUIREMENTS AND ALLOCATION

Introduction	C-1
Observations	C-1
Example Worksheets	C-6
Worksheet 1: Operations, Workload, and Highway	C-6
Worksheet 2: Administrative Time	C-9
Worksheet 3: Reactive Time	C-11
Worksheet 4: Proactive Time - Self-Initiated	C-13
Worksheet 5: Proactive Time - Patrol	C-16
Worksheet 6: Average Daily Number of On-Duty Troopers	C-25
Worksheet 7: Special Assignments and Field Supervision	C-28
Worksheet 8: Total Staff Requirements	C-35
Worksheet 9: Allocation of Patrol Personnel Among Several APAs	C-39

	<u>Page</u>
APPENDIX D: DERIVATION OF MAJOR FORMULAS USED IN THE PAM MODEL	D-1
D.1 Average Number of On-Duty Troopers (N_r) Required Per Day Within the APA To Meet the Average Daily (Obligated Time) Workload, (3.3.3)	D-2
D.2 Average Number of On-Duty Troopers (N_{ppi}) Required Per Day To Meet the Patrol Interval Performance Requirement Objective Within the APA, (5.1.2.5), (5.1.3.5), and (5.1.4.5)	D-4
D.3 Total Number of Troopers (N_{pri}) Required Per Day Within the APA To Provide Immediate Response To the Performance Objective Percentage of CFS, Accidents, and Self-Initiated Activities, (5.2.8)	D-9
D.4 Average Number of On-Duty Troopers (N_{pap}) Required Within the APA To Meet the Average Travel Time Performance Objective for Area Patrol, (5.3.6.3)	D-16
D.5 Average Number of On-Duty Troopers (N_{plp}) Required Within the APA To Meet the Average Travel Time Performance Objective for Line Patrol, (5.4.6)	D-20
D.6 Average Total Number of On-Duty Troopers (N) Required Per Day for All Patrol Activities Within the APA, One Trooper Per Unit, (6.1.5)	D-23
D.7 Average Total Number of On-Duty Troopers (N_o) Required Per Day for All Patrol Activities Within the APA, Adjusted for One and Two Trooper Units, (6.2.4)	D-27
D.8 Average Total Number of On-Duty Troopers (N_{ot}) and On-Duty Field Supervisors (N_{os}) Required Per Day for Patrol Activities Within the APA, Adjusted for the Presence of Field Supervisors and Special Assignment Personnel (7.2.4) and (7.3.1)	D-29

Page

D.9	Determination of the Shift Relief Factor (SRF) for the Calculation of the Total Number of Troopers (N_t) and Field Supervisors (N_s) Required Within the APA, (8.3.1) and (8.3.2) . .	D-34
D.10	Allocation of Patrol Personnel Among Several APAs, Worksheet 9	D-37

SECTION 1: Introduction

Police Allocation Manual Project

The Police Allocation Manual User's Guide (herein after referred to as the Guide) is intended as a companion document to the Police Allocation Manual (PAM), Version 4.0, which can be used to determine the number and allocation of personnel for police traffic services for state-wide agencies.

Both the Guide and the Police Allocation Manual (herein after referred to as the Manual) were developed by The Traffic Institute of Northwestern University under contract to the National Highway Traffic Safety Administration (NHTSA), U.S. Department of Transportation. A summary of project activities and products is contained in the Foreword and additional information about the project is contained in the Phase I and Phase II final reports submitted to NHTSA in February 1990 and March 1991 respectively.

Police Allocation Manual Procedures

The procedures described in the Manual for determining the number of staff are based on an analysis of trooper workload in terms of the amount of time required to complete various tasks. All trooper activities are assigned to four categories:

- o Reactive: answering calls-for-service and responding to accidents;
- o Proactive - Self-Initiated: traffic enforcement, field interrogations, motorist assists;
- o Proactive - Patrol: patrol on uncommitted time; and
- o Administrative: office time, vehicle maintenance, meal time, etc.

It is important to note that the definition for "patrol" used in the PAM model is narrower than that used by many law enforcement agencies. In PAM, the "Proactive-Patrol" workload category refers to uncommitted time only. Self-initiated activities which occur as a result of "proactive patrol" time are included in the "proactive self-initiated" category. In other words, time spent

looking for violators is "patrol" while the time spent with violators is "self-initiated."

The procedures used in the PAM model rely on historical data for the agency and user-supplied performance objectives. These data and objectives are used in nine worksheets in the Manual to guide the user through the process of determining how many troopers are needed for each of the categories identified above. For two of the categories, Reactive (Worksheet 3) and Proactive-Patrol (Worksheet 5), workload and performance objectives are used to derive the number of on-duty troopers required daily for each category. For the Administrative (Worksheet 2) and Proactive-Self-Initiated (Worksheet 4) categories, historical data and performance objectives are used to determine the proportion of trooper on-duty time that should be spent on activities in each of these categories.

The results of the calculations for each category in worksheets 2 - 5 are then combined in Worksheet 6 to determine the average number of on-duty troopers needed each day. This result is further modified in worksheets 7 and 8 to account for two-trooper units, minimum staffing levels, troopers used for special assignments, field supervisors, the time-off policies of the agency, and the number of command and support staff to obtain the staffing requirement for an "autonomous patrol area" (APA). The staffing requirement for an entire jurisdiction is obtained by adding together the staffing requirements for all of the APAs in the jurisdiction. Worksheet 9 is used to allocate or distribute a total number of troopers among several patrol areas (APAs) or among distinct time periods or shifts for one patrol area. A complete description of the PAM methodology is presented in Chapter 2 of the Manual.

Contents of the User's Guide

The Guide consists of four sections and four appendixes. Section 1 ("Introduction") provides an overview of the PAM project and methodology and the contents of the Guide. Sections 2 and 3 provide specific information and guidelines regarding "General Implementation Strategies" and "Data Definition and Collection Issues" respectively. The material in sections 2 and 3 is summarized in a "Recommended Data Collection and Implementation Procedure" in Section 4. Appendix A contains a list of the data and performance information required for each of the nine worksheets in the Manual and Appendix B is a glossary of terms and notation used in Manual. Appendix C contains a detailed example in which each of the nine worksheets in the Manual is shown in completed form and Appendix D contains derivations of all of the important formulas used in the Manual.

The specific topics and appendixes included in the Guide were determined by feedback from the eight field test site agencies used for phases I and II of the project.

How to Use the Guide

It is important to note that the Guide has been written for use as a reference document to assist both first-time and experienced Manual users. It is anticipated that no one will study the document section by section, front to back. Rather, it is anticipated that the Guide will be used as questions about data definitions, data collection, and the use of particular worksheets arise. First-time users will probably be most interested in the general implementation strategies in Section 2 and the recommended procedure outlined in Section 4. More experienced users will likely find that they will refer to the information on data definitions and collection in Section 3.

SECTION 2: General Implementation Strategies

This section provides general observations about the implementation and use of the Manual for determining staffing requirements. All of the observations are based on experience gained from the eight field test agencies. The first part below examines what the Manual can and cannot do and this is followed by suggestions for first-time users.

Uses and Limitations of the Manual

The calculations and procedures described in the Manual represent a "model" of police staffing in the sense that the steps in the nine worksheets are based on mathematical and logical relationships between workload, patrol performance, the characteristics of a patrol area, and the total number of officers needed to provide service. Analysts divide models into two broad categories: descriptive and prescriptive. Identifying which category the PAM model belongs to is of use in recognizing how the model can be used and its limitations.

The PAM model is a prescriptive model; that is, based on information about the workload, the desired performance levels, and the characteristics of the jurisdiction, the model can be used to "prescribe" how many officers are needed. The PAM model is not a descriptive (or predictive) model; that is, it is not possible to specify a fixed number of officers, the workload and other characteristics of a jurisdiction and use the model to describe (or predict) what level of patrol performance can be expected. Similarly, it is not possible to use the PAM model to predict what the change in patrol performance or workload will be (e.g., the

number of accidents to be handled) if the number of troopers is increased by a certain percent.

The prescriptive nature of the PAM model provides police planners with a powerful tool. Not only can the Manual be used to determine appropriate staffing levels for current workload, performance objectives, and jurisdictional characteristics, it can also be used to answer numerous "What if?" questions; for example, what will be impact on staffing if the current workload increases by 20% or if the average travel time to accidents or other CFS is reduced by 1 minute?

Experience indicates that model "failures" can occur, not from the limitations of the model itself, but rather from incorrect or unrealistic expectations by police planners about the capabilities of the procedures. The PAM model cannot provide the answers to all staffing and allocation questions; for example, as noted above, the model is not capable of predicting changes in performance as staffing levels change. Additional limitations are as follows:

- o The PAM model cannot correct or compensate for inaccurate or incomplete input data. This limitation is merely an application of the "law" most often associated with data processing which is summarized as GIGO; that is, "garbage in, garbage out." At the same time, it is also true that the model is more sensitive to the accuracy of some data items than others. This fact is important in determining what level of effort should be expended in data collection. (See the discussion below in Section 4: "Recommended Data Collection and Implementation Procedure.")
- o The PAM model can only prescribe how many officers are needed when performance objectives are provided; that is, when someone or some group decides what level of service is desired. Stated in another way, the Manual is not a "silver bullet;" that is, it is not a method for determining staffing levels that can be completed without management involvement or input.
- o The PAM model cannot be used to predict the future workload (i.e. calls for service) of a patrol area.
- o The PAM model, by itself, will not convince legislators or policy makers to increase funding support for additional staff. Decisions on staffing levels eventually reflect fiscal and political realities that transcend the specific methods used in any staffing procedure. The PAM procedures will strengthen requests for additional staff, but cannot guarantee their acceptance.

Guidelines for First-Time PAM Users

For persons who are using PAM for the first time, it is recommended that the steps outlined in Chapter 1 in the Manual (pages 1-2 and 1-3) and the recommended procedure discussed in Section 4 be carefully followed. The steps are:

- o Read Chapter 2 in the Manual to gain an overview of the PAM model. (Some users may also want to review the material in Appendix D in the Guide, but this is optional.)
- o Review Appendix A in the Guide.
- o Review chapters 3 and 4 in the Manual with reference, as needed, to appendixes B and C in the Guide.
- o Estimate the data collection effort.
- o Assess the benefits of using the PAM model. (Only use PAM if the benefits to the agency outweigh the cost of the data effort.)
- o Review the recommended procedure in Section 4 in the Guide.
- o Collect the required data.
- o Complete the worksheets.
- o Review the results and adjust the input data.

Two important guidelines to remember, particularly for first-time users, are:

1. It is not necessary to complete all sections of each worksheet or even all of the worksheets in order to obtain useful results.
2. It is not necessary to have highly accurate values for every input data item to obtain useful results. (See Section 4 below.)

The remainder of this section discusses Guideline 1 above. Worksheets 1 - 8 in Chapter 3 in the Manual are used to determine the staffing level of an APA; that is, the number of troopers required. Worksheet 9 in Chapter 4 in the Manual is used to determine how the total number of troopers for several APAs should be distributed or allocated over the APAs. Worksheets 1 - 8 can be completed without completing Worksheet 9; and it is not necessary

that the staff totals used in Worksheet 9 be calculated based on worksheets 1 - 8 if some other method for estimating staffing levels is available.

Within worksheets 1 - 8, it is possible to identify entire worksheets and sections of worksheets that are optional. If the PAM procedures are being used to determine the total number of troopers and field supervisors only, sections 8.4, 8.5, and 8.6 dealing with the number of staff and command personnel can be ignored. If the PAM procedures are only used to determine the average number of "on-duty" troopers required each day, then only worksheets 1 - 5 and Section 6.1 are needed. Even within these worksheets, not all sections are required. In Worksheet 2, the user must use either Section 2.1 or Section 2.2. In Worksheet 3, Section 3.1 can be dropped if the agency prefers to aggregate accidents with Other CFS (i.e., only use Section 3.2) or Section 3.2 can be dropped if the agency only responds to accidents (i.e., only use Section 3.1). In Worksheet 4, the user must use either Section 4.1 or Section 4.2 or Section 4.3; and in Worksheet 5, the user must use either Section 5.2 or Section 5.3. In Section 5.1, the user has the option of using as many or as few highway types as appropriate for the APA.

Beginning with Section 6.2 in the Manual, the remaining sections and worksheets, which the user may elect not to use, provide adjustments to the average number of on-duty troopers required per day derived in Section 6.1. Sections 6.2 and 6.3 are used to account for agencies which use two troopers per unit for some patrols and for APAs with minimum staffing requirements. Worksheet 7 is used to account for troopers on special assignments and to determine the number of on-duty field supervisors required; and Worksheet 8 is used to determine the total number of troopers and field supervisors (i.e., both on-duty and off-duty) and the total number of support and command staff required.

SECTION 3: Data Definition and Collection Issues

Data Collection Categories

As noted above, the PAM model requires that all regular trooper activities for patrol be classified into four categories. As a result, an essential first step in using the model is a "tailoring" process in which each type of trooper activity recorded by an agency is "assigned" to a particular category. While it is likely that all state-level law enforcement agencies will define and use similar kinds of activities in each category, it is also true that because of differences in operational practices and

data definition and collection procedures, it is likely that no two agencies will define the data items to be included in each category in precisely the same way.

The lists below indicate the kinds of activities that were included in each of the categories by the field test agencies for the PAM project during phases I and II.

Administrative Time

- o on-duty court time
- o training (less than one day)*
- o meals
- o auto maintenance
- o equipment maintenance
- o agency administrative duties
- o relay of equipment
- o roll call
- o briefing
- o report writing (if not put into reactive time)

* - Time off for training that requires one or more complete days can be included in the calculations for the shift relief factor in Worksheet 8.

Reactive Time (dispatches to accidents, criminal activities, emergencies, and non-emergencies)

- o travel time
- o on-scene time
- o report writing time
- o follow-up investigation
- o reactive time by all units dispatched
- o assists to other agencies
- o escort and relay
- o motorist assistance (if dispatched)
- o traffic control (if dispatched)
- o searches for missing and wanted persons
- o VIN verifications

Proactive Time - Self-Initiated Activities

- o traffic stops (traffic citations and warnings)
- o motorist roadway assistance
- o criminal investigation
- o traffic control
- o field interrogations

Proactive Time - Uncommitted Patrol

- o patrolling assigned roadways (includes both moving and stationary patrol)

The ability to tailor the PAM procedures to reflect the particular data collection practices of an agency is a strength of the model; that is, rather than requiring an agency to redefine existing data collection procedures to "fit" the model, it is possible to tailor the PAM model to fit each agency. At the same time, however, the flexibility that such tailoring permits requires that caution must be used when comparing the staffing estimates produced by the PAM model for different agencies; that is, unless both agencies are including the same data items, defined in the same way, in each activity category, it may not be possible to reliably determine the underlying causes for differences in staffing estimates between the agencies.

Experience to date indicates the decision about which of the four categories each activity is assigned to has a relatively small impact on the final total staffing estimate. Far more important than the question of which category to use for each workload item is the need to insure that all trooper patrol workload activities are included and accounted for somewhere in the PAM model.

Selecting Autonomous Patrol Areas (APAs)

The PAM model estimates the total staffing for an agency by first determining the staffing levels for patrol areas using the following steps:

- o The entire state (or part of a state) is subdivided into a number of autonomous patrol areas. The APAs must cover the entire state (or area of interest) and not overlap.
- o The PAM model is used to determine the staffing level for each APA.
- o The individual APA results are added together to obtain the staffing requirement for the entire state (or area of interest).

The selection of the APAs is dictated by the requirement that each APA should exhibit the following characteristics:

- o Virtually all of the CFS that originate in the APA are handled by troopers assigned to the APA or, conversely, almost none of the CFS that originate in the APA are handled by troopers assigned to areas outside of the APA;

- o Troopers assigned to the APA are rarely dispatched to CFS outside of the APA; and
- o Although troopers may be assigned to patrol specific subdivisions within the APA, troopers are routinely dispatched, as needed, to CFS anywhere within the APA.

The first two characteristics define what is meant by "autonomous." Simply stated, it means that the APA must be, for the most part, a self-contained or independent operational area with little or no cross-over of personnel either into or out of the area. (As a guideline, 90% of the CFS in the APA should be handled by units assigned to the APA.)

The third characteristic indicates that the APA cannot itself be a collection of smaller APAs; that is, all of the units assigned to the APA must routinely be dispatched to CFS throughout the APA. If this is not the case; that is, if units are only dispatched to CFS within their patrol areas and are rarely dispatched to CFS in other parts of the APA, then consideration should be given to dividing the APA into several smaller APAs.

The size of each APA within a state will vary depending on workload, population density, and traffic volume. To illustrate differences in the size of APAs, two examples taken from the Phase I field test, are described below. Each is based on a state agency that divided their entire state into individual APAs. Although the states differ considerably in size and population, in both cases the median-sized APA had an area of approximately 1,000 square miles (i.e., if shaped like a square, each side of the APA would be 31.6 miles long). In both states, smaller APAs were clustered around major metropolitan areas and larger APAs were used for less populated, rural areas.

State Agency Example #1. The first example is a midwestern state with a total population of 3.5 million persons and a total area of approximately 69,000 square miles. The state is divided into 8 troop districts which cover 114 counties. The 8 districts are further subdivided into 95 troop zones which were used to define 69 APAs (every APA consisted of either one or two zones). In terms of area, the median-sized APA covered 946 square miles (i.e., a square with each side equal to 30.8 miles). The smallest APA covered 205 square miles (14.3 miles on a side) and the largest had an area of 2,321 square miles (48.2 miles on a side). Half of all of the APAs had areas between 689.5 square miles (26.3 miles on a side) and 1,260.3 square miles (35.5 miles on a side).

State Agency Example #2. The second example is a large western state with a total population of more than 29 million and a total area of more than 156,000 square miles. The entire state is divided into 8 patrol divisions which are further subdivided into 98 patrol zones. Each patrol zone was defined as an APA.

The median-sized APA covered 1,083.5 square miles (32.9 miles on a side). The smallest APA was only 84 square miles (9.2 miles on a side) and the largest APA had an area of 10,557 square miles (102.7 miles on a side). Half of all of the APAs had areas between 559 square miles (23.6 miles on a side) and 1,843 square miles (42.9 miles on a side).

Worksheet Options and the Use of Performance Standards

To provide as much flexibility as possible, four of the worksheets in the Manual give the user two or three different ways to derive a particular value. The decision about which option to use in each case is based on the availability of historical data and the desire of the agency to set an operational performance standard as a matter of policy.

Occasionally, first-time PAM users are disappointed to learn that all of the PAM calculations are not based on historical data and/or "national" standards for staffing or workload. (No such national standards exist.) Although, it is theoretically possible to use the PAM model based entirely on historical data, this is rarely done for at least two reasons. First, it is very difficult to collect all of the required data, and secondly, use of historical data in all of the worksheets will yield staffing totals, assuming the model is valid and accurate, that will replicate the current staffing levels of an agency. While this may be useful in verifying the validity of the model, it is usually more likely that agencies are interested in examining the impact on staffing levels if one or more of the current workload, performance, or other data items are altered.

The remainder of this section briefly outlines the options explicitly available to the user in the worksheets. It should be noted that the term "explicitly" is used to highlight the fact that the user, in fact, "implicitly" has options in determining every data item required by the model (i.e., the value used for each item can be selected by policy or can be based on historical data). For each of the options identified below, the decisions of the Phase I field test agencies regarding which option was selected and the average value selected or derived for each are shown in Table 1. (The data presented in Table 1 is based on 35 applications of the PAM procedures by the seven active Phase I field test agencies; that is, the PAM procedures were used for 35 different APAs.)

Administrative Time Per Trooper (Worksheet 2). Worksheet 2 permits the user to use either of two options (Section 2.1 or Section 2.2) to derive the average number of minutes per hour per trooper to be spent on administrative activities. Section 2.1 allows the user to set the average number of minutes as a matter of policy. Section 2.2 directs the user through the process of deriving the value based on historical data. Table 1 indicates that among the 35 field test applications during Phase I, 19 were

Table 1

VALUES USED FOR SELECTED PAM INPUT DATA ITEMS

- 1989 Phase I Field Test, Seven Agencies (35 Worksheet Applications) -

<u>Worksheet Section</u>	<u>Data Item (Worksheet Location)</u>	<u>Number of Applications</u>	<u>Units of Measurement</u>	<u>Average</u>	<u>Minimum</u>	<u>Maximum</u>
2.1	Administrative Time Policy (2.1)	19	Min/Hr/Trooper	10.83	5.00	22.00
2.2	Administrative Time Historical (2.2.4)	16	Min/Hr/Trooper	15.99	7.46	23.06
3.1	Average Service Time Accidents (3.1.2)	32	Hours/Accident	3.10	0.83	5.83
3.2	Average Service Time Other CFS (3.2.2)	31	Hours/CFS	1.66	0.60	13.63
4.1	Self-Initiated Time Policy - Direct (4.1)	5	Min/Hr/Trooper	24.60	20.00	33.00
4.2	Self-Initiated Time Policy - Indirect (4.2.7)	7	Min/Hr/Trooper	10.60	10.20	13.00
4.3	Self-Initiated Time Historical (4.3.4)	23	Min/Hr/Trooper	11.57	4.88	16.72
5.1	Controlled-Access Highways Coverage (5.1.2.2)	27	Hours/Week	163.85	112.00	168.00

Table 1 (continued)

VALUES USED FOR SELECTED PAM INPUT DATA ITEMS

- 1989 Phase I Field Test, Seven Agencies (35 Worksheet Applications) -

<u>Worksheet Section</u>	<u>Data Item (Worksheet Location)</u>	<u>Number of Applications</u>	<u>Units of Measurement</u>	<u>Average</u>	<u>Minimum</u>	<u>Maximum</u>
5.1	Controlled-Access Highways Patrol Speed (5.1.2.3)	27	Miles/Hour	43.33	21.00	60.00
5.1	Controlled-Access Highways Patrol Interval (5.1.2.4)	27	Hours	1.12	0.30	4.00
5.1	Primary Highways Coverage (5.1.3.2)	30	Hours/Week	148.40	112.00	168.00
5.1	Primary Highways Patrol Speed (5.1.3.3)	30	Miles/Hour	33.58	19.50	50.00
5.1	Primary Highways Patrol Interval (5.1.3.4)	30	Hours	3.75	0.30	24.00
5.1	Secondary Highways Coverage (5.1.4.2)	28	Hours/Week	129.00	56.00	168.00
5.1	Secondary Highways Patrol Speed (5.1.4.3)	28	Miles/Hour	30.38	20.00	50.00
5.1	Secondary Highways Patrol Interval (5.1.4.4)	28	Hours	66.59	1.00	168.00

Table 1 (continued)

VALUES USED FOR SELECTED PAM INPUT DATA ITEMS

- 1989 Phase I Field Test, Seven Agencies (35 Worksheet Applications) -

<u>Worksheet Section</u>	<u>Data Item (Worksheet Location)</u>	<u>Number of Applications</u>	<u>Units of Measurement</u>	<u>Average</u>	<u>Minimum</u>	<u>Maximum</u>
5.2	Patrol Availability Immediate Response (5.2.6)	27	% of calls	94.77	85.00	99.9
5.3	Area Patrol Response Speed (5.3.4)	3	Miles/Hour	46.67	40.00	55.00
5.3	Area Patrol Response Time Goal (5.3.5)	3	Minutes	13.33	10.00	15.00
5.4	Line Patrol Response Speed (5.4.4)	24	Miles/Hour	45.63	40.00	50.00
5.4	Line Patrol Response Time Goal (5.4.5)	24	Minutes	13.77	3.00	20.00
6.2	Two-Trooper Patrols (6.2.1)	14	Percent of units	25.00	25.00	25.00
7.1	Field Supervision Span of Control (7.1.1)	31	No. of Troopers per Supervisor	8.35	10.00	5.00
7.1	Field Supervisor Time on Patrol (7.1.2)	31	Percent Time on Patrol	8.65	0.00	50.00

Table 1 (continued)

VALUES USED FOR SELECTED PAM INPUT DATA ITEMS

- 1989 Phase I Field Test, Seven Agencies (35 Worksheet Applications) -

<u>Worksheet Section</u>	<u>Data Item (Worksheet Location)</u>	<u>Number of Applications</u>	<u>Units of Measurement</u>	<u>Average</u>	<u>Minimum</u>	<u>Maximum</u>
8.2	Trooper On-Duty Time (8.2.3)	31	On-Duty Hrs per Year per Trooper	1,769.72	1,650.00	1,930.00
8.4	Staff and Command Policy (8.4)	5	No. of Staff and Command Personnel	6.00	1.00	15.00
8.5	Staff and Command Historical (8.5.3)	12	Ratio of Troopers and Field Super. to Staff and Command	0.14	0.09	0.21

based on Section 2.1 (Policy) and 16 were based on Section 2.2 (Historical Data). The average time based on historical data, 15.99 minutes per hour per trooper, was considerably higher than the average of 10.83 minutes per hour per trooper based on policy.

Self-Initiated Time Per Trooper (Worksheet 4). Worksheet 4 permits the user to use any one of three options (Section 4.1 or Section 4.2 or Section 4.3) to derive the average number of minutes per hour per trooper to be spent on self-initiated activities. Section 4.1 allows the user to set the average number of minutes directly as a matter of policy. Section 4.3 directs the user through the process of deriving the average value based on historical data. (Sections 4.1 and 4.3 parallel the options provided in sections 2.1 and 2.2 in Worksheet 2.) The third option, described in Section 4.2, is a combination of the options available in 4.1 and 4.3. The derived value is based both on a policy decision (i.e., the average number of self-initiated contacts per shift per trooper) and the average time spent on each contact based on historical data. During the field test, the majority of applications determined self-initiated time based on historical experience (23 out of 35 applications, see Table 1). Table 1 also indicates that the average value based on policy-direct (24.60 minutes per hour per trooper based on 5 applications) was much higher than the average value based either on policy-indirect (10.60 minutes based on 7 applications) or historical data (11.57 minutes based on 23 applications). Some field test agencies were hesitant to use the policy options since they could be interpreted to be enforcement quotas.

Patrol Availability (Worksheet 5). Worksheet 5 permits the user to use any one of three options (Section 5.2 or Section 5.3 or Section 5.4) to determine the number of on-duty troopers needed per day for "patrol availability." This value is then combined with the average number of troopers needed for "patrol visibility" (Section 5.1) to derive a total number of on-duty troopers needed per day for "proactive-patrol." Section 5.2 is used to determine the number of troopers needed in order to have enough units available to respond immediately to a specified percentage (provided by the user) of all accidents and CFS. Sections 5.3 and 5.4 both determine the number of troopers required based on an average travel time requirement set by the user. Section 5.3 is used for area patrol (i.e., when units have responsibility for responding to calls throughout a geographic area) while Section 5.4 is used for line patrol assignments (i.e., when units have responsibility for a specific highway segment only). Table 1 indicates that most applications (i.e., 27 out of 35) for the Phase I field test used Section 5.2.

Number of Staff and Command Personnel (Worksheet 8). Worksheet 8 permits the user to determine the number of staff and command personnel required in addition to troopers and field supervisors for an APA. The PAM model gives the user two options for deriving this value. In Section 8.4, the number of staff and

command personnel is based on policy. (This option parallels the policy choices available in sections 2.1 and 4.1). In Section 8.5, the number of staff and command personnel is derived based on current agency practice. To use this option, the user must indicate the current number of staff and command personnel and the current number of troopers and field supervisors in the APA. A review of the field test results for Phase I indicates that many applications did not use sections 8.4, 8.5, and 8.6 in Worksheet 8 (only 17 of the 35 applications). Of the 17 applications, 12 were based on historical experience (Section 8.5).

Strategies for Controlling the Data Collection Effort

Use of the PAM model for one APA can vary in difficulty depending on the availability of data and the amount of work required to obtain the data. When all of the APAs for a state or for even part of a state are considered, the magnitude of the data collection effort required may be significant. The field test experience revealed two strategies that agencies can use to limit this effort.

APA-Independent Data. There are a number of input data items required in the model that are largely independent of the location or other attributes of each APA, and as a result, it may be possible to use one value for each data item for all APAs. Although the specific data items will vary from one agency to another, the following list should apply to most:

- o average number of on-duty hours per year per trooper,
- o average number of troopers per field supervisor,
- o average fraction of time spent on patrol by field supervisors,
- o average service time for accidents,
- o average service time for other CFS,
- o percent of units with two troopers,
- o average time per hour spent on administrative activities per trooper
- o average time per hour spent on self-initiated activities per trooper, and
- o shift length.

APA-Dependent Data. There are also a number of input data items that will vary by APA within the same state. A partial

list would include:

- o number of roadway miles by highway type,
- o number of accidents and other CFS,
- o amount of patrol coverage by highway type,
- o average patrol speed by highway type,
- o patrol interval by highway type,
- o immediate response percentage,
- o average response speed,
- o average travel time,
- o amount of patrol available from troopers on special assignment, and
- o presence and influence of minimum staffing limits.

Several of the Phase I field test sites were able to control the data collection effort for APA-dependent data by recognizing that most of the data items that vary by APA are related to the proximity of the APA to urban or rural areas. Recognizing this, groups of APAs were categorized by their "urbanicity" and identical input data values were used for all APAs in the same category. Both of the state agency examples discussed above in terms of the number and size of APAs used this strategy.

State Agency Example #1. This agency divided its 69 APAs into four categories. The name and definition of each category are given below:

- o Major Metro - APAs which contain major freeways and arterials within high density populations areas. APAs are characterized by continual heavy congestion, high ADTs, high demand for field services, and wide ranging traffic congestion. Surface street arterials are characterized by periodic heavy traffic congestion, high ADTs, and are primary corridors for commuter traffic.
- o Large Urban - APAs are characterized by moderate to heavy well-defined population centers (25,000 and above), diverse commercial and/or industrial activities, and cyclical congestion on a localized basis. Population centers are typically surrounded by large expanses of open land. Population centers may not necessarily be in the APA, but their location adjacent to the APA appreciably effects the traffic flow and congestion in the APA.

- o Moderate Urban - APAs having one or more autonomous mid-size population centers (10,000 to 25,000) with a large proportion of the region being rural. Industrial and/or commercial operations have a limited impact on these areas but there is some congestion.
- o Rural - APAs characterized as predominantly rural and having no population center greater than 10,000.

Table 2 below summarizes some of the attributes of each of the APA categories. Note that rural APAs have larger areas and contain more highway miles.

State Agency Example #2. This agency divided its 98 APAs into seven categories. The name and definition for each category are described below. Attributes of each of the APA categories are presented in Table 3.

- o Metro Freeway Areas - contains major freeways within high density major population areas and/or regional employment centers. Characterized by continual heavy congestion, high ADT, extremely high demand for agency services, and wide ranging congestion.
- o Metro Freeway and Surface Street Areas - contains major freeways and arterials within significant, high density, major population areas and/or regional employment centers. Characterized by continual heavy congestion, high ADT, extremely high demand for agency services, and wide ranging congestion. In addition, surface street arterials are characterized by periodic heavy congestion, high ADTs, and are primary corridors for commuter traffic.
- o Major Urban Areas - characterized by moderate to heavy population densities that are geographically dispersed. The arterials are periodically congested on a daily basis. They are generally cities and/or suburban areas that support commercial and/or industrial activity. Urban areas usually support metropolitan areas. These areas have a high demand for agency services.
- o Moderate Urban and Rural Areas - characterized by a large urban area supported by moderate to heavy, well-defined population centers, diverse commercial and/or industrial activities which experience cyclical congestion on a localized basis. Population centers are typically surrounded by large expanses of open land. These areas have a moderate demand for agency services.

Table 2

APA CATEGORY CHARACTERISTICS, STATE AGENCY EXAMPLE #1

APA Category Label	No. of APAs	Average Per APA		
		Area (square miles)	Length of Side (miles)	Number of Highway Miles
Major Metro	6	448.1	21.2	257.7
Large Urban	9	948.1	30.8	482.8
Moderate Urban	12	979.8	31.3	453.4
Rural	42	1,093.8	33.1	495.9
TOTAL	69	998.9	31.6	466.1

Table 3

APA CATEGORY CHARACTERISTICS, STATE AGENCY EXAMPLE #2

APA Category Label	No. of APAs	Average Per APA			
		Area (square miles)	Length of Side (miles)	Number of Highway Miles	Population
Metro Freeway	3	101.3	10.1	81.4	951,333
Metro Freeway & Surface Street	6	265.3	16.3	416.5	1,016,850
Major Urban	13	458.3	21.4	655.2	784,262
Moderate Urban & Rural	16	1,496.0	38.7	1,247.5	351,713
Minor Urban & Rural	12	1,431.1	37.8	922.8	146,855
Rural with Major Arterials	32	1,920.0	43.8	967.2	70,405
Rural without Major Arterials	16	2,881.7	53.7	1,184.5	42,524
TOTAL	98	1,597.0	40.0	940.8	300,750

- o Minor Urban and Rural Areas - characterized by having one or more autonomous population areas. Industrial and/or commercial operations have a limited impact on these areas and there is little congestion. Urban portions have minimal impact on demand for agency services.
- o Rural Areas with Major Arterials - characterized by having one or major arterials and intermittent population centers which have little or no impact on agency operations.
- o Rural Areas without Major Arterials - characterized by having intermittent population centers which have little or no impact on agency operations.

Within each category, uniform values were established for the following input data items:

- o hours of patrol coverage by highway type,
- o patrol interval time (hours) by highway type,
- o average travel time (minutes),
- o percent of accidents and other CFS for which a unit is immediately available, and
- o percent of units with two troopers.

Discussion of Individual Data Items

The PAM model estimates the required staffing level for an APA by accounting for all of the time that troopers need to perform their patrol activities. The PAM model (Version 4.0) uses four time categories and general definitions about what activities are associated with each category. It is important to note, however, that the current model represents only one way out of many that could be used to categorize and define trooper activities. The significance of this observation is that regardless of what categories and definitions are used, they must account for all trooper activities. As expected, the Phase I field test provided the project team with considerable feedback about a number of data definition and data collection issues. This section provides an overview of some of the data-related issues that arose during the field test.

Highway types. The PAM worksheets identify three highway types: controlled-access, primary, and secondary. These categories are used in Section 5.1 for the derivation of the number of on-duty troopers needed each day to meet the patrol interval objectives set by the user for each highway type. PAM users are

not required to use these particular roadway categories. To accommodate particular data collection procedures that are used within their state and agency, users may want to use different definitions for highway types and a different number of highway types. The critical issue is not whether three highway types are used or whether the definitions match those used in the worksheets, but rather that all highway types and miles routinely patrolled in the APA are included in the procedures for deriving agency staffing estimates.

Immediate response percent. The immediate response percent is used in Section 5.2 to determine how many on-duty troopers are needed each day to insure that a trooper will be available for immediate assignment for a given percent of all accidents and other CFS. It is important to note that "immediate" response is not the same as "rapid" response. Immediate response merely implies that at least one trooper will be available, somewhere in the APA, for the assignment. No consideration is given to how far away the trooper may be from the incident. Users that are interested in the number of troopers that are needed to maintain a user-specified average travel time in responding to incidents should use either Section 5.3 or Section 5.4. Table 1 indicates that the immediate response option in Section 5.2 was used in 27 of the 35 field test applications and the average value selected was approximately 95 percent.

On-duty hours per year per trooper. The average number of on-duty hours per year per trooper is used in Section 8.2 to calculate the "shift relief factor" (SRF). The shift relief factor indicates how many troopers are needed to cover one shift position every day. For 8-hour shifts, SRFs typically range from 1.60 to 1.90; i.e., for each shift position, a total of 1.6 to 1.9 troopers is needed. A common question is whether the average number of on-duty hours per year per trooper equals 2,080 hours which is obtained by multiplying 52 weeks by 40 hours per week. The answer to this question is no. The 2,080 hours equals the number of hours for which a trooper is "paid" for one year and is greater than the number of on-duty hours because it includes paid "time off" (e.g., vacations and holidays). The average number of on-duty hours per year per trooper is based on the number of hours each trooper actually appears for duty, not on the number of hours for which the trooper is paid. Although it is easy to see why "benefit time off" like vacations and holidays should not be included, there are other situations in which the definition of "on-duty" time is more difficult to interpret. As an example, consider a trooper who is sent to a two-week training program. Should the time spent on training be counted as "on-duty" time? The answer may depend on who is answering the question. An administrator may argue that the trooper is "on-duty" whether he/she is on patrol or at a training program. A district commander, on the other hand, may argue that when the trooper is gone for two weeks, there is a staffing shortage on patrol that is just as real as if the trooper were on a two-week vacation. From the commander's point of view, the trooper is not "on-duty"

in the sense that he/she is not on patrol, and as a result, the two weeks spent at training should not be included as on-duty time. There is no one "right" way to define on-duty time; it depends on the policies and practices adopted by each agency. Since the definition used to calculate SRFs may vary from one agency to another, the following guidelines should be noted:

- o The calculation of the shift relief factor in Section 8.3 requires that a definition of "on-duty" time, appropriate for the agency, be adopted; and
- o The comparison of shift relief factors for different agencies is not appropriate unless the same definition of "on-duty" time is used by both agencies.

Table 1 indicates that the average value for on-duty time per year per trooper was 1,770 hours which, assuming 8-hour shifts, produces a SRF of 1.65 troopers per shift position.

Patrol coverage. Patrol coverage is used in Section 5.1 to calculate the number of on-duty troopers required each day to meet a user-specified patrol interval. Patrol coverage refers to the number of hours per week that an agency will provide services in an APA or on a highway segment. (The maximum coverage is 168 hours per week.) Patrol coverage is a policy decision and represents an either-or situation (i.e., either coverage is provided or it is not). Patrol coverage does not identify the level or intensity of coverage for a particular area; this is indicated by the "patrol interval" discussed below. Table 1 indicates that patrol coverage differed considerably by highway type for the field test agencies. For controlled-access highways, the average was 163.85 hours per week; for primary highways, the average was 148.40 hours; and for secondary highways, the average was only 129.00 hours.

Patrol interval. Patrol interval is used in Section 5.1 of the Manual as a measure of the level or intensity of patrol coverage. It is measured in hours and indicates the average length of time that a stranded motorist would have to wait to see a trooper come by on free patrol (i.e., proactive-patrol). As an example, a patrol interval of one hour means that a motorist, stranded on the roadway, would have to wait an average of one hour before seeing a trooper. While there is no theoretical upper limit to the patrol interval, the largest value used during the field test was 168 hours (i.e., a motorist would have to wait for one week). Table 1 indicates that the average patrol interval for controlled-access highways for the field test was only 1.12 hours. For primary highways, the average was 3.75 hours, and for secondary highways, the average was 66.59 hours.

Patrol speed. Patrol speed is used in Section 5.1 as part of the calculation to determine the number of on-duty troopers required to meet a specified patrol interval. Average patrol speed and average response speed (discussed below) are often

among the most difficult data items to obtain for use in the PAM model. A number of different approaches can be used to estimate this value:

- o Use of log sheets. Average patrol speed equals the total number of miles driven while on "patrol" divided by the total time spent on "patrol." The mileage and time estimates must be based on "proactive-patrol" as defined in the PAM model; that is, only mileage and time spent on free patrol (including stationary patrol). Any mileage accumulated for or time spent on activities that fall into any of the non-patrol categories (i.e., administrative, reactive, and self-initiated) is not included.
- o Ride along observers. Some agencies have attempted to estimate average patrol speeds by having observers ride along with troopers while on patrol. Experience indicates, however, that the presence of an observer may cause changes in driving behavior.
- o Survey of troopers. Another approach is to survey troopers to obtain an estimate of the average speed. Use of this method, however, is often questioned since experience indicates that human recollection is not reliable in estimating "average" speeds. (There is a tendency to only remember the cruising or top speed and to forget times when a unit is either stationary or moving very slowly.)

In the last section of the Guide, a general approach to using the PAM model is outlined. One of the key points is that users must exercise judgment in determining how accurate each input value should be and how much effort should be expended in obtaining each item. Patrol speed is a data item which can, if one is not careful, require far more effort than may be justified by its contribution to the final staffing estimates. In Table 1, the average patrol speeds used by the field test agencies were 43.33 MPH for controlled-access highways, 33.58 MPH for primary highways, and 30.38 MPH for secondary highways.

Response speed. Response speed is used in sections 5.3 and 5.4 to estimate the number of on-duty troopers required to provide a response capability which maintains a user-specified average travel time. Like patrol speed, this data item may be quite difficult to obtain. The same procedures that were outlined above for determining patrol speeds can also be used to estimate response speeds with all of the corresponding difficulties associated with each of the procedures. (If log sheets are used, mileage and times must be based on travel to reactive incidents only.) In fact, the influence of ride-along observers and the unreliability of personal recollection to estimate response speeds may be even more pronounced. PAM users are strongly encouraged to follow the recommended data collection strategy

outlined in the last section of the Guide to avoid unnecessary effort spent on obtaining response speed estimates. In Table 1, the average response speed (over all highway types) is 46.67 MPH for area patrol and 45.63 MPH for line patrol.

Self-initiated time. Worksheet 4 is used to determine the average number of minutes per hour per trooper for self-initiated activities. In PAM, self-initiated activities refer to activities initiated by a trooper rather than directed by the dispatching center. It is important to note that the distinction between reactive and self-initiated activities is not determined by what is done but rather by the manner in which the activity is initiated. As an example, if a trooper is directed to a particular location to control traffic because of a fallen tree on the roadway, the time spent on this activity would be charged to reactive time. If, on the other hand, the trooper discovers the fallen tree while on free patrol and determines that he/she should control traffic until the tree can be removed from the roadway, this time would be assigned to the self-initiated category. In Table 1, the average self-initiated time selected by policy was 24.60 minutes per hour per trooper. When based on a specified number of contacts per shift and the average time per contact, the average self-initiated time was only 10.60 minutes per hour per trooper. When based solely on historical data, the value was 11.57 minutes per hour per trooper.

Service time. Average service times for accidents and other CFS are used in Worksheet 3 to determine the average number of on-duty troopers needed each day to handle the "obligated" workload. Service time refers to the total spent on an incident by all agency patrol personnel. Service times should include:

- o travel time (not including dispatching time),
- o on-scene time,
- o report writing time,
- o investigation time (by patrol),
- o processing time (e.g., for DUIs), and
- o time spent by backup units.

In Table 1, the average service times for accidents and other CFS are 3.10 hours and 1.66 hours respectively. Few agencies have data collection procedures that capture all of the components of service time listed above. Many CAD systems, for example, will capture the travel, on-scene, and possibly some follow-up time of the primary unit dispatched to an incident, but may not capture report writing and time spent by backup units. Some agencies do not routinely record the frequency and amount of time spent by backup units despite the fact that backup time can represent a significant proportion of the total obligated time for an agency.

If an agency plans to use operational data captured by a CAD system, it is recommended that the specific definitions built into the system be examined to detect possible shortcomings in the data summaries produced by the system. Recognizing that few agencies routinely capture all of the components of service time, it is likely that most PAM users will have to estimate all or part of the average service times that they use in the PAM model. Reliable estimates for average service times do not require that information be obtained from all incidents. (In fact, this is not realistic since incident records are often incomplete.) A reliable value for the average service time for a particular incident category can be obtained by randomly drawing a sample of 100 or more incidents in the category for the time period of interest.

In Worksheet 3, total obligated time for an agency is determined first by calculating the total obligated time required for all accidents and then using that time to determine the total number of on-duty troopers needed each day to handle accidents (Section 3.1). The same procedure is used in Section 3.2 to determine the total number of on-duty troopers required each day to handle all other CFS. The results are then added together in Section 3.3 to obtain the total number of on-duty troopers needed each day for both accidents and other CFS. The PAM model separates accidents and other CFS to enable the user to explicitly identify the number of troopers required for each type of incident. Some agencies, however, did not use both categories in Worksheet 3, but decided instead to group all incidents in either the accident or the other CFS category. This procedure will yield the same total number of on-duty troopers if an adjusted average service time based on both types of incidents is used. Similarly, more than two categories can be used. For example, the collection of all "other CFS" can be divided into several subcategories and each subcategory can be used to determine the number of on-duty troopers that are needed each day to handle all of the calls in that subcategory. (To use this procedure, however, requires that an average service time must be estimated for each subcategory.) The total number of troopers required is obtained by adding the trooper requirements for each subcategory together. While the use of subcategories provides additional information about which types of incidents require the most personnel, it has no impact on the total staffing level required for all incident types collectively. As a result, the value of the additional information must be weighed against the extra effort required to collect incident data by subcategory and to estimate an average service time for each.

Shift length. The PAM procedures are designed to accommodate any shift length (e.g., 8 hours, 10 hours, or 12 hours). Changes in the shift length will alter the shift relief factor for an agency. For 8-hour shifts, SRFs typically fall into the range 1.60 - 1.90. For 10-hour shifts, the range is 2.00 - 2.40; and for 12-hour shifts, the usual range is 2.40 - 2.90. A common misperception is that since a change in the shift length changes

the SRF, it must also change the total staffing requirement for an agency. This is not true. In fact, if the average work week (e.g., 40 hours per week) and the total time off given for benefits (e.g., vacations, holidays, etc.) remain the same, a change in shift length has no impact on total staffing.

Special assignment personnel. Special assignment personnel who are also used for patrol can be included in Worksheet 7 of the Manual. For each type of special assignment, the user must provide the total number of troopers used for that assignment in the APA and the average fraction of time each trooper spends on patrol. This information is then used to adjust the total number of "non-special assignment" troopers that are needed and the final staffing value from Worksheet 7 includes both the special and non-special assignment troopers. The PAM model, however, cannot be used to estimate how many troopers will be needed for special assignments (e.g., weights, hazardous materials, etc.).

Staff and command personnel. Sections 8.4, 8.5, and 8.6 in the Manual can be used to estimate the number of staff and command personnel required for an APA. It is not necessary, however, to use these sections to obtain estimates for the number of troopers and field supervisors that are required. The usefulness of these section depends to some degree on how the APAs in a jurisdiction are defined. If each troop district (i.e., an area headquarters that provides command and administrative support for several counties) for an agency is treated as one APA, the results obtained from sections 8.4, 8.5, and 8.6 can be used directly. If, however, each district is divided into several APAs, it may be difficult to assign district-level staff and command personnel to individual APAs. In this case, the aggregate total of the staff and command personnel in the APAs may not accurately reflect the total number required for the district.

Travel time. In sections 5.3 and 5.4, the PAM user is required to provide a travel time objective as part of the procedure for determining how many on-duty troopers are needed for either area or line patrol. Travel time refers to the time interval that begins when a trooper receives a dispatch and ends when he/she arrives on scene. Travel time does not include dispatching time (i.e., the time required at the communication center to process and transmit the assignment to the trooper). It is also important to note that the travel times required in sections 5.3 and section 5.4 are "averages." This means that the actual travel time will be less than the user-specified average about half of the time and greater than the average for the other half. In Table 1, the average travel time objective selected for the field test were 13.33 minutes for area patrol and 13.77 minutes for line patrol.

SECTION 4: Recommended Data Collection and Implementation Procedure

The bulk of the work associated with using the PAM procedures involves defining and collecting data, and unless caution is exercised, it is possible to be overwhelmed by these activities. This section of the Guide presents a recommended procedure for using the PAM model that is designed to avoid excessive data collection efforts. The basis for the recommended procedure is the observations, successes, and problems encountered by the seven state agencies that actively participated in the Phase I field test process. The procedure consists of four steps that describe an iterative process for using the PAM model.

STEP 1: Obtain Initial Staffing Level Estimates With Minimum Data Collection Effort

It is likely that every agency that uses the PAM procedures will find that it does not have all of the input data that is required. This may occur for several reasons: the agency does not routinely collect the data; the agency collects the data, but not in the form or categories required; or the data is collected but not stored in an easily retrievable form. Whatever the reasons, every agency will be faced with the question of how much effort to expend in obtaining each data item. Step 1 recommends minimizing the initial data collection effort; that is, for input data items that are not easily obtained, "quick and dirty" estimates or guesstimates should be used. The rationale for this recommendation is that it is more important to obtain an initial estimate of the total staff than it is to obtain a high level of accuracy for every input data item. It is strongly recommended that plans for extensive data collection be deferred until steps 2 and 3 described below are implemented.

STEP 2: Assess the Quality of the Input Data Items

After the initial staffing estimates have been obtained, each of the input data items should be assessed in terms of completeness, reliability, and accuracy. The assessment of each data item will be, to some extent, a subjective process. As an example, it may be determined that the number of primary highway miles in an APA equals 368 miles. If this figure is obtained from the county or state highway department based on recent data, it can be concluded that this data item is fairly "strong." On the other hand, if the average service time for handling accidents is based on a survey of three field sergeants who give individual estimates of 2.1, 2.5, and 3.2 hours, it would be clear that further effort is needed to obtain a better estimate. It is recommended that all of the data items be placed into three or four groups depending on their relative quality (i.e., accuracy, reliability, etc.).

Those data items in the lowest category (i.e., least accurate, least reliable, etc.) will be the initial candidates for additional refinement.

STEP 3: Investigate the Sensitivity of the Staffing Estimates to Changes in Individual Data Items

The next step is to identify which of the "soft" input data items should be refined. The basis for identifying these items is to determine which items make the biggest contribution to the overall staffing estimate. Not all input data items in PAM are equally important. For example, in an agency that places a low priority on patrol visibility on secondary highways, it is not particularly important to have a very accurate figure for the number of secondary highway miles in the APA since a change of even 20 or 30 percent in the number of miles may only affect the final staffing estimates by 1 or 2 percent. In contrast, final staffing estimates tend to be fairly sensitive to changes in the value used for the shift relief factor for an agency, and changes of only 3 or 4 percent in the relief factor can produce equally-sized changes in the final staffing estimates. Sensitivity analyses should be done for each of the input data items in the lowest data quality categories to identify those items for which additional accuracy is needed.

STEP 4: Improve Accuracy of Important Data Items

The final step recommends that the input data items targeted for additional refinement be prioritized based on the results of steps 2 and 3 above. Such a list serves two purposes. First, effort can be directed toward those data items that are "soft" and, equally important, that are important to the final staffing figures. Secondly, limited resources can be targeted efficiently to insure that the maximum benefit in terms of the quality of the final results are obtained. As each input data item is improved, more reliable staffing figures will be generated. Clearly, this process has no natural termination point, but rather is limited by the resources and time that are available. At some point, the effort and resources required to improve the input data values will outweigh the value gained by the changes in the overall staffing estimate.

APPENDIX A: Comprehensive List of Data Requirements for
Use of the PAM Model

This appendix presents a list of all of the data items that may be used in the PAM model. The list is organized by the worksheet in which each item is first used.

Worksheet 1: Operations, Workload, and Highway Data

All of the data items in Worksheet 1 are required.

<u>Data Item</u>	<u>Worksheet Identifier</u>
Name of the APA	1.1
Shift length (hours)	1.2.1
Average number of on-duty hours per year per trooper	1.2.2
Average number of troopers to be supervised by each field supervisor	1.2.3
Percentage of field supervisor on-duty time spent on patrol, reactive, and self-initiated activities	1.2.4
Patrol coverage per week (hours), controlled-access highways in the APA	1.2.5.1
Average patrol speed (MPH), controlled-access highways in the APA	1.2.5.2
Patrol interval performance objective (hours), controlled-access highways in the APA	1.2.5.3
Patrol coverage per week (hours), primary highways in the APA	1.2.6.1
Average patrol speed (MPH), primary highways in the APA	1.2.6.2

<u>Data Item</u>	<u>Worksheet Identifier</u>
Patrol interval performance objective (hours), primary highways in the APA	1.2.6.3
Patrol coverage per week (hours), secondary highways in the APA	1.2.7.1
Average patrol speed (MPH), secondary highways in the APA	1.2.7.2
Patrol interval performance objective (hours), secondary highways in the APA	1.2.7.3
Total number of days in the workload sample period	1.3.1
Total number of accidents handled by the agency during the sample period	1.3.2
Average service time (hours) per accident	1.3.3
Total number of other CFS handled by the agency during the sample period	1.3.4
Average service time (hours) per CFS	1.3.5
Number of miles, controlled-access highways in the APA	1.4.1
Number of miles, primary highways in the APA	1.4.2
Number of miles, secondary highways in the APA	1.4.3

Worksheet 2: Administrative Time

In Worksheet 2, the user has the option of providing data item 2.1 or data items 2.2.1 and 2.2.2.

<u>Data Item</u>	<u>Worksheet Identifier</u>
Administrative time performance objective in minutes per hour per trooper	2.1

<u>Data Item</u>	<u>Worksheet Identifier</u>
Total time (hours) spent on administrative activities during the sample period	2.2.1
Total on-duty hours by patrol troopers during the sample period	2.2.2

Worksheet 3: Reactive Time

All data items are required for Worksheet 3 are obtained from Worksheet 1.

Worksheet 4: Proactive Time - Self-Initiated

In Worksheet 4, the user has the option of providing data item 4.1 or data items 4.2.1, 4.2.2, and 4.2.4, or data items 4.3.1 and 4.3.2.

<u>Data Item</u>	<u>Worksheet Identifier</u>
Self-initiated performance objective time in minutes per hour per trooper	4.1
Total number of self-initiated contacts during the sample period	4.2.1
Total time (hours) spent on self-initiated contacts during the sample period	4.2.2
Number of self-initiated contacts per shift per trooper performance objective	4.2.4
Total time (hours) spent on self-initiated contacts during the sample period	4.3.1
Total on-duty hours by patrol troopers during the sample period	4.3.2

Worksheet 5: Proactive - Patrol

In Worksheet 5, the user has the option of providing data items 5.2.2 and 5.2.6 or data items 5.3.2, 5.3.3, 5.3.4, and 5.3.5, or data items 5.4.2, 5.4.3, 5.4.4, and 5.4.5.

<u>Data Item</u>	<u>Worksheet Identifier</u>
Coverage per week for immediate response (hours)	5.2.2
Performance objective percentage of accidents, CFS, and self-initiated activities for which there will be at least one trooper available . .	5.2.6
Coverage per week for area patrol (hours)	5.3.2
Area (square miles) of the APA	5.3.3
Average response speed (MPH)	5.3.4
Average travel time performance objective (minutes)	5.3.5
Coverage per week for line patrol (hours)	5.4.2
Total highway miles to be patrolled in the APA . .	5.4.3
Average response speed (MPH)	5.4.4
Average travel time performance objective (minutes)	5.4.5

Worksheet 6: Average Daily Number of On-Duty Troopers

In Worksheet 6, the user can provide data item 6.2.1 or data item 6.3.1.

<u>Data Item</u>	<u>Worksheet Identifier</u>
Percentage of time patrol units are staffed with two troopers	6.2.1

<u>Data Item</u>	<u>Worksheet Identifier</u>
Average minimum number of on-duty troopers required per day for all patrol activities, based on agency policy	6.3.1

Worksheet 7: Special Assignments and Field Supervision

In Worksheet 7, the user has the option of using all, some, or none of the data items listed below.

<u>Data Item</u>	<u>Worksheet Identifier</u>
Name of special assignment 1	7.2.1.1
Average number of on-duty troopers on specialized assignment 1	7.2.1.2
Percentage of on-duty time spent on patrol by troopers assigned to special assignments 1	7.2.1.3
Name of special assignment 2	7.2.2.1
Average number of on-duty troopers on specialized assignment 2	7.2.2.2
Percentage of on-duty time spent on patrol by troopers assigned to special assignments 2	7.2.2.3
Name of special assignment 3	7.2.3.1
Average number of on-duty troopers on specialized assignment 3	7.2.3.2
Percentage of on-duty time spent on patrol by troopers assigned to special assignments 3	7.2.3.3

Worksheet 8: Total Staff Requirements

In Worksheet 8, the user may provide data item 8.4 or data items 8.5.1 and 8.5.

<u>Data Item</u>	<u>Worksheet Identifier</u>
Number of staff and command personnel - agency policy	8.4
Current number of troopers and field supervisors	8.5.1
Current number of staff and command personnel	8.5.2

Worksheet 9: Allocation of Patrol Personnel Among Several APAs

<u>Data Item</u>	<u>Worksheet Identifier</u>
Total number of additional personnel for all APAs (enter a negative value for personnel reduction)	9.1.1
Total number of current personnel	9.1.2
Number of current personnel in each APA	9.1.3
Number of personnel estimated for each APA by the PAM model	9.1.5

Supplemental Worksheet: Patrol Availability - Immediate Response

The Supplemental Worksheet for Section 5.2 is located in Appendix A in the Manual.

<u>Data Item</u>	<u>Identifier</u>
Percent of on-duty staff on shift 1	A.2.1
Percent of on-duty staff on shift 2	A.2.2
Percent of on-duty staff on shift 3	A.2.3

<u>Data Item</u>	<u>Worksheet Identifier</u>
Performance objective percentage of accidents, CFS, and self-initiated activities on shift 1 for which there will be at least one trooper available	A.6.1.1
Performance objective percentage of accidents, CFS, and self-initiated activities on shift 2 for which there will be at least one trooper available	A.6.2.1
Performance objective percentage of accidents, CFS, and self-initiated activities on shift 3 for which there will be at least one trooper available	A.6.3.1

APPENDIX B: Glossary and Worksheet Abbreviations and Notation

Glossary

Accident - In PAM, an accident refers to a sequence of events involving one or more vehicles that produces injury, death, or property damage and requires investigative time by one or more troopers.

Administrative time - Time spent by patrol personnel on activities other than reactive, self-initiated, or patrol. May include supervision, meals, on-duty court time, auto maintenance, training, and agency administrative duties.

Agency policy - The specification of performance objectives for use in the PAM model. (See "Performance Objective.")

Allocation - In the PAM model, allocation refers to the distribution of a specified number of troopers over several APAs or several time periods.

Area - The geographic area of the APA in square miles. Large areas within the jurisdiction without roads (e.g., lakes, wilderness areas, etc.) should not be included. The area is used to determine the number of troopers needed to provide a specified average travel time to accidents and other CFS. The value used in the model may include areas outside of the jurisdiction of the agency if passage through these areas is routinely used in responding to accidents and other CFS.

Area patrol - Patrol assignment which includes responsibility for both traffic services and general police response within a specified geographic area. (See "Line Patrol.")

Autonomous patrol area (APA) - Patrol area in which one or more troopers are assigned which has the following characteristics: (1) CFS may be assigned to any of the troopers in the APA, (2) CFS are rarely dispatched to troopers assigned outside of the APA, and (3) troopers assigned to the APA rarely respond to CFS outside of the APA.

Availability - In the PAM model, one criterion for determining the number of troopers required for patrol is based on an analysis of the number of troopers that must be "available" in order to meet two performance standards: (1) the likelihood or probability (set by the user) that at least one trooper will be available for immediate dispatch to a CFS, and (2) that enough troopers will be available to insure that a specified average travel time (set by the user) will be met.

Backup unit - A patrol unit that is assigned or responds to a CFS to assist the primary unit.

Benefit days off - Paid time off taken by officers in addition to regular days off provided by the work schedule. Benefit time off includes vacation leave, sick leave, holidays, and compensatory time off.

CFS - CFS stands for "calls for service" (i.e., calls to the police agency which require the dispatch of one or more troopers). The PAM model uses the total time required to service CFS as the workload measure for reactive time. For state agencies with full police powers, CFS include criminal activities, traffic accidents, and various other police services. Highway patrol agencies may limit their reactive time to CFS which consist primarily of traffic accidents and assistance to motorists and other agencies.

Citation - A summons or notice to appear issued by an officer for a traffic law violation.

Compensatory time off - Time off granted in lieu of monetary payment for overtime work. Compensatory time or "comp time" may be granted at different rates. A straight time rate implies that one hour of comp time is given for each hour of overtime worked. A comp time rate of time and a half implies that 1 1/2 hours of comp time is granted for each hour of overtime.

Constrained allocation - Constrained allocation refers to the distribution of a specific number of officers over several APAs with limitations on the number of officers that can be assigned to each APA. In the PAM model, constrained allocation is used for two cases: (1) when a specific number of officers are to be added to an existing allocation, the constrained allocation will determine a new allocation of the existing and new officers with the limitation or "constraint" that the revised staffing level for each APA must equal or exceed the existing level for each APA, and (2) when a specific number of officers are to be subtracted from an existing allocation, the constrained allocation will determine a new allocation of the reduced number of officers with the limitation or constraint that the revised staffing level for each APA must not exceed the existing staffing level for each APA. (See "Unconstrained Allocation.")

Contacts - In the PAM model, contacts refers to self-initiated activities. One measure of the level of self-initiated activity is a count of the number of self-initiated contacts (i.e., the number of stops for traffic violations, warnings, and assists) per shift.

Controlled-access highway - A highway in which owners or occupants of abutting lands have no legal right of access to or from the highway except at such points only and in such manner as may be determined by the public authority having jurisdiction over the highway (e.g., most interstate highways). In the PAM model, the highway system is divided into three categories: controlled-access, primary, and secondary. The PAM user is not required to use all three categories and may, if desired, redefine the categories to insure compatibility with agency data.

Deployment plan - A generic term that refers to the resource allocation staffing plan for an agency. A comprehensive deployment plan may indicate the level of staff resources that are needed and how those resources should be allocated by time (e.g., by time of day and day of the week) and by geography (e.g., by APA).

Deterrence - The impact of visible patrol units on potential traffic and criminal offenders. (See "Preventive Patrol.")

Dispatching time - The time interval that begins when a call is received at the dispatching center and ends when the assignment is communicated to a trooper.

Dispatched unit - A patrol unit that is assigned to a CFS by the dispatching or telecommunication center.

Field supervisor - Field supervisor refers to agency personnel who provide on-the-road supervision of patrol troopers. Typically, field supervisors hold the rank of trooper 1st class, corporal, or sergeant.

Follow-up investigation - Investigation of an incident after the initial on-scene investigation.

Fraction - In the PAM model, a fraction refers to a number between zero (0) and one (1). A fraction can be converted to a percentage by multiplying it by 100. For example, a fraction of 0.5 is equivalent to 50% (i.e., $100 \times 0.5 = 50$).

Full-time - In PAM, the term "full-time" is used to refer to troopers and field supervisors who are assigned exclusively to patrol. Officers who work on non-patrol units or special assignments are not "full-time" on patrol.

Historical experience - Refers to the derivation of a value in the PAM model based on data from the past experience of an agency.

Immediate response - An agency provides an "immediate response" to a CFS when the assignment is dispatched as soon as it is received at the dispatching center and the assigned unit begins travel to the scene as soon as it receives the assignment. (See "Probability of Immediate Response.")

Interstate highway - A highway identified by the Federal government as part of the U.S. National Interstate and Defense Highway system. Interstate highways must conform to a number of design requirements (e.g., they must be limited access highways) and are designated by red and blue identification shield-shaped signs.

Jurisdiction - The entire area in which an officer has law enforcement powers. For state agencies, the "jurisdiction" usually includes the entire state.

Line patrol - Patrol assignment for which troopers are assigned exclusively to highway segments. (See "Area Patrol.")

Linear patrol - Same as "Line Patrol."

Model - The PAM model is a systematic procedure for representing the relationships between the staff requirements for state and provincial law enforcement agencies and a number of workload, operational, and policy descriptors.

Moving patrol - Patrol time during which a patrol vehicle is moving with the normal flow of traffic. (See "Stationary Patrol.")

Non-patrol time - In PAM, "non-patrol time" refers to on-duty time spent on special assignments.

Non-permanent assignment - A temporary special assignment. (See "Special Assignments.")

Non-supervisory work - Work done by a field supervisor that does not involve the supervision of subordinates. Non-supervisory work usually includes patrol activities that could be performed by troopers.

Obligated time - The total time required by patrol units to respond to and service CFS. Obligated time includes the travel time, on-scene time, report writing time, and follow-up investigation time expended by all patrol units that respond to a CFS. In the PAM model, total obligated time is based on the time spent by each unit, not each officer. Total obligated time serves as the workload measure to determine the number of patrol units required for reactive time activities. Total obligated time is also referred to as total service time or total reactive time.

Officers - A generic term that refers to sworn personnel in a law enforcement agency.

On-duty time - In the PAM model, on-duty time refers to the actual time that an officer appears for work. Actual on-duty time can be determined by assuming that an officer works every day and subtracting the number of days that an officer is off duty for both scheduled time off (i.e., regular days off) and benefit time off (i.e., vacation time, holidays, sick leave, etc.). If this method is used, paid overtime must be added to determine the total on-duty time.

One-trooper unit - A patrol unit with only one trooper assigned to it.

Patrol activity - Generic term that refers collectively to both CFS and self-initiated activities.

Patrol area - See "Area."

Patrol coverage - Patrol coverage is used in the PAM model to indicate the presence of agency patrol activities by highway category. Coverage is indicated in terms of hours per week. Complete coverage of a highway segment (i.e., 24 hours per day, seven days per week) is 168 hours per week. Some agencies may only provide partial patrol coverage on some highways (e.g., coverage may only be provided during the day and afternoon shifts). If coverage is provided for only two shifts a day, the coverage is 112 hours per week (i.e., 2 shifts per day x 8 hours per shift x 7 days per week). The extent or intensity of patrol coverage is measured by the patrol interval. (See "Patrol Interval.")

Patrol time - Time spent by patrol personnel on activities other than reactive, self-initiated, or administrative. Patrol time is used to provide agency visibility for the deterrence of traffic violators and agency availability for reactive and self-initiated activities.

Patrol interval - A measure of the extent or intensity of patrol coverage. The patrol interval is defined as the frequency with which a trooper will pass a given point on the highway or the average time a stranded motorist would have to wait for a trooper to come by on patrol. Patrol interval is determined by the number of highway miles, the number of patrol units, the amount of patrol time per hour per unit, and the average patrol speed.

Patrol speed - The average speed in miles per hour of a unit while on patrol. The speed can be determined by dividing the miles driven per shift by patrol time. The total miles should not include miles driven while responding to an accident or other CFS, and the time should not include time spent on administrative, reactive, or self-initiated activities. The time spent on patrol should include time spent on both moving and stationary patrol.

Patrol unit - A vehicle used by one or two troopers for patrol activities. In the PAM model, the procedures used in worksheets 2 - 5 and Section 6.1 in Worksheet 6 are based on the assumption that each patrol unit has one trooper. As a result, in these worksheets, the terms "number of patrol units" and "number of troopers on patrol" are used interchangeably. (An adjustment for the use of two-trooper patrol units is presented in Worksheet 6.)

Performance objective - A target or specified performance standard that is set either by policy or by historical experience. In the PAM model, performance objectives may be set for (1) the number of minutes per hour per trooper spent on administrative activities, (2) the number of minutes per hour per trooper spent on self-initiated activities, (3) the number of self-initiated contacts per shift per trooper, (4) the average patrol interval, (5) the percentage of accidents and other CFS for which a trooper can be dispatched immediately, (6) the average travel time to accidents and other CFS, (7) the percentage of two-trooper units, (8) the average number of troopers per field supervisor, and (9) the number of staff and command personnel required.

Permanent assignment - An assignment that will continue for an indefinite period of time. In PAM, all assignments, whether on patrol or special units, are considered to be permanent.

Preventive patrol - Visible patrol designed to prevent or limit unlawful activity. (See "Deterrence.")

Primary highway - A U.S., state-numbered route, or other major highway designated by authorities as part of a major system of highways within their jurisdiction. In the PAM model, the highway system is divided into three categories: controlled-access, primary, and secondary. The PAM user is not required to use all three categories and may, if desired, redefine the categories in order to insure compatibility with agency data.

Primary unit - Patrol unit that is assigned to or initiates a patrol activity and has responsibility for investigating and reporting the activity.

Proactive time - Proactive time refers to time spent by a trooper on self-initiated activities and patrol. Proactive self-initiated time only includes time actually spent performing the self-initiated activity (e.g., issuing a citation) and does not include the time spent on preventative patrol looking for the activity (e.g., looking for traffic violators). Proactive patrol time refers to time not spent on administrative, reactive, or self-initiated activities.

Probability of immediate response - The probability that when the next CFS arrives, at least one trooper will be free or available for assignment to the call.

Queuing theory - A branch of mathematics that uses statistics and probability to describe the operating characteristics of queues (i.e., waiting lines). The receiving and assigning of CFS at a police dispatching center can be viewed as a waiting line operation in which CFS are viewed as customers which will have to be queued (i.e., stacked) if all of the servers (i.e., patrol units) are busy. The determination of the "probability of immediate response" in the PAM model is based on formulas derived from queuing theory.

Reactive time - The total time required by all patrol units to respond to and handle a CFS. (See "Obligated Time.")

Reallocation - In PAM, the term "reallocation" is used to identify or distinguish a revised allocation of a specific number of officers over several APAs from the original or initial distribution of the officers.

Regular duty - The usual or permanent assignment for a trooper or field supervisor. Regular duty may consist of patrol duty, special assignment, or a combination of both. An officer is not on regular duty while on temporary assignment.

Response speed - The average speed in miles per hour of a patrol unit responding to an accident or other CFS.

Resource allocation - In PAM, resource allocation refers to the systematic determination of the number and allocation of state or provincial personnel whose primary mission is the delivery of police traffic services.

Roadway - A generic term used in PAM to refer to any type of highway.

Sample period - In PAM, the sample period refers to the time period for which data is collected. It is not necessary that all of the input data used in the PAM model be obtained from the same "sample period."

Secondary highway - Any non-arterial or rural roadway. In the PAM model, the highway system is divided into three categories: controlled-access, primary, and secondary. All highways that are not classified as either controlled-access or primary are, by definition, secondary highways. The PAM user is not required to use all three categories and may, if desired, redefine the categories in order to insure compatibility with agency data.

Self-initiated activities - Activities carried out by patrol officers that are not assigned by a dispatcher. Examples include most traffic enforcement and motorist assists.

Self-initiated contact - See "Contacts."

Service time - The total time expended by a patrol unit to handle an accident, CFS, or self-initiated activity. Service time includes travel time (for dispatched calls), on-scene time, report writing time, and follow-up investigation time expended by all units that provide service. Service time does not include dispatching time. Service time spent on dispatched calls is used to determine the total obligated time for an agency. (See "Obligated Time.")

Service-on-demand - A term used to characterize CFS in order to distinguish them from self-initiated activities.

Shift - An officer's regular on-duty period; sometimes called a tour or watch.

Shift length - The length in hours of each tour, watch, or shift.

Shift relief factor - The shift relief factor indicates the average number of personnel needed to provide one on-duty officer for one shift every day. Shift relief factors for agencies with eight-hour shift lengths are usually between 1.6 and 1.9. The shift relief factor is multiplied by the average on-duty personnel required per day to determine the total staff size. Shift relief factors depend on shift length, work schedule characteristics, and benefit time off policies of an agency.

Special assignments - Additional assignments given to patrol personnel (e.g., trucks/weight, accident reconstruction, hazardous materials, etc.). (See "Non-Patrol Time.")

Staff - The PAM model uses the term "staff" to refer to the total number of sworn personnel (both on- and off-duty) that are required to provide a specified number of on-duty officers per day.

Staff and command personnel - Those personnel assigned to an APA or several APAs who provide support services (e.g., training, range, or desk officers) and the command staff above the rank of field supervisor.

Stationary patrol - Patrol time in which the patrol vehicle is not in motion. Examples include running stationary mode radar and observing an intersection or high accident location for traffic violators.

Temporary assignment - See "Non-Permanent Assignment."

Tour - See "Shift."

Travel time - The time interval that begins when a patrol unit receives a CFS assignment from a dispatcher and ends when the unit arrives on scene. Travel time does not include dispatching time.

Trooper - The initial rank for patrol officers in state agencies.

Two-trooper unit - A patrol unit with two officers assigned to it.

Uncommitted time - See "Patrol Time."

Unconstrained allocation - Unconstrained allocation refers to the distribution of a specific number of officers over several APAs with no limitations on the number of officers that can be assigned to each APA. (See "Constrained Allocation.")

Uniform staffing - Uniform staffing by shift or APA refers to an allocation in which the same number of officers are assigned to each shift or APA.

Visibility - One purpose of patrol time is to promote the general deterrence of traffic and criminal violators by maintaining a high level of trooper visibility.

Watch - See "Shift."

Work activity - See "Patrol Activity."

Workload - In the PAM model, the term workload refers to the total obligated time generated by all accidents and other CFS, and the total time required to provide a user-specified level of self-initiated activities.

Worksheet Abbreviations and Notation

APA	-	Autonomous patrol area.
CAD	-	Computer-aided dispatching.
CFS	-	Calls for service.
f_{si}	-	Fraction of on-duty time spent on non-patrol activities by troopers assigned to special unit i.

H_i	-	Hours of coverage on highway segment i.
K	-	Number used in Section 5.3 to determine the number of troopers required to meet the travel time performance objective for area patrol. Based on the average response speed and the travel time objective in minutes.
K_f	-	Factor used in WorkSheet 7 to adjust the daily number of on-duty troopers. Based on the average number of troopers that report to each field supervisor and the percentage of time supervisors spend on patrol work.
K_s	-	Number used in Appendix A in the <u>Manual</u> to determine which table to use to estimate the number of troopers required for immediate response. Based on m_a and m_s .
M_i	-	Length (miles) of highway segment i.
m_a	-	The average number of minutes per hour per trooper spent on administrative time.
MPH	-	Miles per hour.
m_r	-	The average number of minutes per hour per trooper spent on reactive activities (i.e., dispatched accidents and other CFS).
m_s	-	The average number of minutes per hour per trooper spent on self-initiated activities (e.g., traffic citations, traffic warnings, and motorist assists).
N	-	The average number of on-duty troopers required per day unadjusted for two-trooper units, special assignments, or field supervision.
N_{ao}	-	Adjusted average daily number of on-duty troopers.
N_{asi}	-	Adjusted daily number of on-duty troopers assigned to special assignment i.
N_{ft}	-	The average number of full-time, on-duty troopers required per day.
N_h	-	The total number of personnel required for staff and command, both on and off-duty.
N_{min}	-	The average minimum number of on-duty patrol troopers required per day.

N_o	-	The average total number of on-duty troopers per day.
N_{os}	-	The average number of on-duty field supervisors per day.
N_{ot}	-	The average number of on-duty troopers per day.
N_p	-	The average number of on-duty troopers required per day to meet the patrol time requirement.
N_{pi}	-	The average number of on-duty troopers required on shift i to meet the patrol time requirement.
N_r	-	The average number of on-duty troopers required per day to meet the reactive time (service-on-demand) requirement.
N_{ri}	-	The average number of on-duty troopers required on shift i to meet the reactive time (service-on-demand) requirement.
N_{rs}	-	The average number of on-duty troopers required per shift to meet the reactive time (service-on-demand) requirement.
N_s	-	The total number of field supervisors, both on and off-duty.
N_{si}	-	The number of on-duty troopers assigned to special unit i .
N_t	-	The total number of troopers, both on and off-duty.
N_{tot}	-	The total staff requirement.
PAM	-	Police Allocation Manual.
PIR%	-	The agency-specified performance objective for the percent of accidents, other CFS, and self-initiated activities for which at least one trooper will be available.
PIR $_i$	-	The agency-specified performance objective for the percent of accidents, other CFS, and self-initiated activities on shift i for which at least one trooper will be available.

- SRF - The shift relief factor.
- TA - The total staff to be added (or subtracted)
 for the allocation.
- TC - The total current staff.
- TE - The total staff requirement based on PAM es-
 timates.
- TN - Total overstaffing (or understaffing) based
 on current staff levels and PAM staff esti-
 mates for each APA.

APPENDIX C: Example Using PAM Worksheets 1 - 9 To Determine Staffing Requirements and Allocation

Introduction

This appendix illustrates the use of worksheets 1-8 to determine staffing levels for one APA and Worksheet 9 to allocate staff among six APAs. The data used for this example are based on information obtained from the field test agencies during Phase I of the PAM project.

The remainder of this appendix is divided into two parts. The first presents observations about the example agency and the particular options used in each worksheet. Comparisons between the data values used or calculated for the example and the field test results (see Table 1) are also discussed. The second part consists of the completed worksheets.

Observations

In the discussion below, references to specific values in the worksheets are made by identifying the corresponding worksheet step numbers in parentheses.

Worksheet 1: Operations, Workload, and Highway Data

The example APA covers a large geographic area near a major metropolitan center. The state agency has full police powers and handles a large number of accidents (1.3.2) and other calls-for-service (CFS) (1.3.4) per year. The APA contains 52.7 miles of interstate highways (1.4.1) and 191.4 miles of primary highways (1.4.2). The state agency provides full coverage (i.e., 168 hours per week) ((1.2.5.1) and (1.2.6.1)) and high visibility ((1.2.5.3) and (1.2.6.3)) on the interstate and primary highways. Coverage and visibility on secondary highways are limited ((1.2.7.1) and (1.2.7.3)).

Worksheet 2: Administrative Time

The agency uses Section 2.1 to set administrative time to 9.7 minutes per hour per trooper. The field test average for Section 2.1 was 10.83 minutes.

Worksheet 3: Reactive Time

The total obligated time per day for the agency is 57.47 hours (3.3.1) which consists of 39.6 hours for accidents (3.1.5) and 17.87 hours for all other CFS (3.2.5). Based on an 8-hour shift, this level of workload requires 7.18 on-duty troopers per day (3.3.3). The average service time for accidents is 3.82 hours (3.1.2) which is slightly higher than the field test average of 3.10 hours. The average time of 0.90 hours for all other CFS (3.2.2) is considerably lower than the field test average of 1.66 hours.

Worksheet 4: Proactive Time - Self-Initiated

The agency determines the self-initiated time based on the historical experience of the agency in Section 4.3. The average of 8.97 minutes per hour per trooper is slightly lower than the field test average of 11.57 minutes for the same section.

Worksheet 5: Proactive Time - Patrol

In Section 5.1, the agency determines a total requirement of 10.91 on-duty troopers per day (5.1.5) to provide the desired level of patrol visibility. The 10.91 troopers consist of 3.16 troopers (5.1.2.5) for controlled-access highways to meet a 1-hour patrol interval objective (5.1.2.4) and 7.18 troopers (5.1.3.5) on primary highways to meet a 2-hour patrol interval goal (5.1.3.4). Only 0.57 on-duty troopers per day are needed for the secondary highways (5.1.4.5) because of limited coverage (5.1.4.2) and low visibility (5.1.4.4)).

For patrol availability, the agency examines two options: the immediate response option in Section 5.2 and the travel time for line patrol option in Section 5.4. Based on an immediate response objective of 95% (5.2.6), the agency determines that 4.2 on-duty troopers (5.2.7) are needed per shift to insure that at least one trooper will be available for 95% of the accidents, other CFS, and self-initiated activities when they occur. The daily requirement for 3 shifts is 12.6 troopers (5.2.8).

The assumptions implied with the use of Section 5.2 are that m_a equals 9 minutes, m_s equals 15 minutes, and that staffing is equal over all shifts. For the example, the actual values are $m_s = 9.7$ minutes (2.3), $m_s = 8.97$ minutes (4.4), and staffing over the 3 shifts is approximately 20, 40, and 40 %. If the Supplemental Worksheet in Appendix F (not shown) is used, the total number of on-duty troopers per day is 12.6 which is the same number derived in Section 5.2. The adjustment factor (K_f) in the Supplemental Worksheet, based on $m_a = 9.7$ and $m_s = 8.97$, equals 0.22 which is very close to the $K_f = 0.25$ value used for Table 3-1.

In Section 5.4, the required on-duty staffing for line patrol operations is determined. The agency operates line patrol units 128 hours a week (5.4.2) over 97.3 highway miles (5.4.3). This provides coverage over all of the interstate and selected primary highways in the jurisdiction during high accident periods. Based on the shift length (5.4.1), response speed (5.4.4), and travel time objective of 12 minutes, a total of 8.24 on-duty troopers (5.4.6) are needed.

To determine the number of troopers for availability, the agency compares the results of sections 5.2 and 5.4 and selects the larger value (i.e., 12.6 on-duty troopers for immediate response, Section 5.2). The last step in Worksheet 5 (5.6) is to determine the number of on-duty troopers for patrol. This is done by comparing the number of on-duty troopers needed for "visibility" (i.e., 10.91 troopers in Step 5.1.5) with the number of troopers needed for "availability" (i.e., 12.6 troopers in Step 5.5) and selecting the larger value. Hence, a value of 12.6 troopers is entered in Step 5.6.

Worksheet 6: Average Daily Number of On-Duty Troopers

The agency uses Section 6.1 to determine that 28.72 on-duty troopers (6.1.5) will be needed each day. Since some patrol units are staffed with two troopers for evening patrols (estimated to be about 25% of the patrols (6.2.1)), the number of troopers is increased to 35.89 (6.2.4). Section 6.3 is not used since no minimum staffing requirements are used in the APA.

Worksheet 7: Special Assignment and Field Supervision

Worksheet 7 is used to adjust the number of troopers for patrol work performed by field supervisors and troopers on special assignment. For the example agency, each field supervisor is responsible for an average of 7 troopers and spends approximately 25% of his/her time on patrol (i.e., non-supervisory) activities. In Section 7.1, the agency determines that the adjusted number of on-duty, full-time troopers is 34.67 (7.1.6).

The agency has an average of 6 troopers (7.2.1.2) on-duty each day for commercial vehicle enforcement. Each trooper assigned to the unit spends about 40% of his/her time on patrol (7.2.1.3). The adjusted number of on-duty troopers for commercial vehicle enforcement is 3.48 (7.2.1.6).

The total adjusted daily number of on-duty troopers equals 38.15 (7.2.4). The number of on-duty, full-time troopers can be obtained by subtracting all of the on-duty special assignment staff (i.e., 6 troopers in the example) from the total adjusted number of troopers found in Step 7.2.4; that is, the number of on-duty, full-time troopers equal 32.15.

The total number of on-duty field supervisors required per day is 5.45 (7.3.1). This value is obtained by dividing the adjusted number of on-duty troopers (7.2.4) by the average number of troopers that report to each supervisor (7.1.1).

Worksheet 8: Total Staff Requirement

Based on the average number of on-duty hours spent on patrol per year (8.2.3), the shift relief factor for the agency is 1.716 (8.2.4). Multiplying the on-duty trooper and field supervisor estimates by the shift relief factor yields the total staff requirements (i.e., 65.47 troopers (8.3.1) and 9.35 field supervisors (8.3.2)).

The agency uses Section 8.4 to specify a total of 5 staff and command personnel. The total staff requirement of 79.82 officers for the APA is determined in Section 8.7.

Worksheet 9: Allocation of Patrol Personnel Among Several APAs

Only Table 4-1 from Worksheet 9 is shown below to illustrate the allocation procedure. The allocation example is based on 6 APAs. The current staffing levels for each APA are shown in column 1. The sum of column 1 indicates that the total current staffing (TC) is 382 troopers. The PAM staffing estimates for each APA are shown in column 2. (APA 1 is the example used for worksheets 1-8.) The sum of column 2 indicates that the total staff estimate (TE) for the 6 APAs from the PAM model is 412.52 troopers. Comparison of the columns 1 and 2 indicates that all of the APAs are understaffed except APA 2. For the example allocation, 20 additional troopers (TA) are to be added to the current staffing total of 382 troopers.

The values for the unconstrained allocation of the 402 troopers (i.e., 382 + 20) are shown in column 3. (See Step 9.1.7 in Worksheet 9 for the formula used to determine the values in column 3.) Note that the allocation shown in column 3 could only be achieved by reassigning some of the current staff (e.g., some troopers would have to be taken from APA 2).

Columns 4 - 8 are used to determine the constrained allocation of the 402 troopers. The difference between the values in columns 1 and 3 for each APA are shown in column 4. The difference indicates the amount of over or understaffing for each APA. (Only APA 2 has a positive value which indicates it is over-staffed.) Since the total staff is to be increased (i.e., TA > 0), the procedures described in Step 9.2.3 are used to determine the values in column 5. (For each APA, if a column 4 value is negative, it is copied in column 5. If a column 4 value is positive, a zero is entered in column 5.) Step 9.2.3.3 is used to calculate how the 20 new troopers will be distributed over the 6

APAs (column 6). For the constrained allocation procedure, staff is only added to APAs that are understaffed (i.e, APAs that have negative values in column 5). The values in column 6 are rounded to whole numbers and entered column 7. (The sum of the values in column 7 must equal the number of staff to be added; that is, column 7 must sum to 20.) The final value for each APA for the constrained allocation, shown in column 8, is obtained by adding the current staff (column 1) to the staff to be added (column 7).

WORKSHEET 1: Operations, Workload, and Highway Data

Objective: Identify data items to be used for determining the number of state-wide traffic services personnel within an APA.

Method: Data is identified as either operations, workload, or highway.

1.1 Autonomous Patrol Area Name . . .

Detailed Example

(1.1)

1.2 Operations Data for the APA

1.2.1 Shift length (hours)

8.0

(1.2.1)

1.2.2 Average number of on-duty
hours per year per trooper

1,702.0

(1.2.2)

1.2.3 Average number of troopers
to be supervised by each
field supervisor

7.0

(1.2.3)

1.2.4 Percentage of field supervisor
on-duty time spent on patrol,
reactive, and self-initiated
activities

25.0

(1.2.4)

1.2.5 Patrol operations - controlled-access highways

1.2.5.1 Coverage per week (hours), (maximum value = 168) . . .	168.0
	(1.2.5.1)
1.2.5.2 Average patrol speed (MPH)	50.0
	(1.2.5.2)
1.2.5.3 Patrol interval performance objective (hours)	1.0
	(1.2.5.3)

1.2.6 Patrol operations - primary highways

1.2.6.1 Coverage per week (hours), (maximum value = 168) . . .	168.0
	(1.2.6.1)
1.2.6.2 Average patrol speed (MPH)	40.0
	(1.2.6.2)
1.2.6.3 Patrol interval performance objective (hours)	2.0
	(1.2.6.3)

1.2.7 Patrol operations - secondary highways

1.2.7.1 Coverage per week (hours) (maximum value = 168) . . .	128.0
	(1.2.7.1)
1.2.7.2 Average patrol speed (MPH)	30.0
	(1.2.7.2)
1.2.7.3 Patrol interval performance objective (hours)	168.0
	(1.2.7.3)

1.3 Workload Data for the APA

1.3.1 Total number of days in the sample period	365.0 (1.3.1)
1.3.2 Total number of accidents handled by state the agency during the sample period	3,784.0 (1.3.2)
1.3.3 Average service time (hours) per accident	3.82 (1.3.3)
1.3.4 Total number of other CFS handled by the state agency during the sample period	7,249.0 (1.3.4)
1.3.5 Average service time (hours) per CFS	0.90 (1.3.5)

1.4 Highway Data for the APA

1.4.1 Controlled-access highways (miles)	52.7 (1.4.1)
1.4.2 Primary highways (miles)	191.4 (1.4.2)
1.4.3 Secondary highways (miles)	1,265.1 (1.4.3)

WORKSHEET 2: Administrative Time

Objective: Determine the average number of minutes per hour per trooper to be spent on administrative activities within the APA (m_a).

Method: Based either on policy decision or historical experience.

OPTION: Complete Section 2.1 or Section 2.2.

2.1 Average Number of Minutes Per Hour Per Trooper - Policy Decision

Select administrative time
performance objective in minutes
per hour per trooper

9.7

(2.1)

Continue with Section 2.3.

OR

2.2 Average Number of Minutes Per Hour Per Trooper - Historical Experience

2.2.1 Total time (hours) spent on
administrative activities within
the APA during the sample period .

(2.2.1)

2.2.2 Total on-duty hours by patrol
troopers within the APA during
the sample period

(2.2.2)

2.2.3 Fraction of time spent on
administrative activities,
divide: $(2.2.1) \div (2.2.2)$ ---
(2.2.3)

2.2.4 Average number of minutes per
hour per trooper, multiply:
 $(2.2.3) \times 60$ ---
(2.2.4)

2.3 Administrative Time

Minutes per hour per trooper,
select either (2.1) or (2.2.4) 9.7 (m_a)
(note: $0 \leq m_a < 60$) (2.3)

WORKSHEET 3: Reactive Time

Objective: Determine the number of troopers required to handle accidents and other CFS within an APA (N_r).

Method: Based on the total time required to handle all accidents and other CFS, and the shift length.

3.1 Daily Service Time Requirement for Accidents

3.1.1 Total number of accidents within the APA during the sample period, use (1.3.2)	3,784.0
	(3.1.1)
3.1.2 Average service time (hours) for each accident, use (1.3.3) . .	3.82
	(3.1.2)
3.1.3 Total obligated time for accidents within the APA during the sample period, multiply: (3.1.1) x (3.1.2) (or enter directly from CAD system)	14,454.88
	(3.1.3)
3.1.4 Total number of days in the sample period, use (1.3.1)	365.0
	(3.1.4)
3.1.5 Average workload per day for accidents (hours), divide: (3.1.3) ÷ (3.1.4)	39.6
	(3.1.5)

3.2 Daily Service Time Requirement for Other CFS

3.2.1 Total number of other CFS within the APA during the sample period, use (1.3.4)	7,249.0 (3.2.1)
3.2.2 Average service time (hours) for each CFS, use (1.3.5)	0.90 (3.2.2)
3.2.3 Total obligated time for other CFS within the APA during the sample period, multiply: (3.2.1) x (3.2.2) . . . (or enter directly from CAD system)	6,524.1 (3.2.3)
3.2.4 Total number of days in the sample period, use (1.3.1)	365.0 (3.2.4)
3.2.5 Average workload per day for other CFS (hours), divide: (3.2.3) ÷ (3.2.4)	17.87 (3.2.5)

3.3 Total Number of Troopers Required per Day for Reactive Time

3.3.1 Total average workload per day within the APA (hours), add: (3.1.5) + (3.2.5)	57.47 (3.3.1)
3.3.2 Shift length (hours), use (1.2.1)	8.0 (3.3.2)
3.3.3 Average number of on-duty troopers required per day within the APA to meet the average daily workload, divide: (3.3.1) ÷ (3.3.2)	7.18 (3.3.3)

(N_r)

WORKSHEET 4: Proactive Time - Self-initiated

Objective: Determine the average number of minutes per hour per trooper to be spent on self-initiated activities within the APA (m_s).

Method: Based either on policy decision or historical experience within the APA.

OPTION: Complete Section 4.1 or Section 4.2 or Section 4.3.

4.1 Average Number of Minutes Per Hour Per Trooper - Policy Decision (Direct)

Select self-initiated performance objective for the APA, minutes per hour per trooper

(4.1)

Continue with Section 4.4

OR

4.2 Average Number of Minutes Per Hour Per Trooper - Policy Decision (Indirect)

4.2.1 Total number of self-initiated contacts within the APA during the sample period

(4.2.1)

4.2.2 Total time (hours) spent on self-initiated contacts within the APA by all troopers on patrol during the sample period .

(4.2.2)

- 4.2.3 Average time (hours) per
self-initiated contact within
the APA during the sample period,
divide: (4.2.2) ÷ (4.2.1) ---
(4.2.3)
- 4.2.4 Select number of self-initiated
contacts per shift per trooper
performance objective ---
(4.2.4)
- 4.2.5 Shift length (hours),
use (1.2.1) ---
(4.2.5)
- 4.2.6 Number of self-initiated
contacts per hour per trooper,
divide: (4.2.4) ÷ (4.2.5) ---
(4.2.6)
- 4.2.7 Self-initiated performance
objective for the APA in minutes
per hour per trooper, multiply:
60 x (4.2.3) x (4.2.6) ---
(4.2.7)

Continue with Section 4.4

OR

4.3 Average Number of Minutes Per Hour Per Trooper - Historical Experience

- 4.3.1 Total time (hours) spent on
self-initiated contacts within
the APA by all troopers on
patrol during the sample period,
(same as (4.2.2)) 19,821.0
(4.3.1)
- 4.3.2 Total on-duty hours by troopers
on patrol within the APA during
the sample period,
(same as (2.2.2)) 132,614.16
(4.3.2)

4.3.3 Fraction of time spent on
self-initiated activities within
the APA during the sample period,
divide: (4.3.1) $\div$ (4.3.2)

0.149

(4.3.3)

4.3.4 Average number of minutes per
hour per trooper to be spent on
self-initiated activities within
the APA, multiply: 60 x (4.3.3) . .

8.97

(4.3.4)

4.4 Proactive Time (Self-initiated)

Minutes per hour per trooper,
select either (4.1) or (4.2.7) or
(4.3.4) (note: $0 \leq m_s < 60$)

8.97

(m_s)

(4.4)

WORKSHEET 5: Proactive Time - Patrol

Objective: Determine the number of troopers required within the APA to provide an adequate level of visibility and availability.

Method: Based on: (1) the patrol interval, and (2) the probability of immediate response to accidents and other CFS or the average travel time to accidents and other CFS.

5.1 Patrol Visibility

5.1.1 Shift length (hours), use (1.2.1)	8.0 (5.1.1)
5.1.2 Number of troopers needed per day for patrol on controlled-access highways in the APA	
5.1.2.1 Miles of highway, use (1.4.1)	52.7 (5.1.2.1)
5.1.2.2 Hours of coverage per week, use (1.2.5.1)	168.0 (5.1.2.2)
5.1.2.3 Average patrol speed (MPH), use (1.2.5.2) . . .	50.0 (5.1.2.3)
5.1.2.4 Performance objective patrol interval (hours), use (1.2.5.3)	1.0 (5.1.2.4)

5.1.2.5 Number of troopers required
per day to meet patrol
interval performance
objective for
controlled-access
highways with the APA,
use the formula below . . .

3.16

(5.1.2.5)

Number of Troopers (5.1.2.5)	=	Highway Miles (5.1.2.1)		x	Hours of Coverage Per Week (5.1.2.2)				
		7	x		Average Patrol Speed (5.1.2.3)	x	Shift Length (5.1.1.1)	x	Perf. Obj. Patrol Interval (5.1.2.4)

5.1.3 Number of troopers needed per day
for patrol on primary highways in the APA

5.1.3.1 Miles of highway,
use (1.4.2)

191.4

(5.1.3.1)

5.1.3.2 Hours of coverage per
week, use (1.2.6.1)

168.0

(5.1.3.2)

5.1.3.3 Average patrol speed
(MPH), use (1.2.6.2) . . .

40.0

(5.1.3.3)

5.1.3.4 Performance objective
patrol interval (hours),
use (1.2.6.3)

2.0

(5.1.3.4)

5.1.3.5 Number of troopers required
per day to meet patrol
interval performance
objective for primary
highways within the APA,
use the formula below . . .

7.18

(5.1.3.5)

Number of Troopers (5.1.3.5)	=	Highway Miles (5.1.3.1)	x	Hours of Coverage Per Week (5.1.3.2)		
		7	x	Average Patrol Speed (5.1.3.3)	x	Shift Length (5.1.1.1)

5.1.4 Number of troopers needed per day
for patrol on secondary highways in the APA

5.1.4.1 Miles of highway,
use (1.4.3)

1,265.1

(5.1.4.1)

5.1.4.2 Hours of coverage per
week, use (1.2.7.1)

128.0

(5.1.4.2)

5.1.4.3 Average patrol speed
(MPH), use (1.2.7.2) . . .

30.0

(5.1.4.3)

5.1.4.4 Performance objective
patrol interval
(hours), use (1.2.7.3) . .

168.0

(5.1.4.4)

5.1.4.5 Number of troopers required
per day to meet patrol
interval performance
objective for
secondary highways
within the APA, use
the formula below

0.57

(5.1.4.5)

Number of Troopers (5.1.4.5)	=	Highway Miles (5.1.4.1)		x	Hours of Coverage Per Week (5.1.4.2)	
		7	x		Average Patrol Speed (5.1.4.3)	x

5.1.5 Total number of troopers
required per day to meet
patrol interval performance
objective within the APA, add:
(5.1.2.5) + (5.1.3.5) + (5.1.4.5) .

10.91

(5.1.5)

OPTION: Complete Section 5.2 or Section 5.3 or Section 5.4 or
the Supplemental Worksheet in Appendix F.

5.2 Patrol Availability - Immediate Response

5.2.1 Shift length (hours),
use (1,2,1)

8.0

(5.2.1)

5.2.2 Coverage per week (hours),
(maximum value = 168)

168.0

(5.2.2)

5.2.3 Calculate the effective
number of shifts per day
based on the formula below

3.0

(5.2.3)

$$\begin{array}{rcl} \text{Effective} & & \text{Coverage Per} \\ \text{Number of} & & \text{Week (hours)} \\ \text{Shifts Per} & = & \text{(5.2.2)} \\ \text{Day (5.2.3)} & & \hline & & \text{Shift Length} \\ & 7 \times & \text{(hours)} \\ & & \text{(5.2.1)} \end{array}$$

5.2.4 Average daily number of
on-duty troopers for
reactive time, use (3.3.3)

7.18

(N_r)

(5.2.4)

5.2.5 Average daily number of
on-duty troopers per shift (N_{rs}),
divide: (5.2.4) ÷ (5.2.3)

2.39

(N_{rs})

(5.2.5)

5.2.6 Performance objective,
percentage of accidents, CFS,
and self-initiated activities,
immediate response (a number
between 50 and 99)

95.0

(PIR%)

(5.2.6)

5.2.7 Number of additional troopers
per shift, use (5.2.5),
(5.2.6), and Table 3-1

4.2

(5.2.7)

5.2.8 Total number of patrol troopers
required per day within the APA to
provide immediate response to the
performance objective percentage
of accidents and CFS, either
multiply: (5.2.3) x (5.2.7) or
enter value from Step (F.7)

12.6

(5.2.8)

Table 3-1

Number of Patrol Troopers Required To Provide Immediate Response
Capability Based On the Average Number of Reactive Troopers
Required and the Selected Response Percentage ($K_s = 0.25$)

Number of Reactive Troopers (N_{rs}) (5.2.5)	----- Performance Objective Immediate Response Percentage (PIR%) (5.2.6) -----										
	50	60	70	75	80	85	90	95	97	98	99
.05	0.3	0.4	0.6	0.8	0.9	1.1	1.4	2.0	2.4	2.7	3.3
.10	0.3	0.5	0.7	0.8	1.0	1.2	1.5	2.1	2.5	2.8	3.4
.15	0.3	0.5	0.8	0.9	1.1	1.3	1.6	2.2	2.6	2.9	3.5
.20	0.4	0.6	0.8	1.0	1.1	1.3	1.7	2.2	2.7	3.0	3.6
.25	0.4	0.6	0.9	1.0	1.2	1.4	1.7	2.3	2.8	3.1	3.7
.30	0.5	0.7	0.9	1.0	1.2	1.5	1.8	2.4	2.8	3.2	3.8
.40	0.5	0.7	1.0	1.1	1.3	1.6	1.9	2.5	3.0	3.4	4.0
.50	0.6	0.8	1.0	1.2	1.4	1.7	2.0	2.7	3.1	3.5	4.2
.60	0.6	0.8	1.1	1.3	1.5	1.7	2.1	2.8	3.3	3.6	4.3
.80	0.6	0.9	1.2	1.4	1.6	1.9	2.3	3.0	3.5	3.9	4.6
1.00	0.8	1.0	1.3	1.5	1.7	2.0	2.5	3.2	3.7	4.1	4.8
1.20	0.8	1.1	1.4	1.6	1.8	2.2	2.6	3.4	3.9	4.3	5.1
1.60	0.9	1.2	1.5	1.8	2.0	2.4	2.9	3.7	4.3	4.7	5.5
2.00	1.0	1.3	1.7	1.9	2.2	2.6	3.1	4.0	4.6	5.0	5.9
2.50	1.1	1.4	1.8	2.1	2.4	2.8	3.4	4.3	4.9	5.4	6.3
3.00	1.2	1.5	2.0	2.3	2.6	3.0	3.6	4.6	5.2	5.8	6.7
4.00	1.3	1.7	2.2	2.5	2.9	3.4	4.0	5.1	5.8	6.4	7.4
5.00	1.5	1.9	2.4	2.8	3.2	3.7	4.4	5.5	6.3	6.9	8.0

Continue with Section 5.5.

OR

5.3 Patrol Availability - Travel Time for Area Patrol

- | | | |
|--|--|---------|
| 5.3.1 Shift length (hours),
use (1,2,1) | <div style="border: 1px solid black; padding: 2px; display: inline-block;">---</div> | (5.3.1) |
| 5.3.2 Coverage per week (hours)
(maximum value = 168) | <div style="border: 1px solid black; padding: 2px; display: inline-block;">---</div> | (5.3.2) |
| 5.3.3 Area (square miles) of the
APA | <div style="border: 1px solid black; padding: 2px; display: inline-block;">---</div> | (5.3.3) |
| 5.3.4 Average response speed (MPH)
(equal to or greater than
average patrol speed) | <div style="border: 1px solid black; padding: 2px; display: inline-block;">---</div> | (5.3.4) |
| 5.3.5 Average travel time performance
objective (minutes) | <div style="border: 1px solid black; padding: 2px; display: inline-block;">---</div> | (5.3.5) |
| 5.3.6 Number of troopers required within
the APA to meet the average travel
time performance objective | | |
| 5.3.6.1 Calculate K based on
formula below | <div style="border: 1px solid black; padding: 2px; display: inline-block;">---</div> | (K) |

(5.3.6.1)

$$K = \frac{40}{\text{Speed (MPH)} \times \text{Time (min)}}$$

(5.3.4) (5.3.5)

5.3.6.2 Calculate $K \times K$, multiply
 (5.3.6.1) $\times$ (5.3.6.1) . . . --- (K^2)
 (5.3.6.2)

5.3.6.3 Number of troopers
 required, use the
 formula below ---
 (5.3.6.3)

$$\begin{array}{rcl} \text{No. of} & & \\ \text{On-Duty} & & \\ \text{Troopers,} & & \\ \text{Area Patrol} & = & \frac{\text{K}^2 \quad \times \quad \text{Area} \quad \times \quad \text{Coverage Per}}{\text{(5.3.6.2)} \quad \text{(5.3.3)} \quad \text{Week (Hours)}} \\ \text{(5.3.6.3)} & & \text{(5.3.2)} \\ & & \times \quad \text{Shift Length} \\ & & \text{(hours)} \\ & & \text{(5.3.1)} \end{array}$$

Continue with Section 5.5.

OR

5.4 Patrol Availability - Travel Time for Line Patrol

5.4.1 Shift length (hours),
 use (1,2,1) 8.0
 (5.4.1)

5.4.2 Coverage per week (hours),
 (maximum value = 168) 128.0
 (5.4.2)

5.4.3 Total highway miles to be
 patrolled within the APA 97.30
 (5.4.3)

5.4.4 Average response speed (MPH) (equal to or greater than average patrol speed)	45.0
	(5.4.4)
5.4.5 Average travel time performance objective (minutes)	12.0
	(5.4.5)
5.4.6 Number of troopers required within the APA to meet the average time travel performance objective, use formula given below	8.24
	(5.4.6)

No. of On-Duty Troopers, Line Patrol (5.4.6)	=	20	x	Highway Miles (5.4.3)	x	Coverage Per Week (Hours) (5.4.2)
		7	x	Speed (MPH) (5.4.4)	x	Time (min) (5.4.5)
					x	Shift Length (hours) (5.4.1)

5.5 Patrol Availability

Total troopers required within the APA, select either (5.2.8) <u>or</u> (5.3.6.3) <u>or</u> (5.4.6)	12.6
	(5.5)

5.6 Total Number of Troopers Required for Patrol

Average number of troopers (N_p) required per day for patrol within the APA, select the <u>larger</u> of (5.1.5) and (5.5)	12.6	(N_p)
	(5.6)	

WORKSHEET 6: Average Daily Number of On-Duty Troopers

Objective: Determine the average total number of troopers required per day within the APA.

Method: Combine the total number of troopers required for reactive (N_r) and patrol activities (N_p) with the per trooper time requirements for self-initiated (m_s) and administrative (m_a) activities. Adjust the required number of troopers based on the percentage of two-trooper patrols and, if applicable, minimum daily staffing levels.

6.1 Number of On-Duty Troopers per Day - All One-Trooper Patrols

6.1.1 Administrative time - minutes per hour per trooper, use (2.3)	9.7	(m_a)
	(6.1.1)	
6.1.2 Average number of troopers required per day to meet reactive time workload, use (3.3.3)	7.18	(N_r)
	(6.1.2)	
6.1.3 Self-initiated time - minutes per hour per trooper, use (4.4)	8.97	(m_s)
	(6.1.3)	
6.1.4 Average number of troopers required per day to meet patrol time requirements, use (5.6) . . .	12.6	(N_p)
	(6.1.4)	
6.1.5 Average total number of on-duty troopers required per day for all patrol activities within the APA, one trooper per unit, use the formula below	28.72	
	(6.1.5)	

$$\begin{array}{lcl} \text{Average Total Number} & & N_r (6.1.2) \quad + \quad N_p (6.1.4) \\ \text{of On-Duty Troopers} & = & \hline \text{Per Day (6.1.5)} & & 1 - \frac{m_a (6.1.1)}{60} - \frac{m_s (6.1.3)}{60} \end{array}$$

6.2 Adjustment for Two-Trooper Patrols

NOTE: If two-trooper patrols are not used, enter (6.1.5) into (6.2.4) and continue with Section 6.3.

6.2.1 Percentage of time patrol units within the APA are staffed with two troopers	25.0
	(6.2.1)
6.2.2 Fraction of time patrol units within the APA are staffed with two troopers, divide: (6.2.1) ÷ 100	0.25
	(6.2.2)
6.2.3 Adjustment factor: average number of troopers per unit, add: 1 + (6.2.2)	1.25
	(6.2.3)
6.2.4 Average total number of on-duty troopers required per day for all patrol activities, multiply: (6.1.5) x (6.2.3)	35.89
	(6.2.4)

6.3 Adjustment for Minimum Staffing Levels

Note: If minimum staffing levels are not used, enter (6.2.4) into (6.3.2) and continue with Worksheet 7.

6.3.1 Average minimum number of on-duty troopers required per day for all patrol activities, based on agency policy

($N_{\min}$)

(6.3.1)

6.3.2 Average daily number of on-duty troopers required for all patrol activities (N_o), select the larger of (6.2.4) and (6.3.1) . .

35.89

(N_o)

(6.3.2)

WORKSHEET 7: Special Assignments and Field Supervision

Objective: Determine the additional on-duty personnel required per day because of special assignments and field supervision.

Method: The number of troopers for special assignments is based on the number of specialists assigned by the agency and the percentage of time each spends on field patrol activities. The number of field supervisors is based on the span of supervision (set by agency policy) and the percentage of field supervisor on-duty time spent on patrol activities.

7.1 Number of On-Duty Troopers Required per Day, Adjusted for Field Supervisors

7.1.1 Average number of troopers to be supervised by each field supervisor, use (1.2.3)	7.00	
	(7.1.1)	
7.1.2 Percentage of field supervisor on-duty time spent on patrol activities (a number between 0 and 100), use (1.2.4)	25.00	
	(7.1.2)	
7.1.3 Fraction of field supervisor on-duty time spent on patrol activities, divide: (7.1.2) ÷ 100	0.25	
	(7.1.3)	
7.1.4 Total number of on-duty troopers required per day within the APA (N_o) for all patrol activities, use (6.3.2)	35.89	(N_o)
	(7.1.4)	

7.1.5 Adjustment factor (K_f), 0.966 (K_f)
 use formula below (7.1.5)

$$\text{Adjustment Factor } (K_f) \text{ (7.1.5)} = \frac{\text{Troopers Per Sgt. (7.1.1)}}{\text{Troopers Per Sgt. (7.1.1)} + \text{Fraction of Sgt. Time on Patrol (7.1.3)}}$$

7.1.6 Adjusted daily number of full-time, on-duty troopers (N_{ao}) required per day, use formula below 34.67 (N_{ao}) (7.1.6)

$$\text{Adjusted Number of Full-Time, On-Duty Troopers Per Day } (N_{ao}) \text{ (7.1.6)} = K_f \times \text{No. of On-Duty Troopers Per Day } (N_o) \text{ (7.1.4)}$$

NOTE: If no special assignment personnel are to be included, enter (7.1.6) into (7.2.4) and continue with Section 7.3. If special assignment personnel are to be included, continue with Section 7.2.

7.2 Number of On-Duty Troopers Required Per Day, Adjusted for Special Assignment Personnel

7.2.1 Special Assignment 1

7.2.1.1 Assign. 1 name . Commercial Vehicle Enf. (7.2.1.1)

7.2.1.2 Average number of on-duty troopers per day on specialized assignment 1	6.0	(N _{s1})
	(7.2.1.2)	
7.2.1.3 Percentage of on-duty time spent on patrol activities by troopers assigned to special assignment 1 (a number between 0 and 100)	40.00	
	(7.2.1.3)	
7.2.1.4 Percentage of on-duty time spent on non-patrol activities by troopers assigned to special assignment 1, subtract: 100 - (7.2.1.3)	60.00	
	(7.2.1.4)	
7.2.1.5 Fraction of on-duty time spent on non-patrol activities by troopers assigned to special assignment 1, divide: (7.2.1.4) ÷ 100	0.60	(f _{s1})
	(7.2.1.5)	
7.2.1.6 Adjusted daily number of on-duty troopers assigned to special assignment 1, use formula below	3.48	(N _{as1})
	(7.2.1.6)	

Adjusted Number On-Duty Troopers, Special Assignment 1 (N _{as1}) (7.2.1.6)	=	Number On-Duty Troopers S.A. 1 (N _{s1}) (7.2.1.2)	x	Fraction Time On Non-Patrol Activities (f _{s1}) (7.2.1.5)	x	Adjustment Factor (K _f) (7.1.5)
---	---	--	---	--	---	---

NOTE: If personnel for a second special assignment are to be included, complete steps (7.2.2.1) through (7.2.2.6). If not, enter zeros for steps (7.2.2.6) and (7.2.3.6) and continue with Step 7.2.4.

7.2.2 Special Assignment 2

7.2.2.1 Assign. 2 name .

(7.2.1.1)

7.2.2.2 Average number of
on-duty troopers per
day on specialized
assignment 2

(N_{s2})

(7.2.2.2)

7.2.2.3 Percentage of on-duty
time spent on patrol
activities by troopers
assigned to special
assignment 2 (a number
between 0 and 100)

(7.2.2.3)

7.2.2.4 Percentage of on-duty
time spent on non-patrol
activities by troopers
assigned to special
assignment 2, subtract:
100 - (7.2.2.3)

(7.2.2.4)

7.2.2.5 Fraction of on-duty
time spent on non-patrol
activities by troopers
assigned to special
assignment 2, divide:
(7.2.2.4) ÷ 100

(f_{s2})

(7.2.2.5)

7.2.2.6 Adjusted daily number
of on-duty troopers
assigned to special
assignment 2, use
formula below

0.00

(N_{as2})

(7.2.2.6)

$$\begin{array}{lclclcl}
 \text{Adjusted Number} & & \text{Number} & & \text{Fraction} & & \\
 \text{On-Duty Troopers,} & & \text{On-Duty} & & \text{Time On} & & \\
 \text{Special Assignment} & = & \text{Troopers} & \times & \text{Non-Patrol} & \times & \text{Adjustment} \\
 2 \text{ (N}_{\text{as}2}\text{) (7.2.2.6)} & & \text{S.A. 2} & & \text{Activities} & & \text{Factor (K}_f\text{)} \\
 & & \text{(N}_{\text{s}2}\text{)} & & \text{(f}_{\text{s}2}\text{)} & & \text{(7.1.5)} \\
 & & \text{(7.2.2.2)} & & \text{(7.2.2.5)} & &
 \end{array}$$

NOTE: If personnel for a third special assignment are to be included, complete steps (7.2.3.1) through (7.2.3.6). If not, enter zero for step (7.2.3.6) and continue with Step 7.2.4.

7.2.3 Special Assignment 3

7.2.3.1 Assign. 3 name .

(7.2.3.1)

7.2.3.2 Average number of
on-duty troopers per
 day on specialized
 assignment 3

(N_{s3})

(7.2.3.2)

7.2.3.3 Percentage of on-duty
 time spent on patrol
 activities by troopers
 assigned to special
 assignment 3 (a number
 between 0 and 100)

(7.2.3.3)

7.2.3.4 Percentage of on-duty
 time spent on non-patrol
 activities by troopers
 assigned to special
 assignment 3, subtract:
 100 - (7.2.3.3)

(7.2.3.4)

7.2.3.5 Fraction of on-duty
time spent on non-patrol
activities by troopers
assigned to special
assignment 3, divide:
(7.2.3.4) ÷ 100

(f_{s3})

(7.2.3.5)

7.2.3.6 Adjusted daily number
of on-duty troopers
assigned to special
assignment 3, use
formula below

0.00

(N_{as3})

(7.2.3.6)

Adjusted Number On-Duty Troopers, Special Assignment 3 (N _{as3}) (7.2.3.6)	=	Number On-Duty Troopers S.A. 3 (N _{s3}) (7.2.3.2)	x	Fraction Time On Non-Patrol Activities (f _{s3}) (7.2.3.5)	x	Adjustment Factor (K _f) (7.1.5)
---	---	--	---	--	---	---

7.2.4 Adjusted total daily number of
on-duty troopers required per
day, use formula below

38.15

(N_{ot})

(7.2.4)

Adjusted Total Number of On-Duty Troopers Per Day (N _{ot}) (7.2.4)	=	N _{ao} (7.1.6)	+	N _{as1} (7.2.1.6)	+	N _{as2} (7.2.2.6)	+	N _{as3} (7.2.3.6)
--	---	----------------------------	---	-------------------------------	---	-------------------------------	---	-------------------------------

**7.3 Total Number of On-Duty Field Supervisors Required
Per Day for the Adjusted Number of On-Duty Troopers**

7.3.1 Total number of on-duty field
supervisors (N_{os}) required per day,
day, divide: $(7.2.4) \div (7.1.1)$. .

5.45

(N_{os})

(7.3.1)

WORKSHEET 8: Total Staff Requirements

Objective: Determine total staff needed to support the required daily on-duty field personnel.

Method: Use the shift relief factor, daily on-duty staff requirements, and the number of staff and command positions based on either historical data or agency policy.

8.1 On-Duty Troopers and Field Supervisors Required per Day

8.1.1 Total number of on-duty troopers per day within the APA, use (7.2.4)	38.14	(N _{ot})
	(8.1.1)	
8.1.2 Total number of on-duty field supervisors per day within the APA, use (7.3.1)	5.45	(N _{os})
	(8.1.2)	

8.2 Shift Relief Factor

8.2.1 Shift length (hours), use (1.2.1)	8.0
	(8.2.1)
8.2.2 Total hours on one shift during one year, multiply: 365 x (8.2.1)	2,920.0
	(8.2.2)

8.2.3 Average number of actual on-duty hours per year per trooper and field supervisor, use (1.2.2)	1,702.0	
	(8.2.3)	
8.2.4 Shift relief factor, divide: (8.2.2) ÷ (8.2.3)	1.716	(SRF)
	(8.2.4)	

**8.3 Total Number of Required Troopers and Field Supervisors
Within the APA**

8.3.1 Total number of troopers, multiply: (8.1.1) x (8.2.4) . . .	65.47	(N _t)
	(8.3.1)	
8.3.2 Total number of field supervisors, multiply: (8.1.2) x (8.2.4)	9.35	(N _s)
	(8.3.2)	
8.3.3 Total number of troopers and field supervisors, add: (8.3.1) + (8.3.2)	74.82	
	(8.3.3)	

OPTION: Complete Section 8.4 or Section 8.5.

8.4 Number of Staff and Command Personnel - Agency Policy

Select number of staff and command personnel required for the number of troopers and field supervisors given in (8.3.3)	5.0
	(8.4)

Continue with Section 8.6

OR

8.5 Number of Staff and Command Personnel - Historical Experience8.5.1 Current number of troopers and
field supervisors within the APA .

(8.5.1)

8.5.2 Current number of staff
and command personnel
within the APA

(8.5.2)

8.5.3 Average number of staff and
command personnel for each
trooper and field supervisor,
divide: (8.5.2) ÷ (8.5.1)

(8.5.3)

8.5.4 Required number of troopers
and field supervisors within
the APA, use (8.3.3)

(8.5.4)

8.5.5 Required number of staff
and command personnel
within the APA, multiply:
(8.5.4) x (8.5.3)

(8.5.5)

8.6 Total Number of Staff and Command Personnel for the APA

Select either (8.4) or (8.5.5)

5.0

(N_h)(8.6)

8.7 Total Staff Requirements for the APA

8.7.1 Number of troopers within the APA, use (8.3.1)	65.47 (8.7.1)	(N _t)
8.7.2 Number of field supervisors within the APA, use (8.3.2) . . .	9.35 (8.7.2)	(N _s)
8.7.3 Number of staff and command personnel within the APA, use (8.6)	5.00 (8.7.3)	(N _h)
8.7.4 Total required staff for the APA, add: (8.7.1) + (8.7.2) + (8.7.3)	79.82 (8.7.4)	(N _{tot})

WORKSHEET 9: Allocation of Patrol Personnel Among Several APAs

Objective: Determine the appropriate number of personnel to be assigned to each APA based on the estimated PAM staffing levels for each APA.

Method: Based on the number of personnel estimated for each APA by PAM, two reallocations of current and new personnel are determined. The unconstrained allocation redistributes all personnel, both current and new, among the APAs in the same proportion as the PAM estimates. The constrained allocation restricts the allocation to only new (or reduced) personnel insuring that no APA loses staffing when new personnel are added (or that no APA gains staffing when personnel reductions are applied).

See Chapter 4 for the instructions for Worksheet 9.

Table 4 - 1

**Worksheet for the Allocation of Patrol Personnel
Among Several APAs Based on PAM Staff Estimates**

Total Number of Additional (or Reduced) Personnel 20 (TA)
for All APAs (9.1.1)

APA	Current Staff (9.1.3) Col. 1	PAM Staff Est. (9.1.5) Col. 2	Unconst Reallo. (9.1.7) Col. 3	Diff. Col. 1 (9.2.3.1) -Col. 3 (9.2.1) Col. 4	(9.2.3.1) or (9.2.4.1) Col. 5	To Be Added (9.2.3.3) or Reduced (9.2.4.3) Col. 6	Rounded (9.2.6) Col. 7	Constr. Reallo. Col. 1 +Col. 7 (9.2.8) Col. 8
1	72	79.8	77.8	-5.8	-5.8	4.4	4	76
2	83	78.6	76.6	6.4	0.0	0.0	0	83
3	65	73.8	71.9	-6.9	-6.9	5.2	5	70
4	49	51.2	50.0	-1.0	-1.0	0.8	1	50
5	52	58.1	56.6	-4.6	-4.6	3.5	4	56
6	61	70.9	69.1	-8.1	-8.1	6.1	6	67
Col. Sum	382 (9.1.4) (TC)	412.5 (9.1.6) (TE)	402.0 (9.1.8)	-20.0 (9.2.2)	-26.4 (9.2.3.2) or (9.2.4.2) (TN)	20.0 (9.2.5)	20 (9.2.7)	402 (9.2.9)
Sum Check	382 (9.1.2) (TC)		402.0 (9.1.1) + (9.1.2) (TA+TC)	-20.0 -1 x (9.1.1) (-TA)		20.0 (9.1.1) (TA)	20 (9.1.1) (TA)	402 (9.1.1) + (9.1.2) (TA+TC)

APPENDIX D: Derivations of the Major Formulas Used in PAM

The following ten sections contain derivations of all of the major formulas used in the PAM model and is intended for those users who wish to examine more closely the relationships between the input data and the calculated results. For some derivations, familiarity with algebraic operations is needed to follow the discussion and considerable use is made of notational shortcuts to reduce the length of each section. Since many of the notations are not used elsewhere in the Manual, definitions are supplied in each section as new terminology and variables are introduced.

APPENDIX D.1: Average Number of On-Duty Troopers (N_r) Required Per Day Within the APA To Meet the Average Daily (Obligated Time) Workload, (3.3.3)

The formula in Worksheet 3 that is used to determine the average number of on-duty troopers required per day within the APA to meet the average daily obligated time workload is given by:

$$N_r (3.3.3) = \frac{\text{Total Average Daily Obligated Time Workload (3.3.1)}}{\text{Shift Length (3.3.2)}} \quad (D.1.1)$$

where obligated time refers to the time required by all patrol units to respond to and service all CFS and accidents in the APA. (See page 3-17 in the Manual for a more detailed discussion of obligated time.) The formula for N_r in Worksheet 3 is based on the assumption that all patrol units are one-trooper units only. An adjustment for two-trooper units is available in Worksheet 6.

The derivation of formula (D.1.1) is based on the recognition that, at a minimum, there must be sufficient reactive patrol resources to provide enough on-duty time (i.e., there must be enough patrol units) to respond to and service all reactive (obligated time) workload; that is,

$$\begin{array}{l} \text{Total} \\ \text{Reactive Patrol} \\ \text{Resources} \end{array} = \begin{array}{l} \text{Total} \\ \text{Reactive} \\ \text{Workload.} \end{array} \quad (D.1.2)$$

The total reactive workload for any period of time (days) can be measured by determining the total obligated time (TOT) required for all CFS and accidents during the period. The total reactive patrol resources for any period of time can be expressed in hours as:

$$\begin{array}{l} \text{Total} \\ \text{Reactive Patrol} \\ \text{Resources} \end{array} = N_r \times S_1 \times D \quad (D.1.3)$$

where:

- N_r - the average number of on-duty troopers per day,
- S_1 - shift length in hours, and
- D - total number of days in the time period used to measure the total obligated time workload.

Replacing total reactive patrol resources in (D.1.2) with (D.1.3) and replacing the total reactive workload with total obligated time (TOT) yields:

$$N_r \times S_1 \times D = \text{TOT} \quad (\text{D.1.4})$$

Solving (D.1.4) for N_r gives:

*

$$N_r = \frac{\text{TOT}}{S_1 \times D} \quad (\text{D.1.5})$$

The expression TOT/D equals the average daily obligated time workload (ADOT); that is,

$$\text{ADOT} = \frac{\text{TOT}}{D} \quad (\text{D.1.6})$$

Replacing TOT/D with ADOT in (D.1.5) yields the result (D.1.1); that is,

$$N_r \text{ (3.3.3)} = \frac{\text{ADOT (3.3.1)}}{S_1 \text{ (3.3.2)}} \quad (\text{D.1.7})$$

APPENDIX D.2: Average Number of On-Duty Troopers (N_{ppi}) Required Per Day To Meet the Patrol Interval Performance Requirement Objective Within the APA, (5.1.2.5), (5.1.3.5), and (5.1.4.5)

Derivation of the General Formula for Patrol Interval

The patrol interval is a measure of the intensity or level of patrol coverage of a given highway segment or system. Patrol interval, measured in hours, can be described in several ways. One definition is that the patrol interval represents the average time it will take a fixed number of patrol units to drive over every highway mile in the system. An alternative but equivalent definition is that the patrol interval indicates the average time a stranded motorist will have to wait for a trooper on patrol to drive by.

Important assumptions associated with the patrol interval are that:

- o Patrol occurs randomly over all highways of the same type (i.e., controlled-access, primary, and secondary); that is, all roadways within each type are treated equally, and
- o Patrol only occurs when a patrol unit is not occupied with administrative, reactive, or self-initiated duties.

Both assumptions are important and limiting. The assumption that all highways are patrolled equally is usually not the case because of the greater importance of some highways than others due to traffic volume and accident experience. Basing the patrol interval on only "uncommitted" or "free patrol" time (i.e., time not spent on administrative, reactive, or self-initiated activities) ignores the fact that stranded motorists may be observed and reported by units while engaged in other activities (e.g., responding to an emergency CFS).

Calculation of the patrol interval depends on the number of highway miles, the number of patrol units, the average patrol speed, and the amount of time spent on free patrol. The formula for determining the patrol interval is given by:

$$PI = \frac{HM}{N \times PS \times f_u} \quad (D.2.1)$$

where:

- PI - patrol interval (hours),
- HM - total number of highway miles,
- N - total number of patrol units on duty,
- PS - average patrol speed (MPH), and
- f_u - fraction of time spent on uncommitted time.

The derivation of formula (D.2.1) is mostly easily shown by starting with the definition that the patrol interval represents the average amount of time that it will take a fixed number of patrol units to cover the entire highway system. This definition can also be stated as a question: If it is known how many miles per hour all units drive collectively while on patrol, how many hours will it take to cover the entire highway system? The question implies that the total highway miles (HM) and the average miles driven per hour (AHM) by all units are known and are related to the patrol interval (PI) as:

$$HM = AHM \times PI \quad (D.2.2)$$

Rearranging the terms in (D.2.2) yields:

$$PI = \frac{HM}{AHM} \quad (D.2.3)$$

The average number of highway miles driven per hour (AHM) by all units can be expressed as:

$$AHM = AM \times N \quad (D.2.4)$$

where:

- N - total number of units on duty, and

AM - average miles driven per hour per unit.

Replacing AHM in (D.2.3) with (D.2.4) yields:

$$PI = \frac{HM}{AM \times N} \quad (D.2.5)$$

The average miles driven per hour by each unit (AM) can be expressed as:

$$AM = PS \times f_u \quad (D.2.6)$$

where AM, PS, and f_u are defined above. Replacing AM in (D.2.5) with (D.2.6) yields formula (D.2.1). For computational purposes, however, it is advantageous to express the fraction of time spent on uncommitted time as:

$$f_u = \frac{m_u}{60} \quad (D.2.7)$$

where m_u represents the average number of minutes per hour spent on uncommitted time by each unit. Dividing m_u by 60 yields the fraction of time spent on uncommitted time. Replacing f_u in (D.2.6) with (D.2.7) yields:

$$AM = PS \times \frac{m_u}{60} \quad (D.2.8)$$

and replacing AM in (D.2.5) with (D.2.8) yields the final expression for PI:

$$PI = \frac{HM}{PS \times \frac{m_u}{60} \times N} \quad (D.2.9)$$

Derivation of the Number of Troopers (N_{ppi}) Required to Meet the Patrol Interval Performance Objective (5.1.2.5), (5.1.3.5), (5.1.4.5)

To determine how many troopers are needed to achieve a particular patrol interval performance objective requires solving (D.2.9) for N; i.e.,

$$N = \frac{HM}{PS \times \frac{m_u}{60} \times PI} \quad (D.2.10)$$

To obtain the minimum number of units, let $m_u = 60$ which reduces (D.2.10) to:

$$N = \frac{HM}{PS \times PI} \quad (D.2.11)$$

Formula (D.2.11) indicates the minimum number of patrol units that would be needed to meet the patrol interval objective.

Formula (D.2.11) is based on the assumption that the highway system is patrolled 24 hours a day everyday (i.e., 168 hours per week). To account for reduced coverage (i.e., for coverage that is less than 168 hours per week), multiply formula (D.2.11) by WC/168; that is,

$$N = \frac{HM}{PS \times PI} \times \frac{WC}{168} \quad (D.2.12)$$

where WC represents the total hours of coverage per week.

To determine the number of on-duty troopers that will be required per day (N_{ppi}), use the relationship:

$$N_{ppi} = N \times \frac{24}{S_1} \quad (D.2.13)$$

where:

N - number of patrol units given in (D.2.12), and

S_1 - shift length in hours.

Substituting (D.2.12) for N in (D.2.13) and simplifying yields:

$$N_{ppi} = \frac{HM \times WC}{7 \times PS \times S_1 \times PI} \quad (D.2.14)$$

which is the formula used in Section 5.1 to determine the number of troopers required to meet patrol interval performance objectives for controlled-access highways (5.1.2.5), primary highways (5.1.3.5), and secondary highways (5.1.4.5). The sum of these results is recorded in (5.1.5)

APPENDIX D.3: Total Number of Troopers (N_{pir}) Required Per Day Within the APA To Provide Immediate Response To the Performance Objective Percentage of CFS, Accidents, and Self-Initiated Activities, (5.2.8)

In the PAM model, the appearance and servicing of CFS (i.e., accidents and other dispatched incidents) and self-initiated activities (e.g., motorist assists) are treated as a simple multi-server queuing process. CFS and self-initiated activities are assumed to occur randomly (i.e., as a Poisson process) and the service times associated with each activity are assumed to be independent and exponentially distributed.

The term "exponentially-distributed service times" describes the particular mathematical distribution or formula that is used to describe the nature of the service times for dispatched CFS (e.g., what would the histogram of a sample of service times look like). A key property of exponentially-distributed service times is that the likelihood (or probability) of service time t_1 will be less than the likelihood (or probability) of service time t_2 if $t_1 > t_2$. This property implies that the individual bars in the histogram of sample service times will be smaller for longer service times. Field experience indicates that exponentially-distributed service times are appropriate for describing many operations; for example, the lengths of telephone calls, the times required to complete transactions with bank tellers, the times required to checkout at grocery stores, and the average service times associated with dispatched CFS.

In a standard, steady-state queuing formulation with these assumptions and a fixed number of servers (i.e., a fixed number of patrol troopers), the average number of busy troopers at any given time (N_b) is given by:

$$N_b = CR \times ST \quad (D.3.1)$$

where CR represents the number of activities per hour and ST represents the average service time in hours.

The likelihood or probability that all of the troopers will be busy (P_{sat}) when the next activity occurs is called the "probability of saturation" and is given by Erlang's formula found in many introductory texts on queuing theory:

$$P_{\text{sat}} = \frac{N_b^{N_t}}{N_t! \times (1 - N_b/N_t)} \times P_o \quad (\text{D.3.2})$$

where N_t represents the total number of troopers in the area, the term $N_b^{N_t}$ is interpreted as N_b raised to the N_t th power, and

$$P_o = \left[\sum_{k=0}^{N_t-1} \frac{N_b^k}{k!} + \frac{N_b^{N_t}}{N_t! \times (1 - N_b/N_t)} \right]^{-1} \quad (\text{D.3.3})$$

Note that unless N_t equals or exceeds N_b , there will not be enough troopers to handle the workload and the system will be continuously "saturated;" that is, the queue (or stack) will grow larger and larger. Readers who wish to examine the derivation of these formulas as referred to any standard text on queueing theory or operations research such as Introduction to Operations Research by Hillier and Lieberman (Holden-Day, Inc., 1967).

The likelihood or probability that at least one trooper will be available (P_{avail}) when the next activity occurs is given by:

$$P_{\text{avail}} = 1 - P_{\text{sat}} \quad (\text{D.3.4})$$

For this derivation, the total number of troopers (N_t) available for assigned and self-initiated activities consists of the total number of on-duty troopers for reactive activities (N_r) determined in Worksheet 3, the total number of on-duty troopers for self-initiated activities (N_s), and the total number of on-duty troopers for patrol activities (N_p); i.e.,

$$N_t = N_r + N_s + N_p \quad (\text{D.3.5})$$

Troopers working on administrative activities (N_a) are assumed not to be available for field assignments. The number of on-duty troopers required for self-initiated activities per day can be determined from the number of on-duty troopers required per day for reactive activities (N_r), the number of on-duty

troopers required per day for patrol activities (N_p), the average number of minutes of administrative time per hour per trooper (m_a), and the average number of minutes per hour per trooper spent on self-initiated activities (m_s). In the PAM model, the number of troopers assigned to each category: administrative, reactive, self-initiated, and patrol is proportional to the time spend per hour on each activity; i.e.,

$$\begin{aligned} \frac{N_a}{N_{tot}} &= \frac{m_a}{60}, & \frac{N_r}{N_{tot}} &= \frac{m_r}{60} \\ \frac{N_s}{N_{tot}} &= \frac{m_s}{60}, & \frac{N_p}{N_{tot}} &= \frac{m_p}{60} \end{aligned} \quad (D.3.6)$$

where:

- N_a - number of on-duty troopers working on administrative activities,
- N_s - number of on-duty troopers working on self-initiated activities,
- N_{tot} - total number of on-duty troopers,
- m_r - average number of minutes spend per hour per trooper on reactive activities,
- m_p - average number of minutes spend per hour per trooper on patrol activities,

and

$$N_{tot} = N_r + N_p + N_a + N_s, \quad (D.3.7)$$

and

$$60 = m_r + m_p + m_a + m_s. \quad (D.3.8)$$

Rearranging the terms in (D.3.6) yields:

$$\frac{N_s}{m_s} = \frac{N_r}{m_r} = \frac{N_p}{m_p} = \frac{N_{tot}}{60} . \quad (D.3.9)$$

Noting that the following is true:

$$\frac{N_r + N_p}{m_r + m_p} = \frac{N_{tot}}{60} \quad (D.3.10)$$

and combining (D.3.9) and (D.3.10) yields:

$$\frac{N_s}{m_s} = \frac{N_r + N_p}{m_r + m_p} . \quad (D.3.11)$$

Using (D.3.8) to replace $m_r + m_p$ with $60 - m_a - m_s$ in (D.3.11) yields:

$$\frac{N_s}{m_s} = \frac{N_r + N_p}{60 - m_a - m_s} . \quad (D.3.12)$$

Using (D.3.12) to solve for N_s yields:

$$N_s = K_s \times (N_r + N_p) \quad (D.3.13)$$

where K_s equals:

$$K_s = \frac{m_s}{60 - m_a - m_s} . \quad (D.3.14)$$

Replacing N_s in (D.3.5) with (D.3.13) and rearranging yields:

$$N_t = N_r + K_s \times N_r + K_s \times N_p + N_p \quad (D.3.15)$$

The right side of formula (D.3.15) consists of four terms. Three of the terms, $N_r + (K_s \times N_r) + (K_s \times N_p)$, represent the troopers that are busy on assigned and self-initiated activities; i.e.,

$$N_b = N_r + K_s \times N_r + K_s \times N_p \quad (D.3.16)$$

where N_r represents the troopers on reactive activities and $(K_s \times N_r) + (K_s \times N_p)$ represents the troopers on self-initiated activities. The only troopers represented in formula in (D.3.15) that are not busy or available are represented by N_p . If no on-duty troopers are provided for patrol activities (i.e., if $N_p = 0$), then $N_t = N_r + (K_s \times N_r)$ which says that all troopers in the field are busy. The number of on-duty troopers required for reactive and self-initiated activities, $N_r + (K_s \times N_r)$, is the minimum number of troopers required to handle the CFS and self-initiated activities. Hence, by definition, if only $N_r + (K_s \times N_r)$ troopers are available, every trooper will be busy for 60 minutes an hour which is equivalent to $P_{sat} = 1$ and $P_{avail} = 0$.

As troopers are added for patrol activities (i.e., as N_p becomes greater zero), N_t increases and the hourly reactive and self-initiated workload for each trooper becomes less than 60 minutes per hour. As this happens, P_{sat} decreases and P_{avail} increases. As more troopers are added, P_{avail} increases until it equals or exceeds the immediate response performance objective expressed as a probability (P_{obj}); that is, N_p is increased until

$$P_{avail} \geq P_{obj} \quad (D.3.17)$$

where:

$$P_{obj} = \frac{PIR\%}{100},$$

and PIR% represents the immediate response performance objective expressed as percent entered by the user in Step 5.2.6.

Because of the complexity of formulas (D.3.2) and (D.3.3), it is not possible to derive a closed expression for N_p based on N_r , K_s , and P_{obj} . To overcome this difficulty, the PAM manual uses a table look-up procedure to determine N_p . Two options are available. The first option, described in Section 5.2 uses Table 3-1. This simplified procedure is based on three assumptions. The first is that $K_s = 0.25$. Use of this assumption permits the use of only one table and avoids the necessity for the user to calculate K_s . Using $K_s = 0.25$ is equivalent to using values of 9 and 15 minutes per hour respectively for m_a and m_s . The second assumption is that staffing is uniform over all shifts. This assumption avoids the necessity of determining separate N_p values for each shift. The third assumption is that the same performance objective (i.e., the same PIR% value) is used for each shift.

To use the procedure in Section 5.2, the user must determine the average number of on-duty troopers per shift (N_{rs}) in steps (5.2.1) through (5.2.5) and select an immediate response performance objective percent (PIR%) in Step (5.2.6). Once N_{rs} and PIR% are known, Table 3-1 is used in Step (5.2.7) to estimate the number of on-duty patrol troopers that are needed on each shift (N_{pir}) to meet the immediate response objective. The total number of on-duty troopers for patrol per day, Step (5.2.8), is obtained by multiplying the average number required per shift by the effective number of shifts per day.

If either or both of the simplifying assumptions used in Section 5.2 are not valid, the user can use the Supplemental Worksheet in Appendix A in the Manual to estimate N_{pir} . This worksheet requires the use of m_a and m_s , determined in worksheets 2 and 4, to calculate K_s (Step A.5.1). The value for K_s is used to select the appropriate table based on the guidelines given on page A-6. The number of troopers required for patrol is determined for each shift (steps (A.6.1.3), (A.6.2.3), and (A.6.3.3)), and the results are added together to obtain the total daily on-duty requirement for patrol, Step (A.7).

The values in Table 3-1 and tables A-1 through A-10 were determined using formulas (D.3.2), (D.3.3), (D.3.4), and (D.3.15) with the following logic:

- o For a range of values (0.05 - 5.00) for the average number of on-duty troopers for reactive and self-initiated activities on each shift (N_{ri}) and a range of values (0.0 - 1.0) for K_s , calculate P_{avail} values for integer values of N_t beginning with the smallest value of N_t such that $N_t \geq N_r$.
- o For each value of N_t , determine the number of troopers available for patrol (N_{pir}) based on (D.3.16); i.e.,

$$N_{pir} = \frac{N_t - (1 + K_s) \times N_r}{(1 + K_s)} \quad (D.3.18)$$

Increase N_t until $P_{avail} \geq .995$.

- o Estimate N_{pir} for specific values of N_r , P_{avail} , and K_s by interpolating between the calculated values for N_{pir} and P_{avail} for specific values for K_s . Each value of K_s represents a separate table in Appendix F. Within each table, each estimated value for N_{pir} corresponds to specific values for N_r and P_{avail} .

APPENDIX D.4: Average Number of On-Duty Troopers (N_{pap}) Required Within the APA To Meet the Average Travel Time Performance Objective for Area Patrol, (5.3.6.3)

In the PAM model, the average number of on-duty troopers required per day to meet the average travel time performance objective for area patrol is given by:

$$N_{pap} = \left[\frac{40}{PTT \times RS} \right]^2 \times \frac{A \times WC}{7 \times S_1} \quad (D.4.1)$$

where:

- N_{pap} - average number of troopers required to meet the travel time performance objective for area patrol,
- A - area (square miles) of the APA,
- WC - coverage (hours) per week,
- NS - number of shifts per day,
- PTT - average travel time (minutes) performance objective,
- RS - average response speed (MPH), and
- S_1 - shift length (hours).

Formula (D.4.1) is based on the so-called "square root law" which can be used to estimate the average travel distance (D) for a responding police unit in an area of size A with N available units. The generic formula is given by:

$$D = K \times \frac{\sqrt{A}}{\sqrt{N}} \quad (D.4.2)$$

where:

- D - average distance (miles),
- K - a constant based on the geography of the area,
- A - the area of the region (square miles), and
- N - the number of police units available.

Using the time (T), speed (S), and distance (D) relationship from basic physics; i.e.,

$$T = \frac{D}{S} \quad (D.4.3)$$

and replacing D in (D.4.3) with (D.4.2) yields:

$$T = \frac{K \times \sqrt{A}}{S \times \sqrt{N}} \quad (D.4.4)$$

Under certain conditions, Larson (Urban Police Patrol Analysis, MIT Press, 1972) found that a value of 2/3 for the constant in (D.4.2) gives good results. (Key conditions are relatively low workload levels, uniformity of workload over the area, and approximately equal travel times in all directions.) Putting 2/3 in for K in formula (D.4.4) and multiplying by 60 to change travel time to minutes yields:

$$T = \frac{60 \times 2 \times \sqrt{A}}{3 \times S \times \sqrt{N}} \quad (D.4.5)$$

Simplifying expression (D.4.5) yields:

$$T = \frac{40 \times \sqrt{A}}{S \times \sqrt{N}} \quad (D.4.6)$$

Solving formula (D.4.6) for N yields:

$$N = \left[\frac{40}{T \times S} \right]^2 \times A \quad (D.4.7)$$

Replacing speed (S) with the average response speed (RS) and time (T) with the average travel time performance objective (PTT) yields:

$$N = \left[\frac{40}{PTT \times RS} \right]^2 \times A \quad (D.4.8)$$

which indicates the number of patrol units required each day to meet the performance travel time objective.

Formula (D.4.8) is based on the assumption that the area is patrolled 24 hours a day, 7 days a week (i.e., 168 hours per week). To account for reduced coverage (i.e., less than 168 hours per week), (D.4.8) can be multiplied by WC/168; that is,

$$N = \left[\frac{40}{PTT \times RS} \right]^2 \times A \times \frac{WC}{168} \quad (D.4.9)$$

where WC represents the total hours of coverage per week.

Since each patrol unit represents one trooper, the total number of troopers needed per day for area patrol is given by:

$$N_{pap} = N \times \frac{24}{S_1} \quad (D.4.10)$$

where N is the number of units calculated in (D.4.9) and S_1 is the shift length in hours. Replacing N in (D.4.10) with (D.4.9) and simplifying yields:

$$N_{\text{pap}} = \left[\frac{40}{\text{PTT} \times \text{RS}} \right]^2 \times \frac{A \times \text{WC}}{7 \times S_1} \quad (\text{D.4.11})$$

which is the formula given in (D.4.1). In Section 5.3, formula (D.4.11) is used in Step (5.3.6) to determine the number of troopers required to meet the target travel time for area patrol.

APPENDIX D.5: Average Number of On-Duty Troopers (N_{plp}) Required Within the APA To Meet the Average Travel Time Performance Objective for Line Patrol, (5.4.6)

In the PAM model, the average number of troopers required to meet the average travel time performance objective for line patrol is given by:

$$N_{plp} = \frac{20 \times L \times WC}{7 \times RS \times PTT \times S_1} \quad (D.5.1)$$

where:

- N_{plp} - average number of troopers required to meet the travel time performance objective for line patrol,
- L - highway miles in the line patrol segment,
- NS - number of shifts per day,
- RS - average response speed (MPH),
- PTT - average travel time (minutes) performance objective,
- WC - coverage (hours) per week, and
- S_1 - shift length (hours).

The average travel distance to an incident on a highway segment patrolled by one unit is given by:

$$D = \frac{L}{3} \quad (D.5.2)$$

where D represents the distance traveled in miles and L represents the number of miles in the highway segment. The basis for formula (D.5.2) is observation that if calls-for-service occur uniformly over the highway segment and the unit patrols uniformly

over the segment, then the average distance between the unit and the location of the CFS is equivalent to the expected difference (or range) in a sample of two observations drawn from a uniform probability density function over the interval $[0, L]$.

Using the time (T), distance (D), and speed (S) relationship, $D = S \times T$, and solving for T yields:

$$T = \frac{D}{S} \quad (D.5.3)$$

Replacing D in (D.5.3) with formula (D.5.2) and multiplying by 60 to calculate travel time in minutes yields:

$$T = \frac{60 \times L}{3 \times S} \quad (D.5.4)$$

Assuming that N units are used over the entire highway segment and each unit is assigned to a subsegment approximately equal to $1/N$ of the entire segment, then the average travel time formula for each subsegment becomes:

$$T = \frac{60 \times (L/N)}{3 \times S} \quad (D.5.5)$$

Solving (D.5.5) for N and simplifying yields:

$$N = \frac{20 \times L}{S \times T} \quad (D.5.5)$$

Replacing speed (S) with the average response speed (RS) and time (T) with the travel time performance objective for line patrol (PTT) in (D.5.6) yields:

$$N = \frac{20 \times L}{RS \times PTT} \quad (D.5.6)$$

Formula (D.5.6) indicates the minimum number of units (N) that are required each day to meet the travel time objective (PTT) for line patrol.

Formula (D.5.6) is based on the assumption that the highway segment is patrolled 24 hours per day, 7 days a week (i.e., 168 hours per week). To account for reduced coverage (i.e., less than 168 hours per week), multiply (D.5.6) by WC/168; that is,

$$N = \frac{20 \times L}{RS \times PTT} \times \frac{WC}{168} \quad (D.5.7)$$

where WC represents the total hours of coverage per week.

Since each patrol unit has only one trooper, the number of on-duty troopers required per day (N_{plp}) equals:

$$N_{plp} = N \times \frac{24}{S_1} \quad (D.5.8)$$

where N is the number of units calculated in (D.5.7) and S_1 is the shift length in hours. Substituting (D.5.7) for N in (D.5.8) and simplifying yields:

$$N_{plp} = \frac{20 \times L \times WC}{7 \times RS \times PTT \times S_1} \quad (D.5.9)$$

Formula (D.5.9) is used in Step (5.4.6) to determine N_{plp} .

APPENDIX D.6: Average Total Number of On-Duty Troopers (N)
Required Per Day for All Patrol Activities
Within the APA, One Trooper Per Unit, (6.1.5)

Introduction

The basic formula in the PAM model, used to derive the average daily number of on-duty troopers, is given by:

$$N = \frac{N_r + N_p}{1 - \frac{m_a}{60} - \frac{m_s}{60}} \quad (D.6.1)$$

where:

- N - the average number of on-duty troopers per day (i.e., per 24-hour period),
- N_r - the average number of on-duty troopers required per day for reactive activities,
- N_p - the average number of on-duty troopers required per day for patrol activities,
- m_a - average number of minutes spend per hour per trooper on administrative activities, and
- m_s - average number of minutes spend per hour per trooper on self-initiated activities.

Four Workload Components

Derivation of formula (D.6.1) is based on the assumption that the average total number of on-duty troopers required per day (N) consists of four components; that is,

$$N = N_r + N_p + N_s + N_a \quad (D.6.2)$$

where N_t , N_r , and N_p are defined above and

N_s - the average number of on-duty troopers required per day for self-initiated activities, and

N_a - the average number of on-duty troopers required per day for administrative activities.

Much of the PAM model is devoted to providing the user with procedures for determining each of the four components identified above. The derivation of formula (D.6.1) is based on the procedures that are used to determine the number of troopers for each component. The procedure for each component is presented below.

Reactive and patrol activities. In the PAM model, the number of on-duty troopers required per day for reactive activities (N_r) depends on two measures: (1) the total obligated time per day and (2) the shift length of the agency. Neither measure is dependent upon the total number of troopers (N) that are present. The number of on-duty troopers required per day for patrol activities (N_p) is based on the availability of troopers for reactive and self-initiated activities and trooper visibility for deterrence. The PAM model offers several options for determining N_p based on the number of highway miles, patrol speed, patrol interval performance objectives set by the agency, area of the jurisdiction, response speed, and the number of on-duty troopers for reactive activities. Regardless of which option is used, all are independent of the total number of on-duty troopers (N). Hence, for both reactive and patrol activities, all of the workload measures are independent of the number of troopers that are available and, as a result, values for N_r and N_p can be obtained using historical data regardless of the staffing levels of the agency in the past.

Self-initiated and administrative activities. In contrast to the procedures used to determine N_r and N_p , the workload measures for N_s and N_a used in the PAM model are not independent of the number of on-duty troopers (N) that are present. The reason for this is the fact that for virtually all law enforcement agencies the amount of work that is recorded for administrative and self-initiated activities is, in fact, directly related to how many troopers are on-duty. The validity of this assertion is based on the following observations:

- o Associated with each trooper is a certain amount of time that does not fall into either the reactive or self-initiated or patrol categories. As a result, the total administrative time for an agency is not fixed, but rather increases or decreases as the number of troopers increases or decreases.
- o The total time devoted to self-initiated activities is also directly related to the number of troopers in the field; that is, as the number of troopers increases, the amount of self-initiated work increases. This occurs because the fraction of self-

initiated work that can be performed with existing patrol resources is usually minor when compared to the total self-initiated work that could be pursued. As a result, there is, potentially, enough self-initiated work to absorb even a doubling or tripling of existing patrol resources.

Determination of N_s and N_a

The dependency of N_s and N_a upon the average total number of on-duty troopers per day (N) can be expressed as:

$$N_s = f_s \times N \quad (D.6.3)$$

and

$$N_a = f_a \times N \quad (D.6.4)$$

where:

f_s - fraction of time spend on self-initiated activities, and

f_a - fraction of time spend on administrative activities.

Inserting expressions (D.6.3) and (D.6.4) into (D.6.2) above yields:

$$N = N_r + N_p + (f_s \times N) + (f_a \times N) \quad (D.6.5)$$

Solving (D.6.5) for N yields:

$$N = \frac{N_r + N_p}{1 - f_s - f_a} \quad (D.6.6)$$

The fractions f_s and f_a can be expressed as:

$$f_s = \frac{m_s}{60} \quad (D.6.7)$$

and

$$f_a = \frac{m_a}{60} \quad (D.6.8)$$

where m_s and m_a are defined above. Placing expressions (D.6.7) and (D.6.8) into formula (D.6.5) yields the basic PAM formula:

$$N = \frac{N_r + N_p}{1 - \frac{m_a}{60} - \frac{m_s}{60}} \quad (D.6.9)$$

APPENDIX D.7: Average Total Number of On-Duty Troopers (N_o) Required Per Day for All Patrol Activities Within the APA, Adjusted for One and Two Trooper Units, (6.2.4)

Determination of the total number of on-duty troopers required per day (N_o) is based on:

- o the average total number of patrol units needed per day (N_u), and
- o the percent of patrol units that are staffed with two troopers ($P2T\%$).

The average total number of patrol units needed per day (N_u) is equal to the average total number of on-duty troopers needed each day if every patrol unit is staffed with only one trooper. The number of on-duty troopers required per day is calculated in Step (6.1.5) of the PAM manual. (The derivation for the formula used in Step (6.1.5) is given in Section D.6 above.)

The percent of patrol units that are staffed with two troopers ($P2T\%$) is entered by the user in Step (6.2.1). Based on $P2T\%$, define

$$f = \frac{P2T\%}{100} \quad (D.7.1)$$

where f , calculated in Step (6.2.2), represents the fraction of units staffed with two troopers. Using N_u and f , let

$$N_{2u} = f \times N_u \quad (D.7.2)$$

where N_{2u} represents the number of patrol units per day that are staffed with two troopers. If N_{1u} represents the number of patrol units per day that are staffed with one trooper, then

$$N_u = N_{1u} + N_{2u} \quad (D.7.3)$$

Solving (D.7.3) for N_{1u} and replacing N_{2u} with (D.7.2) yields

$$N_{1u} = N_u - N_{2u}$$

$$N_{1u} = N_u - (f \times N_u)$$

$$N_{1u} = (1 - f) \times N_u \quad (D.7.3)$$

The total number of on-duty officers is given by

$$N_o = 1 \times N_{1u} + 2 \times N_{2u} \quad (D.7.4)$$

Replacing N_{1u} with (D.7.3) and N_{2u} with (D.7.2) in (D.7.4) and rearranging yields:

$$N_o = 1 \times (1 - f) \times N_u + 2 \times (f \times N_u)$$

$$N_o = (1 + f) \times N_u \quad (D.7.5)$$

Formula (D.7.5) is used in Step (6.2.4).

Appendix D.8: Average Total Number of On-Duty Troopers (N_{ot}) and On-Duty Field Supervisors (N_{os}) Required Per Day For Patrol Activities Within the APA, Adjusted for the Presence of Field Supervisors and Special Assignment Personnel, (7.2.4) and (7.3.1)

Introduction

The adjusted number of on-duty troopers required per day (N_{ot}) is based on the formula (7.2.4):

$$N_{ot} = K_f \times [N_o + N_{s1} \times f_{s1} + N_{s2} \times f_{s2} + N_{s3} \times f_{s3}] \quad (D.8.1)$$

where:

$$K_f = \frac{s}{s + f},$$

and

- N_o - the unadjusted number of on-duty troopers required per day determined in Step (6.3.2);
- s - the average span of control for field supervisors (i.e., the average number of troopers supervised by each field supervisor specified by the user in Step (1.2.3) and transferred to Step (7.1.1);
- f - the fraction of supervisor on-duty time spent on patrol activities (i.e., non-supervisory activities); calculated in Step (7.1.3);
- f_{s1}, f_{s2}, f_{s3} - the fraction of on-duty time troopers assigned to special units spend on non-patrol activities; calculated in steps (7.2.1.5), (7.2.2.5), and (7.2.3.5) for special assignments 1, 2, and 3 respectively; and

N_{s1} , N_{s2} , N_{s3} - the number of troopers assigned to special assignments 1, 2, and 3; user-supplied values entered in steps (7.2.1.2), (7.2.2.2), and (7.2.3.2) respectively.

The number of on-duty field supervisors required (N_{os}) is given by:

$$N_{os} = \frac{N_{ot}}{s} \quad (D.8.2)$$

which is determined in Step (7.3.1) of the Manual.

Derivation of the Formula for the Adjusted Number of On-Duty Troopers (N_{ot})

If the percent of field supervisor on-duty time ($F_{s\%}$) spent on patrol activities is known, the fraction (f) can be determined as:

$$f = \frac{F_{s\%}}{100} \quad (D.8.3)$$

The percent $F_{s\%}$ is specified by the user in PAM in (1.2.4) and transferred to (7.1.2). The calculation for (D.8.3) is Step (7.1.3) in the manual.

If the percents of on-duty time ($S_{\%1}$, $S_{\%2}$, and $S_{\%3}$) that troopers assigned to special assignments 1, 2, and 3 respectively spend on patrol activities are known, the fractions (f_{s1} , f_{s2} , and f_{s3}) can be determined as:

$$f_{s1} = \frac{100 - S_{\%1}}{100}, \quad (D.8.4)$$

$$f_{s2} = \frac{100 - S_{\%2}}{100}, \text{ and} \quad (\text{D.8.5})$$

$$f_{s3} = \frac{100 - S_{\%3}}{100}. \quad (\text{D.8.6})$$

The percents $S_{\%1}$, $S_{\%2}$, and $S_{\%3}$ are supplied by the user in steps (7.2.1.3), (7.2.2.3), and (7.2.3.3); and calculations for (D.8.4), (D.8.5), and (D.8.6) are completed in steps (7.2.1.5), (7.2.2.5), and (7.2.3.5) respectively.

The derivation of formula (D.8.1) depends on the observation that regardless of the values for s , $F_{s\%}$, N_{s1} , N_{s2} , N_{s3} , $S_{\%1}$, $S_{\%2}$, and $S_{\%3}$ provided by the user, the total number of "full-time equivalent" on-duty troopers required per day after adjusting for the presence of field supervisors and troopers assigned to special units must equal the number of unadjusted on-duty troopers required per day (N_o) determined in Worksheet 6; that is:

$$N_o = N_{aft} + f \times N_{os} + g_{s1} \times N_{s1} + g_{s2} \times N_{s2} + g_{s3} \times N_{s3} \quad (\text{D.8.7})$$

where:

- N_{aft} - represents the adjusted number of on-duty troopers not assigned to a special unit;
- $f \times N_{os}$ - represents the full-time equivalent number of troopers for patrol that will be provided by the presence of the N_{os} field supervisors;
- g_{s1} , g_{s2} , g_{s3} - represent the fraction of on-duty time troopers assigned to special units 1, 2, and 3 respectively spend on patrol activities
- $g_{s1} \times N_{s1}$ - represents the full-time equivalent number of troopers for patrol that will be provided by the presence of the N_{s1} troopers assigned to special assignment 1;

$g_{s2} \times N_{s2}$ - represents the full-time equivalent number of troopers for patrol that will be provided by the presence of the N_{s2} troopers assigned to special assignment 2; and

$g_{s3} \times N_{s3}$ - represents the full-time equivalent number of troopers for patrol that will be provided by the presence of the N_{s3} troopers assigned to special assignment 3.

Replacing N_{os} in (D.8.7) with formula (D.8.2) yields:

$$N_o = N_{aft} + f \times \frac{N_{ot}}{s} + g_{s1} \times N_{s1} + g_{s2} \times N_{s2} + g_{s3} \times N_{s3} \quad (D.8.8)$$

The term N_{ot} can be expressed as:

$$N_{ot} = N_{aft} + N_{s1} + N_{s2} + N_{s3} \quad (D.8.9)$$

Solving (D.8.9) for N_{aft} yields:

$$N_{aft} = N_{ot} - N_{s1} - N_{s2} - N_{s3} \quad (D.8.10)$$

Replacing N_{aft} in (D.8.8) with (D.8.10) and solving for N_{ot} yields:

$$N_{ot} = K_f \times \left[N_o + N_{s1} \times (1-g_{s1}) + N_{s2} \times (1-g_{s2}) + N_{s3} \times (1-g_{s3}) \right] \quad (D.8.11)$$

where:

$$K_f = \frac{s}{s + f}$$

Formula (D.8.11) can be further simplified by noting that

$$g_{s1} + f_{s1} = 1; \quad g_{s2} + f_{s2} = 1; \quad g_{s3} + f_{s3} = 1; \quad (D.8.12)$$

which yields:

$$f_{s1} = g_{s1} - 1; \quad f_{s2} = g_{s2} - 1; \quad f_{s3} = g_{s3} - 1. \quad (D.8.13)$$

Using the results of (D.8.13) in (D.8.11) yields formula (D.8.1):

$$N_{ot} = K_f \times \left[N_o + N_{s1} \times f_{s1} + N_{s2} \times f_{s2} + N_{s3} \times f_{s3} \right] \quad (D.8.14)$$

where:

$$K_f = \frac{s}{s + f}$$

The calculation of formula (D.8.14) in Worksheet 7 is completed in sections 7.1 and 7.2. The adjustment factor (K_f) is calculated for Step (7.1.5), and the term $K_f \times N_o$ is calculated in Step (7.1.6). The remaining factors in (D.8.13) are calculated in steps (7.2.1.6), (7.2.2.6), and (7.2.3.6). The entire sum is produced for Step (7.2.4).

Notice that if no patrol work is done by field supervisors (i.e., if $f = 0$) and no special assignment personnel are used (i.e., if $N_{s1} = N_{s2} = N_{s3} = 0$), then $N_{ot} = N_o$.

APPENDIX D.9: Determination of the Shift Relief Factor (SRF) for the Calculation of the Total Number of Troopers (N_t) and Field Supervisors (N_s) Required Within the APA, (8.2.4), (8.3.1), and (8.3.2)

Introduction

The shift relief factor for a law enforcement agency is used to determine the total number of persons that an agency must have available (i.e., both on- and off-duty) in order to support a specified average number of on-duty troopers each day. The shift relief factor is defined as "the average number of persons required to cover one shift position every day."

For agencies with 8-hour shifts, shift relief factors typically fall in the range of 1.60 to 1.90. A shift relief factor of 1.70 for an agency using 8-hour shifts would indicate that the total staff for regular duty should be approximately 1.7 times the average number of on-duty positions that the agency plans to use per day. As an example, in order to cover 10 positions a day, this agency would have to have a total of $10 \times 1.7 = 17$ troopers available. (With 8-hour shifts and one trooper per unit, three positions are needed every day to support one 24-hour coverage unit.)

Shift relief factors increase as the shift length increases. Agencies using 10-hour shift will have shift relief factors in the range: 2.00 to 2.40. Relief factors for agencies with 12-hour shifts are 2.40 to 2.90.

Derivation of the Shift Relief Factor for Regular Duty

The shift relief factor is determined by the shift length, the work schedule used by the agency, the average amount of benefit time off given to each trooper, and the amount of time troopers spend on temporary special assignments. Calculation of the relief factor for an individual agency is usually based on data collected for one year and used in the following formula:

$$\text{SRF} = \frac{365 \times S_1}{\text{Average Number of On-Duty Hours Per Trooper Per Year}} \quad (\text{D.9.1})$$

where:

SRF - shift relief factor (number of troopers),
and

S_1 - shift length (hours).

The expression $365 \times S_1$ in (D.9.1) indicates the number of hours required to cover one position every day for an entire year. This value is calculated in Step (8.2.2). The denominator in (D.9.2) is the average number of on-duty hours provided by each trooper in one year. This value is supplied by the user in Step (8.2.3). Calculation of the shift relief factor is completed in Step (8.2.4). The total number of troopers and total number of field supervisors required is calculated in steps (8.3.1) and (8.3.2).

Determination of the Average Number of On-Duty Hours Per Year Per Officer

One difficulty with the use of formula (D.9.1) is that few agencies actually keep track of hours worked. Rather, most personnel time-recording systems are designed to keep track of the amount of time off for each trooper (e.g., for vacation, holiday, personal leave, etc.). Recognizing that fact, it is often easier to determine the shift relief factor for an agency if formula (D.9.1) is rewritten as:

$$\text{SRF} = \frac{365 \times S_1}{(365 \times S_1) - \text{Average Number of Off-Duty Hours Per Year Per Trooper}} \quad (\text{D.9.2})$$

In this form, the average number of on-duty hours per year per trooper is calculated as:

$$(365 \times S_1) - \text{Average Number of Off-Duty Hours Per Year Per Trooper.} \quad (\text{D.9.3})$$

The first term in (D.9.3) indicates the total number of hours that one trooper would be on-duty if he/she works every day of

the year. The second term represents the average number of off-duty hours per year per trooper. Subtracting one term from the other in (D.9.3) gives the average number of on-duty hours per year per trooper. The usefulness of formula (D.9.2) is that it requires information (i.e., average time off per trooper) that is maintained by most agencies.

The average number of off-duty hours per year per trooper can be grouped into three categories:

- o Regularly-scheduled days off given each week or schedule cycle. These are the days off every trooper receives because of the shift length, average work week, and particular work schedule being used. As an example, schedules based on 8-hour shifts and a 40-hour work week provide each trooper with an average of two days off per week.
- o Benefit days off including vacation leave, holiday leave, personal time, compensatory time. The different kinds of benefit time off given varies from agency to agency and from one part of the country to another.
- o Non-patrol time off includes those time when a trooper may be "on-duty," but is not on regular duty. For example, a trooper sent to a one-week training course in another state is obviously not available for regular duty, but is very likely still considered "on duty" while he is at the school. Whether non-regular duty time off should be included in the determination of the relief factor is not rigidly defined. An analyst trying to justify as many troopers as possible will likely include as much non-regular duty time off as possible in order to derive a higher relief factor. Another analyst, seeking to hold down staffing estimates, may exclude some non-regular duty time off to derive a lower value for the relief factor.

APPENDIX D.10: Allocation of Patrol Personnel Among
Several APAs, Worksheet 9

Introduction

Worksheet 9 provides two methods for allocating a given number of staff among several APAs. Both methods rely on staffing estimates for each APA provided by the PAM model in worksheets 1 - 8. The first method, identified as "unconstrained allocation," indicates the ideal staffing if no limitations are imposed on how many troopers can be added or subtracted from the current staffing level in any APA (i.e., if there are no limitations on transfers between APAs). The second method, identified as "constrained allocation," can be used to determine staffing allocation when a fixed number of additional troopers are to be added to a group of APAs and no transfers of existing personnel are allowed. In this case, the no transfer constraint has the effect of insuring that no individual APA will lose staffing because of the allocation. The constrained allocation procedure can also be used to determine which APAs will lose personnel when staff reductions are required. In this case, the no transfer rule insures that no individual APA will gain personnel as a result of the overall staff reductions. All of the calculations for Worksheet 9 are summarized in Table 4-1.

The derivations below make use of the following notation:

- T - total number of staff in all of the APAs after the reallocation,
- TA - total number of new staff (or total staff to be deleted),
- TA_i - total number of staff added to APA i (or staff deleted from APA i),
- TC - current total number of staff among all of the APAs,
- TC_i - current number of staff in APA i,
- TE - total number of staff estimated by the PAM model for all of the APAs,
- TE_i - total number of staff estimated by the PAM model for APA i, and

T_i - total number of staff in APA i after the reallocation.

The total staff to be allocated is given by:

$$T = TC + TA \quad (D.10.1)$$

Unconstrained Allocation

The rationale for the unconstrained allocation is that the total staff (T) should be distributed among the APAs in the same proportion as the PAM estimates; i.e.,

$$\frac{T_i}{T} = \frac{TE_i}{TE}, \quad \text{all APAs} \quad (D.10.2)$$

Solving for T_i and replacing T with (D.10.1) yields the formula for the number of staff that should be assigned to each APA;

$$T_i = TE_i \times \frac{TA + TC}{TE} \quad (D.10.3)$$

Constrained Allocation

The total staff to be allocated is given by (D.10.1) above. The difference (d_i) for each APA between the number of staff provided by the unconstrained allocation for the APA (i.e, T_i given in (D.10.3)) and the number of staff estimated for the APA by the PAM model (TE_i) is given by:

$$d_i = T_i - TE_i \quad (D.10.4)$$

Expression (D.10.4) indicates whether an APA is under or over-staffed; i.e.,

if $d_i > 0$, the APA is overstaffed,
 if $d_i < 0$, the APA is understaffed.

The d_i values are used to identify which APAs should gain staff (if $TA > 0$) and which APAs should lose staff (if $TA < 0$).

Additional staff ($TA > 0$). If staff is to be added to the APAs, the no transfer rule can be satisfied by distributing the new staff only among those APAs that are understaffed (i.e., APAs with $d_i < 0$). Let U represent the collection of APAs that are understaffed and determine the total deficit staffing (TN) for these APAs by summing the d_i s in U ; i.e.,

$$TN = d_1 + d_2 + d_3 + \dots + d_n \quad (D.10.5)$$

-- only use APAs for which $d_i < 0$ --

Allocation of the TA staff among the APAs in U is given by (D.10.6) below where TA_i represents the number of staff added to APA i :

$$TA_i = d_i \times \frac{TA}{TN} \quad (D.10.6)$$

The final allocation among all of the APAs is given by:

$$T_i = \begin{cases} TC_i & \text{if } d_i \geq 0 \\ TC_i + TA_i & \text{if } d_i < 0 \end{cases} \quad (D.10.7)$$

Staff reduction ($TA < 0$). For staff reductions, the constrained allocation procedure uses the d_i values to identify those APAs that are overstaffed and, as a result, are eligible for staff reductions. Let O represent the collection of APAs that are overstaffed and determine the total surplus staffing (TN) for these APAs by summing the d_i s in O ; i.e.,

$$TN = d_1 + d_2 + d_3 + \dots + d_n \quad (D.10.8)$$

-- only use APAs for which $d_i > 0$ --

Allocation of the TA staff among the APAs in 0 is given by (D.10.9) below where TA_i represents the number of staff to be taken from APA i:

$$TA_i = d_i \times \frac{TA}{TN} \quad (D.10.9)$$

Each TA_i value for staff reductions will be a negative number. The final allocation among all of the APAs is given by:

$$T_i = \begin{cases} TC_i & \text{if } d_i \leq 0 \\ TC_i + TA_i & \text{if } d_i > 0 \end{cases} \quad (D.10.10)$$

DOT HS 807 793
December 1991