

Prepared
Commission
Unification of
by
Connecticut Citizens for Justice

November 30, 1973

Prepared and Published through the grant assistance of the Sachem Fund of New Haven and the contribution of technical assistance by industry of the State of Connecticut and of many hours of contributed assistance of numerous citizens of the State.

189

COMMISSION TO STUDY REORGANIZATION AND UNIFICATION OF THE COURTS

Rep. James F. Bingham, Stamford, *Chairman*
 Sen. Joseph P. Faulkner, Hartford, *Vice Chairman*
 Rep. Bernard L. Aycolie, Naugatuck
 Hon. Harold H. Dean, Darien
 Richard J. Diviney, *Esq.*, Westport
 Donald H. Dowling, *Esq.*, Avon
 Hon. Louis George, Danbury
 Gregory C. Willis, *Esq.*, Bridgeport

PRINCIPAL SURVEY PERSONNEL

SURVEY COORDINATORS

Peter L. Costas, *Esquire*, CCJM Attorney Advisory
 Committee, Hartford
 Richard E. Davis, Building Engineering Department, SNETCO, New Haven

James T. Isler, Director, Central Billing & Premium
 Finance, AETNA Life & Casualty, Hartford

BUILDING EVALUATION COMMITTEE

James W. Bailey, Bethany
 Allen G. Blanchard, Hamden
 Richard E. Davis, Branford
 F. William Frider, Bethel

John B. Hopkins, Madison
 Debra C. Hylen, East Haven
 Gordon W. Richardson, West Haven
 Patricia C. Souza, West Haven

SYSTEMS MANAGEMENT COMMITTEE

Charles P. Borland, The Travelers Company
 James M. Fuoco, Data Processing Manager, Life Insurance
 Agency Management Association (LIAMA)
 John Hedberg, Programmer-Analyst, Combustion
 Engineering

James T. Isler, Director, Central Billing & Premium
 Finance, AETNA Life & Casualty
 John Linehan, Assistant Manager, Corporate Systems,
 Combustion Engineering
 Patrick McCloghrie, Vice President, Connecticut Bank &
 Trust Company

DATA ANALYSIS COMMITTEE

Marsha Addabbo, Manchester
 Peter L. Costas, Hartford
 Jeanette Duigou, Torrington

Bruce Evans, Hartford
 Michelle King, East Hartford
 Dwight Scherban, Hartford

CONNECTICUT CITIZENS FOR JUDICIAL MODERNIZATION

Officers and Directors

PRESIDENT
 William J. Pape II, Waterbury

VICE PRESIDENTS

Mrs. V. Schroeder Burnham, Greenwich
 Oliver F. Johnson, Hartford

Reverend James Peters, Bridgeport
 Alfred W. Van Sinderen, New Haven

SECRETARY
 Mary Ambler, Hartford

TREASURER
 Louis Goodwin, New Haven

BOARD OF DIRECTORS
 Oliver F. Johnson, Hartford
 Mrs. Charles Litscher, Wethersfield
 Thomas Mayers, Stamford
 Frank Moore, New Haven
 Peter Orne, New Haven
 Adrian Ostfeld, North Haven
 Leonard J. Patricelli, Hartford
 A. Ray Petty, Hartford

Raymond F. Sabatella, Jr., Windsor Locks
 Ralph Sheldon, Stamford
 Warren C. Stoker, Hartford
 Thomasena Wade, Hartford
 Frank Washington, New Haven
 James A. Welch, Simsbury
 Arthur L. Woods, Hartford

Executive Director
 Beatrice Sisk

INDEX

PAGE	PAGE
Introduction	1
The Present Judicial System of	
The State of Connecticut	4
The Present Courthouse Facilities	6
The Physical Survey of the Court Facilities	8
Survey of Courtroom Utilization	9
Analysis of the Availability of Useable	
Courtroom Facilities	11
Summary	30
Appendix A — On Site Inspections Report	32
Appendix B — Courtroom Usage for	
October 1973	264

INTRODUCTION

In March 1972, the Joint Committee on Judicial Modernization formed by the Connecticut Citizens for Judicial Modernization and the Connecticut Bar Association published a study following meetings with judges, lawyers and business people and review of judicial systems in other states. Its study covered a selected group of proposals which might lead to improvement of the Connecticut judicial system.

Although recognizing that the Connecticut judicial system has been quite effective, free from scandal and a pioneer in some respects, the Joint Committee recommended a number of changes to improve the likelihood of more equal and more efficient justice for all the citizens of the state. Among the recommendations were that of a subcommittee which gave considerable time to an analysis of what it considered "... an inefficient overlapping system of trial courts." It suggested that the five trial courts of the state might be combined into a single trial court; however, the Joint Committee recommended that a detailed management study of the trial court system be undertaken to explore feasibility of the various options for restructuring of the trial courts, revision of geographic boundaries for the court locations and various other factors before any far ranging changes were made.

The Connecticut Citizens for Judicial Modernization began to consider the possibilities for conducting the needed management study -- a study of the type frequently employed in the business world. In the meantime, the Legislature

of the State of Connecticut recognized the validity of the concerns expressed in the Joint Committee Report and concluded that a considered study of the problems and options was needed. As a result, the General Assembly passed an act which created the Commission to Study the Reorganization and Unification of the Courts.

The Connecticut Citizens for Judicial Modernization approached the Commission with a proposal that the management study be undertaken as a joint project so that the Commission would have the benefit of the factual information needed in making its recommendations and presenting a legislative proposal to the Connecticut Legislature by March 1, 1974. In August 1973 the Commission asked that the CCJM conduct the management study and report the results to it but also asked that the CCJM seek funding elsewhere because of the limited resources of the Commission.

The CCJM then contacted State industry and several foundations for support since action would have to be taken quickly in order to provide results to the Commission in sufficient time for use in its deliberations. A grant of \$13,000 was obtained from the Sachem Fund of New Haven to cover out-of-pocket costs and industry volunteered executives with background in systems management and computer technology to assist in the development of the parameters of the study and in the translation of data into meaningful analyses. Members of the Bar and the Judiciary volunteered their time and efforts. In addition to providing executive personnel, Aetna Life and Casualty Company and Combustion Engineering Company

agreed to provide keypunch and computer services respectively.

The study which was divided into two parts -- the first an evaluation of the physical plant (courthouses) of the judicial department and the second, an evaluation of the manner in which the courts' time is consumed on various types of matters throughout the state. The first study is the subject of this report and the second is the subject of the companion report entitled "Survey of the Utilization of Courtroom Time In the Trial Courts of the State of Connecticut."

It was recognized that it would be extremely desirable to have the evaluation of the physical characteristics of the courthouses made by persons who were knowledgeable of real estate and buildings. Accordingly, it was suggested that one or more of the public utilities might volunteer their trained real estate and building engineering personnel to assist in conducting the study. Southern New England Telephone Company was approached and felt that the task could best be coordinated within a single organization because of the magnitude and urgency of the task. It generously agreed to have its trained personnel visit each courthouse in the State.

Because of the time factors and the nature of the area of greatest interest, this survey excludes the facilities of the Juvenile Court. It also excludes the facilities employed by the various probate courts and those of the Supreme Court and of the Judicial Department where housed in buildings which do not include courtrooms.

To obtain a picture of the time that the courtrooms were actually in use, the first week in October would be fully covered by the over 300 courtroom observers who were to be recruited for the companion survey of the courts' business. Chief Justice Charles House requested that the clerks of the various courts provide the survey team with the data concerning courtroom usage during the remainder of the month of October.

In this manner, the cooperation of industry, judiciary and citizenry enabled undertaking a most significant task leading to the preparation of this report. The CCJM expresses its sincere appreciation to all for their exceedingly valuable assistance.

THE PRESENT JUDICIAL SYSTEM OF THE STATE OF CONNECTICUT

The Constitution of the State of Connecticut provides a judicial system comprised of the Supreme Court and the trial court of original jurisdiction known as the Superior Court. It also provides for a Probate Court with elected judges and enables the Legislature to create other courts of lesser jurisdiction. Over the years, the Legislature has created the Circuit Court as a consolidation of the former justice of the peace and town or municipal courts; the Common Pleas Court; and the Juvenile Court. The Superior Court is the court of general jurisdiction over both civil and criminal matters; the Common Pleas Court is primarily a civil court; the Circuit Court handles both civil and criminal matters. The Juvenile Court handles delinquency and certain aspects of child custody; and the Probate Court handles administration of decedents' estates.

the appointment of conservators for incompetents, the appointment of guardians for juveniles, the administration of the estates of incompetents and juveniles, commitments, adoptions, and certain other matters. Appeals from the Probate Court and Juvenile Court are taken to the Superior Court. Appeals from the Circuit Court now are taken to the Common Pleas Court. Appeals from the Common Pleas and Superior Courts are taken to the Supreme Court. There is a great deal of overlapping jurisdiction between the three trial courts in the civil area. There are both gaps and overlapping jurisdiction among all five courts in the handling of matters affecting juveniles.

As has been well stated by Professor Karlen:

"Each court has its own fixed jurisdiction, its own judges and its own administration and operates in splendid isolation from its sister courts".¹

There are presently assigned to the Supreme Court 6 justices. There are presently assigned to the Superior Court 40 judges; to the Common Pleas Court 16 judges; to the Circuit Court 50 judges; and to the Juvenile Court 6 judges. All of these judges are full time, appointed by action of the Governor and Legislature and paid by fixed salary. There are 125 elected judges of Probate who devote varying amounts of time to their duties as Probate judges depending upon the load in their Probate District. Their income is dependent upon fees collected upon the cases before them.

-5-

¹ Karlen, Judicial Modernization: What Other States Have Done, State Government and Public Responsibility (1964 Tufts Assembly on Government)

Judges of the Superior, Common Pleas and Circuit Courts ride circuit, i.e., they are reassigned from one court location to another on a periodic basis. Cases pending before a court are on a master list and are assigned to specific judges for handling only at the time of trial, or at the time of a motion or other matter requiring judicial attention. In rare instances, a case may be assigned to a specific judge for handling throughout a significant portion of the pre-trial activity as well as trial.

Our court locations and the geographic boundaries of the jurisdiction of each court were long ago determined on the basis of the horse and buggy -- how far could the lawyer and his client ride in their horse and buggy in a reasonable length of time to reach the place where the court sits. Many of the towns have been desirous of having the locations of the Circuit Court close at hand.

THE PRESENT COURTHOUSE FACILITIES

The Superior and Common Pleas Courts share courthouse facilities throughout the State and share jury panels for the transaction of their business. The Circuit Court generally operates in facilities leased from the towns in which it sits although it does share courthouses with the Superior and Common Pleas Courts in two locations, Danbury and Norwich. The Juvenile Court facilities are separate from the other courts and may be leased or state owned. The Probate Court facilities are provided by the Probate judges with the larger towns tending to provide facilities in municipal buildings. Almost all of the

courthouses of the Superior and Common Pleas Courts are owned by the State and reasonably well maintained although sometimes inadequate or antiquated. Those Circuit Court facilities which date back to the creation of the Court in the early 1960s tend to be overcrowded and obsolete and they also evidence poor maintenance. Facilities secured by the Judicial Department in recent years are generally of acceptable character.

It has been frequently observed that the court facilities in the urban centers are overcrowded whereas court facilities in the more rural areas are comparatively little used. The Circuit Court facilities in many of the urban centers including New Haven, Hartford and Bridgeport are in what might be considered disgraceful condition.

The Superior Court presently has 39 courtrooms in 17 locations; the Court of Common Pleas presently has 19 courtrooms in 14 locations; and, the Circuit Court has 58 courtrooms in 29 locations.

The present system effectively precludes use of the courthouses of the Superior and Common Pleas Courts by the Circuit and Juvenile Courts although dispensations are given for special cases. The Judicial Department has recently obtained full control over the location of Circuit Court facilities and has begun a program to upgrade them. The State has a building program underway which will provide new courthouse facilities for the Superior and Common Pleas Courts in 1974 in Bridgeport, New Haven and Waterbury. The present Superior Court Building in New Haven will be turned over to the

Circuit Court. The Judicial Department is seeking authorization to build new Superior Court buildings in Hartford and in New London County:

THE PHYSICAL SURVEY OF THE COURT FACILITIES

Following consultation with trained real estate and building personnel and with Judicial Department personnel, there was prepared a check sheet to be used in inspecting each room of each courthouse utilized by the Superior, Common Pleas and Circuit Courts. Not only was the survey to evaluate the courtrooms but also it was intended to evaluate all of the rooms used by support personnel in that particular court building. In some instances it was expected that the courtrooms would be found adequate, but that the support facilities could prove inadequate, thus making the court facility one which was generally inadequate for service for the business it handled.

Among the items to be considered in the physical survey were the condition of the rooms, size or area, audibility, lighting, adequacy of furnishings, the presence of airconditioning, the presence of public address systems in courtrooms and the general condition of the rooms themselves. The surveyors were also to evaluate the character of the neighborhood and the availability of parking, not only for the court personnel but also for jurors, attorneys and litigants.

In addition, it was found that a number of the court facilities deviated from the plans on file with the State Public Works Department or that those plans did not identify the usage being made of various rooms at the facility.

Accordingly, it was decided that floor plans showing the layouts of the court facilities would also be provided as a part of the survey.

In view of the fact that three new court buildings were nearing completion in Bridgeport, New Haven and Waterbury, these were evaluated as if presently in the system. Because of the plans to turn over the existing Bridgeport Superior Court facility to the City of Bridgeport, this building was not physically surveyed.

The on-site inspection reports with respect to the various court facilities are reproduced hereinafter in Appendix A.

SURVEY OF COURTROOM UTILIZATION

During the week of October 1, 1973, observers recruited by the CCJM were present in substantially every courtroom of the State of Connecticut and recorded the period of time that the courtrooms were actually in use for the transaction of court business. During the remainder of the month of October, the clerks of the courts at the various courthouse locations completed forms and forwarded these forms to the CCJM to indicate the time that the courtrooms were in session.

If the courtroom was in session for any period of time during the morning (10:00 a.m. to 1:00 p.m. usually), it would be recorded as in session for the morning regardless of the total time period involved. The same is true with respect to the afternoon session (2:00 to 4:30 p.m. usually).

The Superior and Common Pleas courtrooms are not usually used on

Monday of the week; however on certain Mondays the Bureau of Support of the Court of Common Pleas will process support cases in Hartford and New Haven.

For purposes of calculation, the month of October was determined to have 44 courtroom units of time (two per day times 22 days) excluding October 8, which was a holiday. The Superior and Common Pleas Courts were closed on October 23 to allow judges and attorneys to attend the annual meeting of the Connecticut Bar Association but this day was considered for percentage usage since most months contain a holiday or a conference day. The Superior and Common Pleas courtrooms were considered to be available for use on Mondays even though traditionally not used.

In Appendix B there is a tabulation of the utilization of each of the courtrooms of the Superior, Common Pleas and Circuit Courts for the month of October 1973. The designation F indicates that the courtroom was used both in the morning and afternoon periods; the designation P indicates that it was only used during one of the morning or afternoon periods; the designation N indicates that it was not used at all on that day; the designation H indicates a holiday. The designation J indicates that the courtroom was used for jury activity; thus the designations JF and JP respectively indicate that the courtroom was used for the entire day, or only half the day, for criminal jury or civil jury matters.

For purposes of county-wide determinations of percentage courtroom

usage, hearing rooms and some small claims courtrooms were not tabulated in determining the averages. Those omitted are indicated by an asterisk prior to the designation of the courtroom.

In reviewing this data on courtroom usage, it must be understood that this does not reflect the full activity of the courts. The judges frequently conduct a great deal of the court business in their chambers wherein they meet with litigants and attempt to effect settlement or other disposition without actual trial or attempt to reduce issues. In addition some judges spend a considerable amount of time in administrative matters affecting their courts, and opinion writing also requires time on the part of judges, particularly in the Superior Court.

In addition to the regular judges of the Courts, there are referees or retired judges who sit in any available facility including empty courtrooms, empty jury rooms, hearing rooms and the like for the purposes of hearing those cases which are specifically assigned to them. In some instances in October 1973 more judges were assigned to a courthouse location than there were available courtrooms so that proceedings were conducted in jury rooms and judges chambers as well as small conference rooms.

ANALYSIS OF THE AVAILABILITY OF USEABLE COURTROOM FACILITIES

The key information obtained from the physical survey of the facilities and from the survey of time of courtroom usage during the month of October 1973 has been extracted and consolidated into the following tabular presentation:

CONSOLIDATED COURTROOM SURVEY DATA

Court Room	Title	Jury	Size	Park	N'br	Gen.	Air	Audi-	Audio	% Use
				ing	Hood	Cond.	Cond.	bility	Equip	J NJ Not
LITCHFIELD COUNTY										
Litchfield										
Superior Court Bldg.	State			Fair	Good	Fair				
Sup. Court	Yes	L		Good	No	Poor	No			9 38 53
Comm. Pleas	Yes	L		Good	No	Poor	No			20 0 80
Torrington				Fair	Fair	Fair				
18th Cir, Town Hall	Leased			Fair	Fair	Fair				
Room #1		Yes	S	Fair	Fair	Fair	No	Poor	No	6 25 69
Winsted				Fair	Fair	Good				
18th Cir, Town Hall	Leased			Fair	Fair	Good				
Room #1	Yes	M		Fair	Fair	Good	No	Fair	No	36 14 50
New Milford				Fair	Good	Good				
3rd Cir, Town Hall	Leased			Fair	Good	Good				
Room #1	Yes	L		Fair	Good	Good	No	Fair	No	0 9 91
COUNTY TOTAL:		5	Jury							TOTAL USAGE: 14 17 69
NEW LONDON COUNTY										
New London				Fair	Good	Inadeq				
Superior Court Bldg.	State			Fair	Good	Inadeq				
Superior #1	Yes	L		Fair	No	Fair	No			55 11 34
Comm. Pleas#1	Yes	M		Good	Yes	Good	No			43 0 57
10th Cir, Police Bldg	Leased			Good	Fair	Poor				
Room #1	No	L		Good	Fair	Poor	No	Poor	No	0 68 32
Norwich				Fair	Fair	Inadeq				
City Hall	Shared			Fair	Fair	Inadeq				
Sup. Court #1	Yes	L		Fair	No	Good	No			0 36 64
Comm. Pleas#1	Yes	M		Fair	No	Good	No			0 2 98
Cir. Court	Yes	L		Fair	No	Good	No			5 52 43
Groton				Fair	Good	Inadeq				
10th Cir, Town Hall	Leased			Fair	Good	Inadeq				
Room #1	No	L		Good	Good	No				0 16 84
COUNTY TOTAL:	0(5)J	0(2)NJ								TOTAL USABLE: 0 0 0
										NON-USABLE: 15 26 59

CONSOLIDATED COURTROOM SURVEY DATA

Court Room	Title	Jury	Size	Park	N'br	Gen.	Air	Audi-	Audio	% Use
				ing	Hood	Cond.	Cond.	bility	Equip	J NJ Not
TOLLAND COUNTY										
Rockville										
Superior Court Bldg.	Leased									
Sup. Court	Yes	M								Good 29 25 46
Comm. Pleas	Yes	M								Good 16 14 70
*Hearing Room	No	S								Good Yes Good No -- -- --
12th Cir, Town Hall	Leased									
Room #1	No	L								Poor No Poor No 0 7 93
Stafford Springs										
12th Cir, Town Hall	Leased									
Room #1	No	S								Poor No Good No 0 5 95
COUNTY TOTAL:	2J	1(2)NJ								
										TOTAL USABLE: 23 19 58
										NON-USABLE: 0 6 94
WINDHAM COUNTY										
Willimantic										
Superior Court Bldg.	State									
Sup. Court	Yes	L								Good 0 0 100
Comm. Pleas	Yes	S								Good 0 0 100
11th Cir, Town Hall	Leased									
Room #1	Yes	M								Fair 5 25 70
Putnam										
Superior Court Bldg.	State									
Sup. Court	Yes	M								Good 27 46 27
Comm. Pleas	Yes	L								Good 0 0 100
Danielson										
11th Cir, Town Hall	Leased									
Room #1	Yes	L								Fair 0 34 66
COUNTY TOTAL:	6J	0NJ								
										TOTAL USABLE: 5 17 78

CONSOLIDATED COURTROOM SURVEY DATA

Court Room	Title	Jury	Size	Park	N'br	Gen.	Air	Audi-	Audio	% Use
				ing	Hood	Cond.	Cond.	bility	Equip	J NJ Not
MIDDLESEX COUNTY										
Middletown										
Superior Court Bldg.	State			Poor	Fair	Good				
Sup. Court #112	Yes	S		Good	Yes	Good	Yes			23 43 34
Comm. Pleas #115	No	S		Good	Yes	Good	Yes			9 11 80
8th Cir. Sep. Bldg.	Leased			Poor	Poor	Fair				
Room #1	No	M		Fair	Yes	Good	Yes			7 86 7
Room #2	Yes	M		Fair	Yes	Good	Yes			43 0 57
COUNTY TOTAL:	2J	2NJ				TOTAL USABLE:	21	35	44	
HARTFORD COUNTY										
Hartford										
Superior Court Bldg.	State			Fair	Good	Good				
Sup. Court #1	Yes	L		Good	Yes	Fair	No			9 64 27
Sup. Court #2	Yes	L		Good	Yes	Fair	No			43 34 23
Sup. Court #3	Yes	L		Good	Yes	Fair	No			52 7 41
Sup. Court #4	Yes	M		Good	Yes	Fair	No			0 59 41
Sup. Court #5	No	M		Good	Yes	Poor	No			0 64 36
Sup. Court #6	Yes	L		Good	Yes	Poor	No			73 0 27
Sup. Court #7	Yes	L		Good	Yes	Poor	No			59 0 41
Sup. Court #8	Yes	M		Good	Yes	Poor	No			30 9 61
Comm. Pleas #1	Yes	L		Good	Yes	Fair	No			41 0 59
Comm. Pleas #2	Yes	L		Good	Yes	Fair	No			0 34 66
Comm. Pleas #3	No	S		Good	Yes	Fair	No			39 0 61
Trinity Street Bldg.	Leased			Poor	Good	Good				
Sup. Ct. - Fam. Rel.	No	M		Good	Yes	Poor	No			0 30 70
Comm. Pleas	No	M		Good	Yes	Good	No			0 55 45
14th Cir. Police Sta.	Leased			Fair	Poor	Inadeq				
Room #1	No	L		Poor	No	Fair	No			0 77 23
Room #2	Yes	L		Poor	No	Fair	No			0 66 34
Room #3	Yes	L		Poor	No	Fair	No			14 34 52
Room #4	No	L		Poor	No	Fair	No			48 27 25
HTFD. CITY USABLE TOTAL: 9(2)J 4(2)NJ										
CITY TOTAL USABLE: 26 26 48										
CITY TOTAL NON-USABLE: 15 52 33										

CONSOLIDATED COURTROOM SURVEY DATA

Court Room	Title	Jury	Size	Park	N'br	Gen.	Air	Audi-	Audio	% Use
				ing	Hood	Cond.	Cond.	bility	Equip	J NJ Not
HARTFORD COUNTY (CONTINUED)										
New Britain										
Superior Court Bldg.	Leased									
Sup. Court #1	Yes	L								
Sup. Court #2	Yes	M								
Comm. Pleas #3	Yes	M								
15th Cir. Munpl Bldg.	Leased									
Room #1	Yes	M								
Room #2	Yes	S								
West Hartford										
16th Cir. Town Hall	Leased									
Room #1	Yes	S								
*Sm. Claims	No	S								
Bristol										
17th Cir. Town Hall	Leased									
West	Yes	M								
East	No	S								
East Hartford										
12th Cir. Police Bldg.	Leased									
Room #1	Yes	L								
Manchester										
12th Cir. Police Bldg.	Leased									
Room #1	No	L								
Windsor										
13th Cir. Town Hall	Leased									
Room #1	Yes	L								
COUNTY TOTAL:	18(2)J	6(3)NJ								
COUNTY TOTAL USABLE:	23	33	44							
NON-USABLE:	13	54	33							

CONSOLIDATED COURTROOM SURVEY DATA

Court Room	Title	Jury	Park	N'br	Gen.	Air	Audi-	Audio	% Use
			ing	Hood	Cond.	Cond.	bility	Equip	J NJ Not
NEW HAVEN COUNTY									
New Haven									
Present Sup. Ct. Bldg.	State		Poor	Good	Good				
Sup. Court #2	No	S	Fair	Yes	Good	No	0	70	30
Comm. Pleas #4	No	S	Fair	Yes	Good	No	4	66	30
Sup. Court #15	Yes	L	Fair	Yes	Good	No	55	9	36
Comm. Pleas #16	Yes	M	Fair	Yes	Good	No	68	2	30
Sup. Court #11	Yes	L	Fair	Yes	Good	No	66	9	25
Sup. Court #48	Yes	M	Fair	Yes	Good	No	18	46	36
Sup. Court #47	Yes	M	Fair	Yes	Good	No	52	5	43
Sup. Court #42	Yes	M	Fair	Yes	Good	No	68	0	32
Sup. Court #34	Yes	S	Fair	Yes	Good	No	36	0	64
Sup. Ct. Temp. Bldg.	State		Poor	Good	Temp.				
Sup. Court #10	Yes	S	Good	Yes	Good	No	57	0	43
Comm. Pleas #12	Yes	S	Good	Yes	Good	No	34	0	66
6th Cir. T. Hall Annex			Poor	Fair	Poor				
Room #1	Yes	L	Poor	No	Poor	No	2	78	20
Room #2	Yes	S	Poor	No	Poor	No	0	66	34
Room #3	Yes	S	Poor	No	Poor	No	7	50	43
Small Claims	No	S	Poor	No	Poor	No	0	14	86
New Sup. Court Bldg.	State		Fair	Good	Good				
Room #309	Yes	S	Good	Yes	Good	Yes			
Room #320	Yes	S	Good	Yes	Good	Yes			
Room #334	Yes	S	Good	Yes	Good	Yes			
Room #340	No	S	Good	Yes	Good	Yes			
Room #351	No	S	Good	Yes	Good	Yes	NOT YET		
Room #408	Yes	S	Good	Yes	Good	Yes	IN		
Room #420	Yes	S	Good	Yes	Good	Yes	OPERATION		
Room #434	Yes	S	Good	Yes	Good	Yes			
Room #440	No	S	Good	Yes	Good	Yes			
Room #451	No	S	Good	Yes	Good	Yes			
Room #510	Yes	S	Good	Yes	Good	Yes			

CONSOLIDATED COURTROOM SURVEY DATA

Court Room	Title	Jury	Park	N'br	Gen.	Air	Audi-	Audio	% Use
			ing	Hood	Cond.	Cond.	bility	Equip	J NJ Not
NEW HAVEN COUNTY (CONTINUED)									
New Sup. Court Bldg. (Continued)									
Room #518			Yes	S					
Room #531			Yes	S					
Room #537			No	S					
Room #547			Yes	S					
Room #609			Yes	M					
Room #620			Yes	S					
Room #634			Yes	S					
Room #640			No	S					
Room #650			Yes	S					
NEW HAVEN TOTAL-									
(After Move Into New Bldg.):									
23J	8NJ								
(Prior to Move):									
9(3)J	2(1)NJ								
PRESENT TOTAL USAGE-									
USABLE:									
42	19	39							
NON-USABLE:									
2	52	46							
Meriden									
7th Cir. Munpl Bldg.			Leased			Fair	Fair	Good	
Sm. Claims #1			No	S		Good	Yes	Good	No
Sm. Claims #2			No	S		Good	Yes	Good	No
Room #1			No	M		Good	Yes	Good	No
Room #2			Yes	L		Good	Yes	Good	No
Room #3			Yes	L		Good	Yes	Good	No
Milford									
5th Cir. Police Bldg.			Leased			Good	Good	Good	
Room #1			Yes	L		Good	Yes	Good	No
West Haven									
8th Cir. City Hall			Leased			Good	Good	Good	
West			Yes	L		Good	Yes	Good	Yes
East			Yes	M		Good	Yes	Good	Yes
Ansonia									
5th Cir. City Hall			Leased			Fair	Good	Fair	
Room #1			Yes	M		Fair	Yes	Fair	No
1									
0	57	43							

CONSOLIDATED COURTROOM SURVEY DATA

Court Room	Title	Jury	Size	Park	N'br	Gen.	Air	Audi-	Audio	% Use
				ing	Hood	Cond.	Cond.	bility	Equip	J N Not

NEW HAVEN COUNTY (CONTINUED)

Waterbury

Present Sup. Ct. Bldg.	State	Fair	Fair	Inadeq						
Sm. Ct. Room	No S		Fair	No	Good	No	0	0	100	
Sup. Court #1	Yes M		Fair	Yes	Good	No	50	25	25	
Sup. Court #2	Yes M		Fair	No	Good	No	27	18	55	
Comm. Pleas	Yes M		Fair	No	Good	No	16	23	61	
New Sup. Ct. Bldg.	State	Fair	Fair	Good						
Room #1	Yes M		Good	Yes	Good	Yes				
Room #2	Yes S		Good	Yes	Good	Yes	NOT YET			
Room #3	Yes S		Good	Yes	Good	Yes	IN			
Room #4	No S		Good	Yes	Good	Yes	OPERATION			
Room #5	Yes S		Good	Yes	Good	Yes				
4th Cir. City Hall	Leased	Fair	Good	Inadeq						
Room #1	Yes M		Fair	Yes	Poor	No	5	59	36	
Room #2	Yes L		Fair	Yes	Poor	Yes	41	32	27	
*Sm. Claims #1	No S		Fair	No	Fair	No	--	--	--	
*Sm. Claims #2	No S		Good	No	Fair	No	--	--	--	

WATERBURY TOTAL-

(Using New Building): 4(2)J 1(2)NJ

PRESENT TOTAL USAGE-

USABLE: 24 16 60

(Using Present Building): 3(2)J 1(2)NJ

NON-USABLE: 23 46 31

NEW HAVEN COUNTY TOTAL:

With New Buildings: 33(2)J 12(2)NJ
 9(3) 2(1)
 3(2) 1(2)
 6 2
 18(5) 5(3)

(Old Buildings) 18(5)J 5(3)NJ USABLE: 93 66 241

NON-USABLE: 46 91 63

CONSOLIDATED COURTROOM SURVEY DATA

Court Room	Title	Jury	Size	Park	N'br	Gen.	Air	Audi-	Audio	% Use
				ing	Hood	Cond.	Cond.	bility	Equip	J N Not

FAIRFIELD COUNTY

Bridgeport

Superior Court Bldg.	State	Fair	Good	Good						
Criminal #1		Good	Yes	Good	Yes					68 0 32
Criminal #2		Good	Yes	Good	Yes					45 0 55
Comm. Pleas #25		Good	Yes	Good	Yes					11 53 36
Room #26		NOT SURVEYED								
Jury #1		TO BE TURNED								
Jury #2		OVER TO CITY								
Jury #3										
Comm. Pleas #58										
Stratfield Motor										
City Counc. Chamb.										

New Sup. Court Bldg. State

Room 317	Yes S	Fair	Good	Good						
Room 326	Yes S	Good	Yes	Good	Yes					
Room 344	Yes M	Good	Yes	Good	Yes					
Room 519	No S	Good	Yes	Good	Yes					
Room 521	Yes S	Good	Yes	Good	Yes					
Room 526	Yes S	Good	Yes	Good	Yes					
Room 550	Yes S	Good	Yes	Good	Yes					
Room 551	Yes S	Good	Yes	Good	Yes					
Room 619	No S	Good	Yes	Good	Yes					
Room 621	Yes S	Good	Yes	Good	Yes					
Room 629	Yes S	Good	Yes	Good	Yes					
Room 647	Yes S	Good	Yes	Good	Yes					
Room 652	Yes S	Good	Yes	Good	Yes					
Room 656	No S	Good	Yes	Good	Yes					

Cir. Ct. #2-Sep. Bldg. Leased

Room #1	No M	Fair	Poor	Inadeq						
Room #2	Yes S	Poor	No	Poor	No					0 84 16
Room #3	Yes S	Poor	No	Poor	No					57 32 11
Room #4	Yes S	Poor	No	Poor	No					36 27 37
		Poor	No	Poor	No					0 68 32

BRIDGEPORT TOTAL -

(After New Courthouse Opened): 11(3)J 3(1)NJ

Present Total: 10(4)

USAGE TOTAL:

(Based Upon Present Bridgeport Courthouse)

USABLE: 41 18 41

NON-USABLE: 23 53 24

CONSOLIDATED COURTROOM SURVEY DATA

Court Room	Title	Jury	Size	Park	N'br	Gen.	Air	Audi-	Audio	% Use		
				ing	Hood	Hood	Cond.	Cond.	Equip	J	NJ	Not
FAIRFIELD COUNTY (CONTINUED)												
Stamford	Superior Court Bldg. State			Fair	Fair	Good						
	Room #1	Yes	M			Good	Yes	Good	No	27	39	34
	Room #2	Yes	M			Good	Yes	Good	No	25	32	43
	Room #3	Yes	M			Good	Yes	Good	No	34	20	46
	1st Cir. Ct. -Sep. Bldg. Leased			Poor	Fair	Good						
	Room #1	Yes	S			Good	Yes	Good	No	5	66	29
	Room #2	No	S			Good	Yes	Good	No	5	59	36
	Room #3	Yes	S			Good	Yes	Good	No	23	41	36
	Room #4	Yes	S			Good	Yes	Good	No	32	25	43
	Room #5	No	S			Good	Yes	Good	No	0	9	91
										18	36	46
STAMFORD TOTAL:	6J	2NJ										
Norwalk												
	1st Cir. -Police Bldg. Leased			Good	Good	Fair						
	Room #1	Yes	M			Fair	Yes	Good	No	9	64	27
Stratford												
	2nd Cir. -Police Bldg. Leased			Good	Good	Good						
	Room #1	No	L			Good	Yes	Good	No	41	16	43
Danbury												
	Danbury Courthouse State			Poor	Fair	Fair						
	Cir. Court	Yes	M			Fair	No	Poor	No	0	86	14
	Sup. Court	Yes	S			Fair	No	Poor	No	46	11	43

COUNTY TOTAL-

(Using New Bridgeport Courthouse): 20(3)J 6(1)NJ
Present Total: 22(4)

TOTAL USAGE-

(Based Upon Present
Bridgeport Courthouse):

USABLE:	30	29	41
NON-USABLE:	23	53	24

To further facilitate examination and evaluation of the information, the data from the immediately preceding tabular presentation is further digested into a town-by-town report of number of courtrooms on a presently usable or non-usable basis, and the percentage utilization of usable and non-usable courtrooms. In addition this information has been plotted upon a geographic map of the State. Both of these presentations follow.


SUMMARY OF COURTROOM FACILITIES AND UTILIZATION BY TOWN

	<u>Courtrooms*</u>	<u>% Use*</u>
	<u>Jury</u>	<u>Non-Jury</u>
LITCHFIELD COUNTY		
Litchfield	2	--
Torrington	1	--
Winsted	1	--
New Milford	1	--
		34
		31
		50
		5
NEW LONDON COUNTY		
New London	(2)	(1)
Norwich	(3)	--
Groton	--	(1)
		(59)
		(32)
		(16)
TOLLAND COUNTY		
Rockville	2	1(1)
Stafford Springs	--	1
		43(7)
		5
WINDHAM COUNTY		
Willimantic	3	--
Putnam	2	--
Danielson	1	--
		10
		37
		34
MIDDLESEX COUNTY		
Middletown	2	2
		56
HARTFORD COUNTY		
Hartford	9(2)	4(2)
New Britain	5	--
West Hartford	1	1
Bristol	1	1
East Hartford	1	--
Manchester	--	(1)
Windsor	1	--
		52(67)
		56
		66
		56
		82
		(68)
		84

* Figures in parentheses indicate number of courtrooms considered unusable and the percentage of use of the courtrooms considered unusable.

SUMMARY OF COURTROOM FACILITIES AND UTILIZATION BY TOWN - Continued

	<u>Courtrooms*</u>	<u>% Use*</u>
	<u>Jury</u>	<u>Non-Jury</u>
NEW HAVEN COUNTY		
New Haven	9(3)	2(1)
Meriden	2	3
Milford	1	--
West Haven	2	--
Ansonia	1	--
Waterbury	3(2)	1(2)
		61(54)
		40
		75
		74
		57
		40(69)
FAIRFIELD COUNTY		
Bridgeport	10(4)	--
Stamford	6	2
Norwalk	1	--
Stratford	--	1
Danbury	2	--
		59(76)
		54
		73
		57
		71



On a county basis, the following observations may be drawn with respect to the courtroom facilities:

Litchfield County

The Court facilities in Litchfield County are generally considered to be adequate, although money should be expended to renovate the picturesque Litchfield County Courthouse and to replace or renovate the Circuit Court facilities in Torrington and Winsted. There is a significant amount of unused courtroom time available for the handling of business which might be assigned to the courts of Litchfield County from other counties.

New London County

Based upon the inadequacy of the facilities of the present New London Superior Court building and the shared City Hall building in Norwich as well as the Groton Circuit Court, and based upon the poor facilities provided to the Circuit Court in New London, it was felt that all courtrooms in New London County should be regarded as presently unusable since the courtrooms operate under a significant handicap to transact business efficiently. It may be possible to make the New London Superior Court building usable by renovations to this rather picturesque building and by the leasing of commercial space or the building of an addition to provide room for support personnel to the Court. The same is true with respect to the shared City Hall building in Norwich and the Circuit Court facilities in Groton.

The present facilities of the Tenth Circuit Court in New London are

considered totally inadequate and reflect poorly upon the Judicial System. A new facility should be sought.

It is noted that the Judicial Department has recommended the construction of a court facility in Preston and has received money for planning purposes only. There appears to remain some conflict as to the location of this court facility and no funds have been authorized for the actual construction of such a facility.

It can be seen that a considerable portion of the available courtroom time in New London County is unused so that it might be feasible to close the present Circuit Court facilities at the Police Building in New London and move its business into the Superior Court facility with the addition of leased space to augment the available courtrooms.

Tolland County

The new Superior Court building in Rockville appears to be a highly efficient facility which is not utilized as fully as it might be. In view of the poor condition of the Circuit Court facility in Rockville and of the Circuit Court facility in Stafford Springs, the business of these two facilities might be transferred to the Superior Court building.

Depending upon the assignments of Superior Court and Common Pleas judges, court business from other counties might be reassigned to make use of the available courtroom time at the Rockville courthouse.

Windham County

The facilities of the Superior Court and Common Pleas Court in the two courthouses at Willimantic and Putnam are quite good and are relatively unused. Consideration should be given to the closing of the Circuit Court facility in Willimantic and the transferring of its business to the Superior Court facility which is relatively unused, depending upon the number of Superior Court judges assigned to Windham County. The possibility of closing down the Circuit Court facility in Danielson and moving of its business to the Superior Court building in Putnam should also be considered.

Middlesex County

The Superior Court building in Middletown is considered to be a usable facility, but that of the Circuit Court is marginal. The options are to renovate the Circuit Court facility or to find an alternate location. Consolidation of the Circuit Court into the Superior Court building does not appear possible in view of the extensive usage of the two separate facilities.

Hartford County

The facilities of the Superior Court buildings in Hartford and New Britain are considered quite good. The Circuit Court facility in Hartford is totally inadequate and in poor condition; it should be replaced or consolidated with court facilities at another location. The analysis of courtroom utilization at the Superior Court building in Hartford indicates that it might be feasible to combine the business of the four courtrooms of the Circuit Court with the

business presently transacted at the Superior Court building if additional nearby space could be leased or purchased for support personnel.

The facilities at Manchester should be relocated or its business consolidated at another court location. The facility at West Hartford is presently inadequate for the court's business and consideration should be given to leasing of additional commercial space or additional space from the Town in order to make it an adequate facility.

It is noted that the Judicial Department has plans for the construction of a new Superior Court building in the city of Hartford which could enable the consolidation of present Circuit Court business in the present Superior Court building.

New Haven County

The facilities of the Circuit Court in New Haven are considered highly substandard and reflect poorly upon the Judicial System. It is planned that the Circuit Court will move into the present Superior Court building in New Haven as soon as the new Superior Court building has been occupied.

No decision has been reached with respect to the temporary building presently being utilized by the Superior Court.

The facilities of Ansonia Circuit Court require renovation.

In Waterbury a new Superior Court building is presently under construction and should be completed in 1974. The present Circuit Court facilities are considered inadequate and should be extensively renovated and augmented

by the leasing of additional space. Alternatively they should be relocated.

Fairfield County

The new Superior Court building in Bridgeport should be ready for occupancy in 1974 thus providing a larger number of courtrooms for the transaction of business in Fairfield County. The Circuit Court facility in Bridgeport is a very poor, inadequate facility which should be replaced, or the business of this Court should be consolidated in the new Bridgeport Superior Court building in view of the fact that there would appear to be available courtroom time.

The Circuit Court facilities in Norwalk and the courthouse at Danbury should be renovated to bring them up to acceptable standards.

General Observations

Parking represents a significant problem at many of the court locations in the State. There is usually a limited amount of parking available for court personnel and sometimes jurors. However, parking for attorneys and litigants is frequently lacking, thus rendering the facilities inconvenient.

Audibility in the courtrooms is too often a problem, particularly in the busy Circuit Courtrooms; it is frequently impossible for court personnel and especially for spectators to hear what is being said at the front of the courtroom. Sound amplification equipment should be provided in essentially every courtroom to insure that all proceedings are audible to all those present in the courtroom. This amplification should not be limited to the judge's bench, which is frequently

the case; microphone pickups should be present at the witness box and at counsel tables, etc. Moreover the amplification equipment which was found is generally unused or inoperative.

Air conditioning should be provided at all court facilities to insure that the courtrooms may be comfortably used all year round. Opening of windows to provide cooling or circulation of air frequently increased the problems of audibility.

SUMMARY

Based upon the results of this survey, it is believed that it would be possible to consolidate court business into a lesser number of locations in some instances. New facilities are urgently required in certain towns, and some of the facilities can be rendered more usable by the leasing of additional space adjacent thereto for the use of court support personnel. Renovations are necessary in a number of locations to bring the court facilities to acceptable standards. Air conditioning should be provided in all courtrooms in order to insure comfortable usage during the summer months. Sound amplification is urgently required in many courtrooms to provide audibility.

Greater consideration should be given to the availability of adequate parking in the selection of courthouse sites.

Unified control over all courtrooms in the State should be ensured to enable efficient selection and utilization. The State Judicial Department should have complete control over the selection of facilities and locations.

There is a considerable amount of unused courtroom time available in the facilities of some of the counties, and consideration should be given to the transfer of court business from the more congested urban centers to such facilities.

Lastly, the Survey Committee wishes to express its sincere appreciation to the industry of the State of Connecticut which volunteered expert personnel and keypunch and computer time and resources; to Southern New England Telephone Company which volunteered its trained real estate and building personnel; to the many citizens of the State who manned the courtrooms of the State during the week of October 1; and to the judges, clerks and other personnel of the Judicial Department for their valuable assistance.

Court Facility Study

The attached study of Superior, Common Pleas and Circuit Court room facilities is basically an inventory of physical plant with comments as to the study team impression of condition.

The study team feels that all court facilities should have a rating of "Good" in all categories. Any rating of "Fair" or "Poor" should be improved either by renovation or relocating the entire function to new facilities. The individual reports indicate where renovations are not considered feasible and relocation is recommended. In the situation where the court facilities are in good condition, or can be renovated, but support services are crowded, it is recommended that additional nearby space be leased, a temporary structure be added or a building addition constructed.

The designation "Acoustics" indicates the audibility of various rooms. In the court rooms it is the degree of difficulty in hearing the proceedings by the court personnel and/or the spectators. In the various other rooms such as judges' chambers, general office areas, etc., it indicates that the overall noise level is a detriment to efficient operation.

No attempt was made to determine if the size of rooms are adequate to handle the necessary work load, hence, the heading "Total Capacity" only indicates the amount of furniture found in the various rooms to seat people. The heading "Adequacy of Furnishing" indicates the condition.

Public address systems only indicate the existence of equipment and not necessarily that it is used or operative.

Areas housing mechanical equipment such as boiler rooms, fan rooms, service courts, electrical switch gear room, etc. are not recorded in this study but are shown on the floor plans if the entire building is used for court functions.

The following key has been used to identify room finishes:

P	Plaster	C	Carpet
B	Brick	P.H.	Partial Height
BL	Block	G.B.	Gypsum Board
W	Wood	G	Glass
R.T.	Resilient Tile	V.C.	Vinyl Wall Covering
Ac.T.	Acoustic Tile	L	Linoleum
		T	Terrazzo

Litchfield - Superior & Common Pleas Court

General Information

These facilities are located in the center of this quaint town facing the town green. The building was built in 1888 and has been generally well cared for. Street lighting is adequate.


Parking

Parking is provided in front of the building for the Judge and Prosecutors cars. On street parking within the vicinity of the Courthouse is available on a metered first come basis.


Remarks

Although an old building, without air conditioning, elevators or a plush interior, this facility seems to work well in the overall scheme. Lighting modernization, the installation of air conditioning and provision for a Public Address System would make this a good court facility.

ROOM NAME / USE	SIZE SF	JURY CAPA CITY	TOIL	GENL MIF	FINISH	FLOOR	CLG HT	LIGHTING	ACOU NCAN	P.A. STIG	ACOUSTIC COUNTRYSIDE	AIR COND UNIT COOL SIST
FIRST FLOOR												
Vestibule	200	-	Good	W/P	R.T.	PLST	15'	X	Fair	Fair	No	No
Clerks 1	315	4	X	"	"	"	"	X	"	"	"	"
Clerks 2	315	4	"	"	"	"	"	X	"	"	"	"
Vault	162	-	"	"	"	"	"	X	"	"	"	"
Office #1	252	2	"	"	"	"	"	X	"	"	Good	"
Office #2	158	2	"	"	"	"	"	X	"	"	"	"
Office #3	180	2	"	"	"	"	"	X	"	"	"	"
Jury Assembly rm.	760	30	X X	"	"	"	"	X	"	"	"	"
Jury	195	1-2	X	"	"	"	"	X	"	"	Fair	"
Jury Room	300	13	X X	"	"	"	"	X	"	"	"	"
Court Room	1120	Yes	85	"	"	"	"	X	Poor	Poor	No	Fair
SECOND FLOOR												
Judges Chamber #1	300	2	X	Good	W/P	R.T.	PLST	10'	X	Good	Fair	Fair
Conf. Room #1	300	5-8	"	"	"	"	"	10'	X	Fair	"	"
Courtroom	1457	Yes	30+	"	"	"	"	16'	X	Poor	Poor	No
Jury Room	288	30	X X	"	"	"	"	10'	X	Fair	Fair	"
Judges Chamber #2	192	2	X	"	"	"	"	"	X	"	"	"
Judges Chamber #3	285	2	X	"	"	"	"	"	X	"	"	"
Office	195	2	"	"	"	"	"	X	"	"	"	"
Lawyers	143	3	"	"	"	"	"	X	"	"	"	"
Conf. Room #2	198	4-6	"	"	"	"	"	X	"	"	"	"
Library	560	6-8	"	"	"	"	"	X	"	"	"	"



LITCHFIELD
SUPERIOR COURT & COMMON PLEAS
FIRST FLOOR
 $16^{\prime} = 1^{\prime}-0^{\prime}$



LITCHFIELD
SUPERIOR COURT & COMMON PLEAS
SECOND FLOOR
 $16' = 1-0'$

18th Circuit Court - Torrington
Town Hall Building - 140 Main St.

General Information

These facilities are located on the second and third floors of the Town Hall Building in the Downtown Business District of Torrington and is leased from the City of Torrington.

The building was erected in 1938 and its design and construction is typical of that time. The building is equipped with an electric elevator, is in generally good condition and has adequate street lighting.


Parking

There are six spaces reserved for the Judges and Prosecuting Attorneys. Street and Municipal parking facilities are nearby.

Remarks


Court facilities appear adequate but in need of improved lighting, acoustical treatment and general re-painting. A public address system should be provided. The above renovation would make this a good facility.

ROOM NAME / USE	SIZE SF'X' 52,571	JURY	TOTAL CAPA CITY M.F.	TOIL GENL	FINISH WALLS FLOOR	CIG	CLG HT.	LIGHTING JAN ALMON LEVEL	ACON STIC. SIST.	P.A.	ADEQUACY OF EQUIPMENT	AIR COND UNIT	GENE SYST
SECOND FLOOR													
Resident Judges Ofc.	165	1-3	Fair	G.B. R.T. A.T.	9'			X Fair	Fair	Fair	No	No	
Assistant Clerks Ofc.	165	2	"	"	"			X "	"	"	"	"	
Probation Officers Ofc.	180	2	"	"	"			X "	"	"	"	"	
Domestic Relations Ofc.	195	4	"	"	"			X "	"	"	"	"	
Storage	40		"	"	"			X "	"	"	"	"	
Corridor	765		"	"	"			X "	"	"	"	"	
THIRD FLOOR													
Court Room	1188	Yes	Fair	PL	R.T. A.T.	12'		X Poor	Poor	No	Fair	Fair	No
Judges Chambers	264	4	X	"	"	"		X Fair	Fair	"	"	"	
Jury Room	204	12	XX	"	"	"		X "	"	"	"	"	
Ante Room	99	2	"	"	"	"		X "	"	"	"	"	
Office	682	4	"	"	"	"		X "	"	"	"	"	
Corridor	990		"	"	"	"		X "	"	"	"	"	
Prosecuting Atty Ofc.	180	6	"	"	"	"		X "	"	"	"	"	
Court Library & Conf Rm.	525	20+	"	"	"	"		X "	"	"	"	"	
Jury Assembly Rm.	640	40+	"	"	"	"		X "	"	"	"	"	



TORRINGTON
CIRCUIT COURT - 3RD FLOOR

1" = 10'-0"



18TH Circuit Court
338 Main St. Winsted

General Information

Located on the first floor of the Town Hall Building this court facility is visually, a page from history. The building was built around 1880, is typical of the Colonial Architecture and is located in a moderately well kept business area which has adequate street lighting. Space for the Court facility is leased from the Town.

Parking


Although there is no reserved parking for the court, there appears to be adequate on street facilities.

Remarks

This building is old and requires renovation consisting of lighting, painting, acoustical treatment and the installation of air conditioning and a public address system. Because this court has limited use, large expenditure for renovation does not seem justified and consideration should be given to a new consolidated facility.

ROOM NAME / USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE
ROOM NAME / USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE	SIZE	USE
Court Room	15'3"	Yes	6'	Yes	15'	No														
Jury Room	25'		12'	X	2'		2'		2'		2'		2'		2'		2'		2'	
Judge's Chambers	23'		2'	X	1'		1'		1'		1'		1'		1'		1'		1'	
Court Clerk	22'		1'		4'		4'		4'		4'		4'		4'		4'		4'	
Clerk's Office	26'		4'		2'		2'		2'		2'		2'		2'		2'		2'	
Vault	140'		2'		2'		2'		2'		2'		2'		2'		2'		2'	
Pros. Attorney	153'		2'																	

WINSTED CIRCUIT COURT
1ST FLOOR - TOWN HALL
SCALE 1" = 10'



New Milford - 3rd Circuit Court

New Milford - Circuit Court

General Information

The New Milford Circuit Court faces the town green of this early New England - Styled town. Court facilities are located on the second floor of the wood framed town hall building and is leased from the town of New Milford.


The architecture of this building is federal with an exterior of brick.

卷之三

Limited parking is provided at the rear of the building for the Judge and prosecutors. The majority of cars use the street for parking.

Remarks

This is a well maintained facility with simple but apparently adequate furnishings. A public address system, however, should be installed in the court room.



NEW MILFORD
CIRCUIT COURT
SECOND FLOOR
 $1'' = 10'-0''$

State Courthouse - New London
Superior and Common Pleas Courtrooms

General Information

This is an attractive colonial building built in 1784 and is comprised of a basement and two floors. The building is of wood frame construction, has steam heat and is sprinklered in addition to a fire alarm system to the firehouse. The Courthouse is in good condition in a well kept business neighborhood with excellent street lighting.

Parking

The building occupies the entire lot. Twenty-one parking spaces are provided for court use on a paid basis in a nearby lot. Limited street parking is available plus additional paid parking facilities.

Remarks


This is an attractive, old and worn building. Due to space limitations and layout, it is questionable whether this facility could ever meet present-day requirements. Replacement of this facility is recommended.

New London Superior and Common Pleas Courts
State Court House, Huntington Street, New London

ROOM NAME / USE	SIZE sq ft	TOTAL JURY CAP. CITY USE	TOIL GEN PAC CODE	FINISH PA CODE	ACON CLS CODE	PA CLS CODE	ADDUCT CLS CODE	AIR COND CLS CODE
					GEN CLS CODE	PA CLS CODE	ADDUCT CLS CODE	AIR COND CLS CODE
Deputy Library	1980			Good P " "	R.G.C. 2 " "	12 " "	X " "	Good " "
Library Office	200							
Prisoners Room	205		X	Med Conc " "	Conc P " "	15 " "	X " "	Med " "
Public Toilets			X X					
 FIRST FLOOR								
Deputy Sheriff	395	B	Med W.D.R.T.	P	12	X	Med " "	Good " "
Sheriff	175	5	Good P	C	"	X	Good " "	" "
Jury Room #5	170	8	Med W.D.R.T.	"	"	X	Med " "	" "
" #6	115	6	"	"	"	X	"	" "
Vacant	110		"	P	"	X	"	" "
Court Reporter	85	4	"	"	"	10	"	" "
Superior Courtroom	1840	Yes 100	"	WP	C	"	X	" "
Jury Deliberation	330	38 X	"	T	"	20	X	" "
Judges Chambers	250	8 X	Good	P	"	12	X	" "
Clerk	175	2	Med	"	"	X	Med " "	" "
Judge #1	175	6 X	Good	"	"	X	Good " "	" "
Jury Assembly	85	8	Med	W.P.	P.T.	"	X	Med " "
"	120	4	"	"	"	X	"	" "
"	180	17	X	"	"	X	"	" "
Second Floor								
Jury Deliberation	285	27	X	Med	W.P.	L	12	X
Common Pleas Courtrooms	900	Yes 45	Good	"	C	"	20	X
Judges Chambers	185	5 X	"	P	"	"	12	X
Prosecuting Atty	120	5 X	"	W.P.	C	"	X	" "
Vacant #1	110		"	"	L	"	X	" "
" #2	180		P	L	P	9	X	" "
" #3	90							
Public Toilet								

-48-

COURT-
ROOM



NEW LONDON
SUPERIOR COURT

BASEMENT

1/8" = 1'-0"



-49-


NEW LONDON
SUPERIOR COURT

BASMENT

$\frac{1}{16}'' = 1'-0'$

-50-





Tenth Circuit Court - New London

General Information

The Tenth Circuit Court facility in New London consists of approximately 2,500 square feet, is leased from the City of New London, and is located on the second floor of the New London Police Building, 111 Union Street, New London.

The building was constructed about 1920, is of classic architecture and not very well maintained. The building is heated by hot water and is not air conditioned. No elevator is available.

Parking

About 40 free parking spaces exist on site and an additional 30 free parking spaces are adjacent. A pay parking garage is located nearby.

Remarks

Court facilities appear to be very crowded, not well maintained, noisy and in need of upgrading. *This Facility Should Be Replaced*

Tenth Circuit Court - New London

General Information

The Tenth Circuit Court facility in New London consists of approximately 2,500 square feet, is leased from the City of New London, and is located on the second floor of the New London Police Building, 111 Union Street, New London.

The building was constructed about 1920, is of classic architecture and not very well maintained. The building is heated by hot water and is not air conditioned. No elevator is available.

Parking


About 40 free parking spaces exist on site and an additional 30 free parking spaces are adjacent. A pay parking garage is located nearby.

Remarks

Court facilities appear to be very crowded, not well maintained, noisy and in need of upgrading. This facility should be replaced.

Tenth Circuit Court
111 Union Street, New London

ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY CAPA. CITY	TOTAL CAPA. FAC.	GENL COND.	FINISH WALLS FLOOR	CLG. HT.	FLUOR. LEVEL	LIGHTING	ACOU. STIC.	P. A. SIST.	ADEQUACY OF COURT ROOM	AIR COND. UNIT CENT. ROOM SYST.
Second Floor												
General Office	480	12	Poor	P	L	Ac.T	12'	X			Good	
Court Clerk	90	3	"	"	"	"	"	X			"	
Vault	150		Med	"	RT	"	8 1/2'	X			"	
Court Room	960	No	71	Poor	"	L	"	12'	X	Poor	No	Good
Court Reporting	60	2	Med	"	"	P	"	X			"	
Prosecutor	155	3	"	"	"	"	"	X			"	
Storage	120		"	"	"	"	"	X			"	
Judge	115	4	X	"	"	"	"	X			"	
Family Relations	215	10	"	"	"	"	"	X			"	
Public Toilets												



Superior, Common Pleas and Circuit Courts
City Hall, Union Square, Norwich

General Information

This building was originally County-owned, is now City-owned with the state sharing expenses. The structure is of mixed victorian architecture constructed in 1874 of stone and brick exterior and white painted trim. There are three floors and a mezzanine in use plus an unused attic. This is an old, fairly well maintained building and in good condition considering age. It would not meet present day building objectives. The building has an electrically operated elevator and is steam heated. The Superior Court Clerical forces and Judges offices have window air conditioning units. The acoustical tile ceiling in the Circuit Court Judges Chambers was in poor condition due to a leaky ceiling.

Parking

On site parking is limited to 7 spaces (3 for Judges). Union Square parking offers 60 metered spaces. A nearby synagogue parking lot of 25 spaces is rented for court use.

Remarks


Based upon age, wood frame construction, improvements in building construction as regards to comfort and safety consideration should be given to the future replacement of these facilities.

Superior Common Pleas, Circuit
City Hall, Union Square, Norwich

ROOM NAME / USE	SIZE	TOTAL YR. GEN.	FINISH	LIGHTING	ACCT. P.A.	ACCT. AIR COOL.	ACCT. F.A.	ACCT. AIR COOL.	ACCT. F.A.	ACCT. AIR COOL.	ACCT. F.A.
	sq ft	sq ft	BRICK	CLO	CLO	CLO	CLO	CLO	CLO	CLO	CLO
Superior Court Chambers	1285	Yes	60	Med	P.	R.T.	C. Met.	12'	X	Med	No. Good
Court Clerk	175	5	"	"	"	"	"	"	X	"	"
Public Toilets	55	"	X	S	S	C	Conf.	"	X	Good	"
Judges Chambers	243	4	"	"	P	L	Met.	"	X	"	"
Jury Room	130	4	X	Rock	P	C.	"	"	X	"	"
Study	170	8	"	"	CB	E.T.	"	"	X	"	"
Wardrobe, Men's Room											
Second Floor											
Judges Room - Panel	160	4	Med	P.D.	C	Ac.T.	12'	X	Med	Good	"
" - Clerks	125	5	"	"	"	"	"	"	"	"	"
" - Drinker	160	4	"	"	"	"	"	"	"	"	"
" - Storage	305	4	"	"	"	"	C. Metal	15'	"	"	"
STUDY	490	"	"	Room	P	W.	"	"	X	POOR	"
Tax Library	1260	"	"	P	W.	"	"	"	X	"	"
Superior Court Records	425	6	Med	P.	E.T.	P.	15'	X	Med	"	"
Superior Court Clerk	250	6	"	P.	"	"	"	"	"	"	"
Superior Court Vault I	180	"	Med	B	"	P.	10'	X	"	"	"
Superior Court Seal Ofc	540	7	Med	P	"	Ac.T.	15'	X	"	"	"
Superior Court Vault II	160	"	B	L	P	10'	X	"	"	"	"
Third Floor											
Inquiry Room	280	10	Med	P.	R.T.	P.	15'	X	POOR	Good	"
Pros. Att'y	135	4	Poor	P.	"	P.	15'	X	"	"	"
Circuit Court (Council Chamber)	2235	Yes	104	Med	W.P.	"	Ac.T.	15'	X	Med	Good
Judges Chambers	200	5	X	Med	W.	"	8'	X	"	"	"
Public Toilets			"	X	X						
Circuit Court Ofc.	355	4	Med	P.	R.T.	P.	15'	X	Med	Good	"
Family Relations	180	3	"	P.	"	P.	15'	X	"	"	"
Joint Jury Assembly	305	24	Good	P.	"	Ac.T.	9'	X	Good	"	"
Superior Vault	310	"	Med	B	L	P.	10'	X	Med	"	"
Superior Detention	280	"	"	P.	R.T.	P.	15'	X	"	"	"
Conference Room	255	6	"	P.	"	P.	15'	X	"	"	"
Superior Courtroom	2150	112	"	W.P.	R.T.	C. Met.	25'	X	Good	No	"
Judges Chambers	250	6	X	Good	P.	C.	15'	X	Good	"	"
Jury Deliberation	249	18	X	Med	W.P.	R.T.	P.	15'	X	Med	"

- 58 -


NORWICH
SUPERIOR & CIRCUIT COURTS
1ST FLOOR - CITY HALL BUILDING
1" = 20'-0"



- 59 -


NORWICH

SUPERIOR & CIRCUIT COURTS
2ND FLOOR - CITY HALL BUILDING
1" = 20'-0"



NORWICH

SUPERIOR & CIRCUIT COURTS
3RD FLOOR - CITY HALL BUILDING
1" = 20'-0"



Tenth Circuit Court - Groton
Groton Town Hall, Fort Hill Road, Groton

General Information

The Groton Town Hall, basement and two floors, was originally constructed in 1908 and added to in 1937 for the court facilities. The exterior is red brick with white painted trim and somewhat colonial in appearance. The court facilities are leased from the town and considering the age, are in good condition. The street lighting is adequate and the neighborhood is both residential and business and moderately well kept.

The Tenth Circuit Court meets every Tuesday at Groton and the balance of the week in New London. (The Norwich section meets Monday through Friday).

Parking

There are fifty on-site parking spaces with five reserved for court use. An adjacent school provides ample parking spaces in the summer. Street parking supplements site parking.


Remarks

The court facilities are old but fairly well maintained. The support space appears limited. Renovations should not be undertaken. Consolidation with a new facility in New London should be considered.

Tenth Circuit Court - Groton
Groton Town Hall, Fort Hill Road, Groton

ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY CAPA CITY	TOTAL CAPA M.F.	GENL COND.	TOIL. FAC.	FINISH WALLS	FLOOR	CLG. CIG.	CLG. HT.	INCAN.	FLUOR.	LEVEL	ACOUSTIC.	P. A. SYST.	ADEQUACY OF FURNISHINGS	COURT PUBLIC ROOM	AIR COND. UNIT	GENT. ROOM SYST.
Basement																		
Court Room	1290	No	84	Good	W.P.	R.T.	AC.T.	11'	"	X	Med	Good	No	Good	Good	"		
Judges Chamber	165	x	5	Poor	P	"	"	11'	"	X	"	"	"	"	"	"		
Prosecuting Atty	135		6	Med	B	"	P	11'	"	X	Good	"	"	"	"	"	x	
Court Clerk	125		3	"	B	"	"	8'	"	X	"	"						
First Floor																		
Resident Judge	165		4	Good	P	C	AC.T.	11'	x	Poor	Good							

*GROTON - CIRCUIT COURT
BASEMENT - Room 10'-0"*



Tolland County Superior and Common Plea Courts
Brooklyn Street, Rockville

General Information


This new court facility was completed in 1969 and is leased from the Alco Development Corp. for twenty-five years. The building includes a partial basement, full first floor and a partial second floor. The building is contemporary in style, is air conditioned and heated electrically and includes a fire alarm system. The building is well kept in a well kept business neighborhood with one exception; there are several deteriorating houses located above and behind the court house on High Street.

Parking

There are 149 parking spaces on site for use of the courts. Parking appears to be sufficient. There is also additional parking available in a nearby shopping center.

Remarks


This facility efficiently meets court use requirements but a public address system should be provided.



TOLLAND COUNTY COURT HOUSE (ROCKVILLE)

FIRST FLOOR


1" = 20'-0"



TOLLAND COUNTY COURT HOUSE (ROCKVILLE)

ROOF PLAN

1" = 20'-0"



TOLLAND COUNTY COURT HOUSE (ROCKVILLE)

BASEMENT

11'-0" - 20'-0"

Twelfth Circuit Court - Rockville

General Information

This court functions on the first and third Tuesdays, the Judge coming from Manchester.

This court leases second floor space in the Rockville Town Hall which was constructed in 1889. The building has a basement and three floors, is of classic style with exterior walls of red stone and brick.

The building has steam heat and there is no air conditioning in the court facilities. The building is reasonably well kept but the interior is old, worn and deteriorated.


The building fronts on a small green in a moderately well kept business neighborhood and has adequate street lighting.

Parking

There is a total of fourteen parking spaces on-site for town hall use including three reserved for court use. There are nearby shopping center lots with additional parking available about two blocks away.

Remarks

This facility is old, worn and generally not up to normal standards. The courtroom acoustics were poor. This facility should be abandoned.



ROCKVILLE
CIRCUIT COURT
SECOND FLOOR

$$1'' = 10' - d'$$

Twelfth Circuit Court - Stafford Springs

General Information

This court functions on the second and fourth Tuesdays, the Judge coming from Manchester.

The court leases first floor space in the Stafford Springs Town Hall which was constructed in 1922. The building has three floors, is of classic style with brick walls. The building has steam heat with no air conditioning in the court facilities.

The building is generally poorly kept and run down as is the business and industry neighborhood. Street lighting is adequate.


卷之三

There are forty-one on-site parking spaces with three reserved for court use. The parking is free and available on a first come basis.

PAPERS

This facility is old, poorly kept and generally inadequate. Early replacement of this facility is recommended.

Twelfth Circuit Court, Stafford Springs
Town Hall, Stafford Springs



卷之三

1/2¹¹ = 1' - 2"

10-10

Willimantic - Superior and Common Pleas Courts
108 Valley Street, Willimantic

Willimantic Superior and Common Pleas Courts
109 Valley Street, Willimantic

Gesamt. Inlandseich


This state-owned court facility was completed in 1972, is of contemporary design, is well kept in a well kept business neighborhood with excellent street lighting. The building is a one floor structure with a partial basement and is air conditioned and has hot water heat plus a fire alarm system to the firehouse.

卷之三


On site parking is limited to twenty-four spaces reserved for court personnel. Additional free parking is available at the municipal lot one block away by use of tickets.

三
卷之三

This is a modern, well kept facility that appears to meet present day objectives. Addition of a public address system would be considered.



WILLIMANTIC
SUPERIOR COURT
BASEMENT
 $\frac{1}{16}^{\prime \prime}$ - 1'-0"



WILLIMANTIC
SUPERIOR COURT
FIRST FLOOR
 $\frac{1}{16}$ " = 1'-0"

**Eleventh Circuit Court
Town Hall, 979 Main Street, Willimantic**

LAUREL LIBRARY

The Eleventh Circuit Court is located on the first floor of the Willimantic town hall (former Windham County Courthouse) and is leased from the town. The rear section of support office adjacent to the courtroom is of recent construction with the main building constructed in 1896. The building is of red brick and is classic in style. The outside appearance is good in a moderately well kept business and residential neighborhood with adequate street lighting. The building has 3 floors and a basement, has hot water heat and no air conditioning.


卷之三

There are 18 on-site parking spaces with 7 reserved for the coast. A municipal lot is nearby and available on a paid basis.

三

The facilities appear somewhat limited for heavy use. Replacement and/or consolidation should be considered.

**Eleventh Circuit Court
Town Hall, Former County Courthouse
979 Main Street, Willimantic**



Putnam Superior and Common Pleas Courts

General Information

The Putnam Courthouse at 155 Church Street, Putnam is a state owned facility built in 1967 of two stories and a partial basement. It is contemporary in design, well kept in a well kept business and residential neighborhood with adequate street lighting. The building is air conditioned, has hot water heat, is equipped with smoke and heat detectors and a fire alarm system connected to the firehouse.


Parking

There are 38 on-site parking spaces which appears adequate for court needs.


Remarks


This is a modern, very well maintained facility. Vault space was indicated as being too small for requirements. All in all, one of the best facilities surveyed. Consideration should be given to provision of a public address system.

PUTNAM
 SUPERIOR & COMMON PLEAS COURT
 BASEMENT
 $1'' = 20'-0"$



PUTNAM
 SUPERIOR & COMMON PLEAS COURT
 1ST FLOOR
 $1'' = 20'-0"$





PUTNAM
SUPERIOR & COMMON PLEAS COURT
2ND FLOOR
1" = 20'-0"

Putnam Superior and Common Pleas Courts
Putnam Courthouse
155 Church Street, Putnam

Eleventh Circuit Court - Danielson
Municipal Building, 127 Main Street, Danielson

Eleventh Circuit Court, Danielson
 Municipal Building, 127 Main Street, Danielson

General Information

This leased facility is owned by the Town of Killingly (Danielson) and was constructed in 1876. The building is of red brick and classic in style and is of good appearance. The building is of 3 floors and a basement. However, the third floor is no longer in use. The court facilities located on the second floor. The building is in the "downtown", moderately well kept business neighborhood and has adequate street lighting. Court sessions are held on Monday and Friday at Danielson and Tuesday, Wednesday and Thursday at Willimantic.

Parking

There is a total of 37 free municipal parking spaces in the lot at the rear of the Town Hall. Eight spaces reserved for court use.

Remarks

The courtroom and jury room are in good condition, evidently of recent renovation. The remaining facilities are more representative of the age of the building - adequate but old. A new facility should be obtained rather than proceeding with further renovations.

The Family Relations group - 2 people - is located across the street from the Circuit Court in commercially leased space at 134 Main Street. The two offices are located on the second floor of a 125 year old, federal style, wooden building recently renovated. Ten parking spaces are available with two reserved for Family Relations use.

ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY CAPA CITY	TOTAL FAC. M.F.	TOIL. COND.	GENI COND.	FINISH WALLS FLOOR	CLG. HT.	INCAN. FLUOR. LEVEL	ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND. UNIT	CENT. ROOM	COURT PUBLIC SYST.
Second Floor Prosecuting Att'y	275	7	Med	P	R.T. AC.T.	9'	X	Med	X	Good	X	"	"	"
Vault	215	"	"	BL	Conc P	9'	X	"	"	"	"	"	"	"
Clerks	310	5	"	P	R.T. G.B.	12'	X	Good	"	"	"	"	"	"
Court Clerk and Asst	225	4	"	"	"	"	X	"	X	Good	X	"	"	"
Bail Commissioner	155	7	"	"	"	"	"	"	X	Med.	"	"	"	"
Jury Assembly	350	18	"	"	"	"	"	"	X	"	"	"	"	"
Resident Judge	175	3	"	"	"	"	"	9'	X	"	"	"	"	"
Presiding Judge	225	5	X	"	Good	W	R.T.C.	"	X	"	Good	No	"	Good
Courtroom	945	Yes 80	"	"	P	R.T.	"	11'	X	"	"	"	"	"
Jury Deliberation	340	14	X	X	"	P	R.T.	"	X	"	"	"	"	"
Public Toilets														
Family Relations Office, Danielson Second Floor, 134 Main Street, Danielson														
Second Floor Clerical Ass'ts Ofc.	140	6	Good	P	R.T. AC.T.	7'	X	Med.	"	Good	X	"	"	"
Private Ofc	130	3	"	P	R.T.	"	X	"	X	"	"	"	"	"
Tenant's Toilet														

CLERICAL ASSISTANT'S

OFFICE


PRIVATE
OFFICE

(HEARINGS &
INTERVIEWS)

DANIELSON
FAMILY RELATIONS
SECOND FLOOR

134 MAIN STREET

3/8" = 1'-0"
-88-



DANIELSON
CIRCUIT COURT
SECOND FLOOR
1" = 10'-0"

Middletown Superior Court

Page 1 of 2

Middletown Superior & Common Pleas CourtGeneral Information

The Middletown Superior Court facility was built in 1959 on the outer edge of the downtown Redevelopment area. The building is two stories in height with a basement and is owned by the State of Connecticut.

Parking

There are approximately 10 spaces on site reserved for this court, a Municipal parking lot within walking distance and some on street parking.


Remarks

A generally well maintained but over crowded facility in need of air conditioning for the office areas.

The Courtrooms themselves are adequate except for the lack of public address system which should be provided. The over crowded office conditions is the biggest detriment to this Court facility.


ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY	TOTAL CAPA- CITY	TOIL. FAC.	GEN'L COND.	FINISH			LIGHTING			ACOUSTIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT	AIR COND.	
						WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL			UNIT ROOM	CENT. SYST.
Basement																
Cell Area	660		8		Good	B	R.T.	Con.	9'6"		X	Good	Good		Fair	No
Sheriffs Office	239		4		"	BL	"	Ac.T.	"		X	"	"		"	"
Vault	342				"	"	"	"	"		X	"	"		"	"
Custodial Area	600				"	"	"	"	"		X	"	"		"	"
Ante Room	216		3		"	"	"	"	"		X	"	"		"	"
Storage	212				"	"	"	"	"		X	"	"		"	"
First Floor																
Jury Room	264		13		Good	GB, BL	R.T.	Ac.T.	9'6"		X	Good	Good		Good	No
Judges Chambers	221		4		"	"	"	"	"		X	"	"		"	"
General Hearing Rm.	667		40		"	"	"	"	"		X	"	"		"	"
States Atty.	168		3		"	"	"	"	"		X	"	"		"	"
Waiting Room	117		3		"	"	"	"	"		X	"	"		"	"
Detective	192		3		"	"	"	"	"		X	"	"		"	"
Consultation Rooms	190		2 ea.		"	"	"	"	"		X	"	"		"	"
Waiting Room	80		2		"	"	"	"	"		X	"	"		"	"
Referees Office	240		2		"	"	"	"	"		X	"	"		"	"
Court Clerk	120		2		"	"	"	"	"		X	"	"		"	"
Clerical Office	536		4		"	"	"	"	"		X	"	"		"	"
Vault	360				"	B	"	"	"		X	"	"		"	"
Conference	170		5		"	GB, BL	"	"	"		X	"	"		"	"
Conference	96		3		"	"	"	"	"		X	"	"		"	"
Judges Chamber	198		4		"	"	"	"	"		X	"	"		"	"
Jury Room	286		13		"	"	"	"	"		X	"	"		"	"
Judges Ante Room	108				"	"	"	"	"		X	"	"		"	"
Common Pleas Courtroom	190	Yes	50		"	W	C	"	20		X	"	"	X	"	Good Yes
Venire Room	25		30		"	GB, BL	R.T.	"	9'6"		X	"	"		"	No
Superior Courtroom	330	Yes	50		"	W	C	"	20'		X	"	"	X	"	Good Yes
Detention	87		4		"	GB, BL	R.T.	"	9'6"		X	"	"		"	No

MIDDLETON
SUPERIOR COURT
1ST FLOOR
1" = 20'-0"




CONTINUED

1 OF 3



MIDDLETOWN
SUPERIOR COURT
2ND FLOOR
1" = 20'-0"



Middletown - Ninth Circuit Court

General Information

The Middletown Circuit Court is leased from Marino Plumbing Corporation and is located in the Business District of this City. The building was built in 1969, is Contemporary in architecture, in good condition, and is air-conditioned. The Court occupies the second and third floor of this building and is served by one elevator.

Parking


There is a "pay" municipal parking lot across the street for court personnel and the general public.

Remarks


This is a modern Court facility with a public address system, good lighting, and furnishings. Court room acoustic quality is very good.

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA. CITY	TOTAL FAG. M/F	GENI COND	FINISH WALLS FLOOR	CLG. CLG. HT.	INCAN FLUOR	LIGHTING LEVEL	ACOU STIC	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT	AIR COND. UNIT CENT. ROOM SYST.
Second Floor												
Clerks Office	90		2	Good	G.B. R.T. Ac.T	8'6"	X	Good	Good	Yes	Good	X
Clerks Office	80		2	"	" " "	"	X	"	"	"	"	X
General Office	650		6	"	" " "	"	X	"	"	"	"	X
Vault	342			"	" " "	"	X	"	"	"	"	X
Storage	54			"	" " "	"	X	"	"	"	"	X
Courtroom #1	1,850	No	85	"	W R	" 8'9"	X	"	"	Yes	" Good	X
Judges Chamber	255		4 X	"	G.B. R	" 8'6"	X	"	"	"	"	X
Public Defender	225		4	"	" R.T.	"	X	"	"	"	"	X
Waiting Room	280		6	"	" " "	"	X	"	"	"	"	X
Pros. Atty.	140		2	"	" " "	"	X	"	"	"	"	X
Sec'y.	195		2	"	" " "	"	X	"	"	"	"	X
Lawyers Lounge	273		4	"	" " "	"	X	"	"	"	"	X
Bail Comm.	105		2	"	" " "	"	X	"	"	"	"	X
Clerk Office #2	210		2	"	" " "	"	X	"	"	"	"	X
Clerk Office #1	300		2	"	" " "	"	X	"	"	"	"	X
Conference Rm. #1	196		4	"	" " "	"	X	"	"	"	"	X
Conference Rm. #2	168		4	"	" " "	"	X	"	"	"	"	X
Third Floor												
Family Rel. #1	240		4	Good	G.B. R.T. Ac.T	8'9"	X	Good	Good	Yes	Good	X
Family Rel. #2	120		3	"	" " "	"	X	"	"	"	"	X
Family Rel. #3	120		3	"	" " "	"	X	"	"	"	"	X
Family Rel. #4	150		3	"	" " "	"	X	"	"	"	"	X
Court Reporter	150		2	"	" " "	"	X	"	"	"	"	X
Conference	315		6	"	" " "	"	X	"	"	"	"	X
Lawyers Lounge	252		6	"	" " "	"	X	"	"	"	"	X
Resident Judge #1	182		2 X	"	" " "	"	X	"	"	"	"	X
Resident Judge #2	182		2	"	" " "	"	X	"	"	"	"	X
Conference	154		4	"	" " "	"	X	"	"	"	"	X
Lounge	140		4 X X	"	" " "	"	X	"	"	"	"	X
Pros. Atty.	252		3	"	" " "	"	X	"	"	"	"	X
Judges Chambers	340		4	"	" " R	"	X	"	"	"	"	X
Jury Room	400		12 X X	"	Ac.T R.T.	"	X	"	"	"	"	X
Courtroom #2	1,850	Yes	80	"	W R	" 10'	X	"	"	Yes	" Good	X
Jury Alter.	84		6	"	G.B. R.T.	" 8'9"	X	"	"	"	"	X
Jury Assembly	648		35 X X	"	R.T.	"	X	"	"	"	"	X

MIDDLETON
CIRCUIT COURT
2ND FLOOR
1" = 16'-0"



MIDDLETON
CIRCUIT COURT
3RD FLOOR
1" = 16'-0"



Hartford Superior Court - Hartford County Building
95 Washington Street

General Information

The Hartford Superior Court is located in the basement, first, second and fourth floors of the Hartford County Building. The total building is four stories in height with a basement.

The original building was constructed in 1929 and a partial fourth floor added in 1957.

The building is classic architecture, is in good condition, air conditioned, well kept and is served by two elevators.

Parking

There are two on site parking lots consisting of approximately 90 spaces which are reserved for judges and court personnel. A nearby lot consisting of approximately 75 spaces is reserved parking for jurors. No charge is made for parking.

Remarks

Court facilities appear in good condition, of adequate size with ample toilet facilities. Lighting levels should be improved in some areas and a scheduled re-painting program should be initiated. Public address systems are not in evidence and should be provided.


ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY	TOTAL CAPA CITY	TOIL. FAC.	GEN'L COND.	FINISH			LIGHTING			ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT	AIR COND. UNIT ROOM	CENT. SYST.
						WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL				
Basement																
Vault #1	560				Good	Conc.	Conc.	Conc.	8'	X		Fair		Good	"	
Vault #2	500				"	"	"	"	"	"	X	"		"	"	
Sten. Vault	165				"	"	"	"	"	"	X	"		"	"	
Kitchen	144				"	"	W	"	"	"	X	"		"	"	
Public Defender #1	120	2	x		"	"	"	"	"	"	X	"		"	"	
Public Defender #2	170	2			"	"	"	"	"	"	X	"		"	"	
Public Defender #3	100	1			"	"	"	"	"	"	X	"		"	"	
Public Defender	190	3			"	"	"	"	"	"	X	"		"	"	
Storage	60				"	"	"	"	"	"	X	"		"	"	
2 Closets	90				"	"	"	"	"	"	X	"		"	"	
Carpenters Shop	615				"	"	Conc.	"	"	"	X	"		Good	"	
Vault #3	615				"	"	"	"	"	"	X	"		"	"	
Vault Records	470				"	"	R.T.	"	"	"	X	"		"	"	
States Atty Storage	260				"	"	"	"	"	"	X	"		"	"	
Exhibit Court Storage	260				"	"	"	"	"	"	X	"		"	"	
Storage Rm.	160				"	"	"	"	"	"	X	"		"	"	
Sheriff Room	175	3			"	"	Conc.	"	"	"	X	"		"	"	
Press Room	190	3			"	"	"	"	"	"	X	"		"	"	
Male Pris. Pen #1	480	4	x		"	B	"	"	"	"	X	"		"	"	
Male Pris. Pen #2	190	1	x		"	"	"	"	"	"	X	"		"	"	
Cell	95	1			"	"	"	"	"	"	X	"		"	"	
Guard Room	225	2	x		"	"	"	"	"	"	X	"		"	"	
First Floor																
Supt. Ofc.	145	2			"	P	L	P	10'	X	Good	"	"	"	x	
Storage	60				"	"	"	"	"	"	X	"		"	x	
Copy Room	180	2			"	"	"	"	"	"	X	"		"	x	
Office #1	250	2			"	"	"	"	"	"	X	"		"	x	
Mail Room	215	2			"	"	"	"	"	"	X	"		"	x	
Office #2	215	2			"	"	"	"	"	"	X	"		"	x	
Office #3	325	2			"	"	"	"	"	"	X	"		"	x	
Womens Locker Room	145		x		"	"	"	"	"	"	X	"		"	x	
Vault	540				"	"	"	"	"	"	X	"		"	x	
Clerk-Gen. Ofc.	1000	8	x		"	"	C	"	"	"	X	"		"	x	
Clerks Ofc.	320	2	x		"	"	R.T.	"	"	"	X	"		"	x	
Sup. Court #2	1600	Yes	90		"	W	C	Ac.T.	30'	x	"	"	"	Good	x	
Jury Room	300		12	x	x	"	P	L	P	10'	x	"	"	"	x	

ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY	TOTAL CAPA CITY	TOIL. FAC.	GEN'L COND.	FINISH			LIGHTING			ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT	AIR COND. UNIT ROOM	CENT. SYST.
						WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL				
First Floor (cont)																
Judge's Retire Rm	190	2			Good	P	L	P	10'	X		Good		Good	"	x
Court Room Lobby	935				"	"	T	"	15'	X	"	"		"	x	
Coat Room	215		x		"	"	L	"	10'	X	"	"		"	x	
Alt. Jurors Room	220	14			"	"	R.T.	"	9'	X	Poor		Good	"	x	
Public Defenders	315	3			"	"	"	"	"	"	X	"		"	x	
Sup. Court #1	2300	Yes	90		"	W	C	"	35'	X	"	Fair	No	"	Good	x
Jury Room	300	12	x	x	"	P	R.T.	"	9'	X	"	"		"	Good	x
Judges Retir. Room	215	1			"	"	"	"	"	"	X	"		"	x	
Jury Room #1	520	12	x	x	"	"	Ac.T.	"	"	X	Fair		"	"	x	
Jury Room #2	520	12	x	x	"	"	"	"	"	X	"		"	"	x	
Sup. Court #3	1600	Yes	90		"	W	C	P	"	X	Poor	Fair	No	"	Good	x
Jury Room	300	12	x	x	"	P	R.T.	"	9'	X	"	"		"	Good	x
Judges Retir. Room	190	1			"	"	"	"	"	X	"	"		"	x	
Court Room Lobby	605				"	"	T	"	15'	X	Good			"	x	
Sheriff	165	1			"	BL	"	"	9'	X	"		Good		x	
Sheriffs Room	165	2			"	"	"	"	"	X	"			"	x	
Sup. Court #4	1020	48														
Judges Chamber	290	2	x		"	P	C	P	9'	X	Poor		"	"	x	
Office #4	180	5			"	"	R.T.	"	"	X	Fair	Fair		"	x	
Jury Assem	315	13	x		"	"	"	"	"	X	"	"		"	x	
Asst. Clerk	360	5			"	"	"	"	"	X	"	"		"	x	
Lawyers Lounge	340	4			"	"	"	"	"	X	"	"		"	No	
Dir. Fam. Rel.	300	4			"	"	"	"	"	X	"	"		"	No	
Office	16															

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY	TOTAL CAPA CITY	TOIL FAC. M.F.	GEN'L COND.	FINISH			LIGHTING			ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND.		
						WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL			COURT	PUBLIC	UNIT ROOM
Second Floor (cont)																	
Judges Sec. #1	190	1			Good	P	L	P	9'		X	Good	Fair	No	Good	Good	X
Judges Sec. #2	190	1			"	"	L	"	"		X	"	"	"	"	"	X
Judges Chamber #3	330	4			"	"	C	"	"		X	"	"	"	"	"	X
Judges Chamber #4	240	4	X		"	"	C	"	"		X	"	"	"	"	"	X
Judges Chamber #5	250	4			"	"	C	"	"		X	"	"	"	"	"	X
Judges Chamber #6	340	4			"	"	C	"	"		X	"	"	"	"	"	X
Asst. States Atty #2	190	2			"	"	T	Ac.T.	"		X	"	"	"	"	"	X
Asst. States Atty #3	240	2			"	"	T	"	"		X	"	"	"	"	"	X
Detectives	240	2			"	"	L	P	"	X	"	"	"	"	"	"	X
Conf Room	190	2			"	"	L	"	"	X	"	"	"	"	"	"	X
Judges Chamber #7	320	4			"	"	C	"	"	X	"	"	"	"	"	"	X
Judges Chamber #8	360	5			"	"	C	"	"	X	"	"	"	"	"	"	X
Library Annex	240	5			"	"	L	Ac.T.	"	X	"	"	"	"	"	"	X
States Atty Ofc. #3	120	2			"	"	L	P	"	X	"	"	"	"	"	"	X
Stack Room #1	635	15			"	"	Cork	"	"	X	"	"	"	"	"	"	X
Stack Room #2	280	15			"	"	"	"	"	X	"	"	"	"	"	"	X
Study Room #1	28	1			"	"	"	"	"	X	"	Good	"	"	"	"	X
Study Room #2	28	1			"	"	"	"	"	X	"	"	"	"	"	"	X
Study Room #3	28	1			"	"	"	"	"	X	"	"	"	"	"	"	X
Study Room #4	28	1			"	"	"	"	"	X	"	"	"	"	"	"	X
Study Room #5	28	1			"	"	"	"	"	X	"	"	"	"	"	"	X
Study Room #6	28	1			"	"	"	"	"	X	"	"	"	"	"	"	X
Librarian	225	1			"	"	"	"	"	X	"	"	"	"	"	"	X
Judges Chamber #9	180	3			"	"	C	"	"	X	"	"	"	"	"	"	X
Sup. Court #5	770	Yes	56		"	"	C	"	40'	X	"	Poor	"	"	"	"	X
Conf. Room	130		4		"	"	T	"	9'	X	"	Fair	"	"	"	"	X
Hearing Room	220		10		"	"	T	"	"	X	"	"	"	"	"	"	X
Fourth Floor																	
Court Steno #1	300	3			"	"	RT		9'		"	Fair	"	"	"	"	X
Vault	120				"	"	"		"		"	"	"	"	"	"	X
Court Steno #2	120	2			"	"	"		"			"	"	"	"	"	X
Court Steno #3	350	4			"	"	"		"			"	"	"	"	"	X
Court Steno #4	260	2			"	"	"		"			"	"	"	"	"	X
Court Steno #5	260	2			"	"	"		"			"	"	"	"	"	X

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY	TOTAL CAPA CITY	TOIL FAC. M.F.	GEN'L COND.	FINISH			LIGHTING			ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND.		
						WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL			COURT	PUBLIC	UNIT ROOM
Fourth Floor (Cont)																	
Jurors Wait Room	260	13			Good	P	L	Ac.T.	9'		X	60'	Fair	No	Good		X
Jurors Delib. Room	260	13			"	"	"	"	"		X	"	"	"	"	"	X
Com Pleas Steno	260	1			"	"	"	"	"		X	"	"	"	"	"	X
Judges Chamber #1	260	3			"	"	"	P	"		X	"	"	"	"	"	X
Hearing Room #1	260	10			"	"	"	Ac.T.	"		X	"	"	"	"	"	X
Hearing Room #2	260	10			"	"	"	"	"		X	"	"	"	"	"	X
Judges Chamber #2	290	3			"	"	C	P	"	X	"	"	"	"	"	"	X
Mach Room #1	95				"	"	L	"	"		X	40	"	"	"	"	X
Unassigned #1	140				"	"	"	"	"		X	40	"	"	"	"	X
Attic Storage	1520				"	"	"	"	"		X	40	"	"	"	"	X
Jury Waiting #1	105	13			"	"	"	Ac.T.	"	X		40	"	"	"	"	X
Jury Waiting #2	105	13			"	"	"	"	"	X		"	"	"	"	"	X
Jury Waiting #3	105	13			"	"	"	"	"	X		"	"	"	"	"	X
Jury Waiting #4	105	13			"	"	"	"	"	X		"	"	"	"	"	X
Judges Chamber #3	265	3			"	"	C	P	"	X	60	"	"	"	"	"	X
Superior Court#7	1500	Yes	72		"	"	C/L	"	"	X	80	Poor	"	"	Good		X
Judges Chamber #4	215		5		"	"	C	"	"	X	"	"	"	"	"	"	X
Jury Delib. Room	180		13		"	"	L	Ac.T.	"	X	"	"	"	"	"	"	X
Sup. Court #8	830	Yes	44	X	"	"	C/L	P	"	X	60	Poor	"	"	Good		X
Sup. Court #6	2100	Yes	86		"	"	W	C/L	P	18'	X	"	poor	"	"	"	X
Judges Retir. Room	400		2	X	"	"	P	C/L	P</								

104




HARTFORD
SUPERIOR COURT
FOURTH FLOOR

SCALE


0 10 20 30 FT

105




HARTFORD
SUPERIOR COURT
SECOND FLOOR

SCALE
0 4 8 12 16




HARTFORD
SUPERIOR COURT
FIRST FLOOR

SOALE



UNEXCAVATED



HARTFORD
SUPERIOR COURT
BASEMENT

SCALE

0 4 6 12 16 FT.

Hartford Common Pleas Court – Superior Court Building
95 Washington Street

General Information

The Hartford Common Pleas court is located on the third floor of the Superior Court Building. The building is four stories in height with a basement, of classic architecture, in good condition fully air conditioned, well kept and is served by two elevators.

The building was constructed about 1929 and a partial fourth floor was added in 1957.


Parking

There are two on site parking lots consisting of approximately 90 spaces which are reserved for judges and court personnel. nearby lot consisting of approximately 75 spaces is reserved parking for jurors. Parking is free.

Remarks

Court appears congested and in some need of updating. Lighting in Court Rooms is poor, acoustics need improving. Renovation Program is justified. Public Address System should be provided.

Hartford Common Pleas
95 Washington Street (Superior Court Building)



Scale

HARTFORD
(COMMON PLEAS COURT)
SUPERIOR COURT-BUILDING

THIRD FLOOR

Scale

Family Relations & Common Pleas Court
20 Trinity Street, Hartford

General Information

The Family Relations and Common Pleas Court is located on the third and fourth floor of a building leased from the Continental Insurance Company.

The building was constructed about 1935 is of classic architecture, located in a well kept and adequately lit neighborhood, is heated by steam and is fully air conditioned. Two elevators are available.


Parking

Only 10 free parking spaces are included in the lease which can handle some of the court personnel but inadequate for the entire court operation - 35 to 40 spaces are required.

Remarks

There is evidence of some crowding, yet vacant rooms exist. The entire interior needs painting and some relighting. It appears that this location could be updated with paint, hung ceilings, lighting, some carpeting, general cleaning and relocating the door of the fourth floor janitors closet so it is not entered via Women's lounge (to eliminate complaints of odors.) Public address system should be provided.


ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY	TOTAL CAPA- CITY	TOIL FAC. M. F.	GEN'L COND.	FINISH			LIGHTING			ACOUSTIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT/ PUBLIC	AIR COND. UNIT ROOM	CENT. SYST.
						WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL				
Third Floor																
Dist. Supv-Fam. Rel.	135		4		Poor	P.	R.T.	Ac.T.	12'	X	Poor			Good		X
Asst. Supv-Fam. Rel.	100		4		Poor	P.	R.T.	Ac.T.	12'	X	Poor			"		X
Domestic Rel. Officers																
Room 1	100		4		Poor	P.H.	R.T.	Ac.T.	12'	X	Poor			"		
Room 2	100		4		Poor	P.H.	R.T.	Ac.T.	12'	X	Poor			"		
Room 3	100		4		Poor	P.H.	R.T.	Ac.T.	12'	X	Poor			"		
Room 4	100		4		"	"	"	"	"	X	"			"		
Room 4	100		4		"	"	"	"	"	X	"			"		
Collector																
Room 1	90		4		"	"	"	"	"	X	"			"		
Room 2	90		4		"	"	"	"	"	X	"			"		
Copy Room & Supplies	110		-		Poor	P.	R.T.	Ac.T.	12'	X	Poor			"		X
Vacant #1	150				"	"	"	"	10'	X	"			"		X
#2	140				"	"	"	"	10'	X	"			"		X
Mail Room & Supplies	130				Poor	P.	R.T.	Ac.T.	10'	X	Poor			Good		X
Gen. Ofc & Clerks	560		8		Poor	P.H.	"	"	12'	X	Poor			"		X
Public Waiting	400		30		"	"	"	"	"	X	"			"		X
Lawyers Office #1	150		8		"	"	"	"	"	X	"			"		X
Lawyers Office #2	150		8		"	"	"	"	"	X	"			"		X
Sheriff's Office	70				"	G.B.	"	"	12'	X	"			"		X
Vacant #3	125		-		"	P.	"	"	12'	X	"			"		X
Conf. Room	215		20		"	GB&G	"	"	10'	X	"			Good		X
Judges Chamber	250		6		Med	G.B.	"	"	12'	X	Med			"		X
Fam. Rel. Court Room	1500	No	60		Poor	G.B.	R.T.	Ac.T.	12'	X	Poor	Poor	No	"	Good	X
Toilet Rooms																
Mens					X											
Womens					X											
Judges					X											
Fourth Floor																
Sentence Review Rm	280		4		Poor	P.H.	R.T.	Ac.T.	12'	X	Poor			Good		X
Mail Room & Supplies	145		-		Poor	"	"	"	"	X	"			"		X
Clerical Supv.	130		4		"	"	"	"	"	X	"			"		X
Invest. & Bureau Supv	165		4		"	"	"	"	12'	X	"			"		X
Bureau of Support	520		6		"	"	"	"	"	X	"			"		X



HARTFORD
FAMILY RELATIONS-SUPERIOR COURT

THIRD FLOOR

1" = 10'-0"



HARTFORD
FAMILY RELATIONS-COMMON PLEAS COURT

FOURTH FLOOR

1" = 10'-0"

Fourteenth Circuit Court
155 Morgan Street, Hartford

General Information

The Fourteenth Circuit Court is leased from the City of Hartford and is located on the second floor of the Police Building and is served by two elevators.

The building was constructed about 1920 is of classical architecture and generally poor condition and has no air conditioning.

Parking

There is a 100 car on site parking lot of which 20 spaces are reserved for Court personnel. The nearby G. Fox parking lot is available on a pay basis.


Remarks

The building is in poor condition and in need of major renovations or replacement, is located in a deteriorating area, which is adequately lit, consisting of business and industry. Because the building is in a redevelopment area this court should be relocated to new quarters.

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY	TOTAL CAPA: CITY	TOIL. FAC.	GEN'L COND.	FINISH			LIGHTING			ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT PUBLIC	AIR COND.	
						WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.				UNIT	CENT. SYST.
Second Floor																
Circuit Clk.	195		2	x	Poor	P	R.T.	Ac.T.	15'	x	Fair	Fair		Fair	None	
Vault	45				"	"	"	"	"	x	"	"		"	"	
Judge #1	90		1		"	"	"	"	"	x	"	"		"	"	
Clerical Space #1	1200		10		"	"	"	"	"	x	"	"		"	"	
Judge #2	145		1		"	"	"	"	"	x	"	"		"	"	
Supply	195			x	"	"	"	"	"	x	"	"		No	"	
Court Room #1	2280	No	130		"	"	"	"	"	x	"	"		Fair	"	
Lock Up #1	100		2		"	"	"	"	"	x	"	"		"	"	
Teller Cage #1	60		1		"	"	"	"	"	x	"	"		"	"	
Prisoner's Wait Rm	360		10	x	"	"	"	"	"	x	"	"		"	"	
Interview Rm	90		2		"	"	"	"	"	x	"	"		"	"	
Fine Alcove	60				"	"	"	"	"	x	"	"		"	"	
Teller's Cage #2	50		1		"	"	"	"	"	x	"	"		"	"	
Police Alcove	60		2		"	"	"	"	"	x	"	"		No	"	
Court Room #2	2160	Yes	130		"	"	"	"	"	x	"	"		Fair	"	
Court Room Lobby	550				"	"	"	"	"	x	"	"		"	"	
Traffic Atty	140		2		"	"	"	"	"	x	"	"		"	"	
Prosecutor	195		2		"	"	"	"	"	x	"	"		"	"	
Court Steno #1	140		2		"	"	"	"	"	x	"	"		"	"	
Recept. Room	195	5	x	x	"	"	"	"	"	x	"	"		"	"	
Conf. Room #1	130		3		"	"	"	"	"	x	"	"		"	"	
Conf. Room #2	150		3		"	"	"	"	"	x	"	"		"	"	
Adult Probation	240		2	x	"	"	"	"	"	x	"	"		"	"	
Judges Offc. #3	345		8	x	"	"	"	"	"	x	"	"		"	"	
Court Room #3	1520	Yes	130		"	"	"	"	"	x	"	"		No	"	
Clerical space #4	780		4		"	"	"	"	"	x	"	"		"	"	
Asst Clerk	165		2		"	"	"	"	"	x	"	"		"	"	
Vault #2	130				"	"	"	"	"	x	"	"		"	"	
Small Claims .	420		8		"	"	"	"	"	x	"	"		"	"	
Court Reports	775		5		"	"	"	"	"	x	"	"		"	"	
Jury Delib. Room	270	13	x	x	"	"	"	"	"	x	"	"		"	"	
Jury Assem.	345		20		"	"	"	"	"	x	"	"		"	"	
Storage	49				"	"	"	"	"	x	"	"		No	"	
Court Room #4	1350	No	130		"	"	"	"	"	x	"	"		Fair	"	
Adult Probation	400		2		"	"	"	"	"	x	"	"		"	"	

ROOM NAME / USE	SIZE WHT X SFT	JURY	TOIL	GENL	FINISH	LIGHTING	ACON	PA	ADEQUAT	AIR COND
		CITY	CASH	FAC	COND	WALLS FLOOR	CIG	CLG	WIND	UNIT
						HT	HT	HT	ED	GEN
Second Floor (cont)										
Closet	54									
Pros. Office #1	280	2	POOL	P.	R.T.M.C.T.	15"	X	Fair	Fair	None
Probation Dept	540	8					X			
Pros. Office #2	70	2					X			
Bail Office	70	2					X			
Pros. Office #3	70	2					X			
Adult Prob. Off #1	70	2					X			
Adult Prob. Off #2	70	2					X			

-118-



119

HARTFORD CIRCUIT COURT SECOND FLOOR

1" = 20'-0"

New Britain Superior and Common Pleas Courts

General Information

This new leased Court facility is located at 177 Columbus Blvd., New Britain. It has three floors and is of Contemporary style. The building is owned by the City of New Britain, well kept in a well maintained business neighborhood with excellent street lighting. The building is equipped with an elevator, has hot water heat and central air conditioning. The Court rooms are equipped with Public address systems.


Parking

Reserved parking for judges is available on site. Additional on-street parking is utilized.

Remarks

An excellent court facility well located and maintained.

ROOM NAME / USE	SIZE APPROX Sq. ft.	JURY CAPA CITY	TOTAL FAC. M. F.	TOIL. COND.	GENL. COND.	FINISH WALLS FLOOR	CLG. HT.	CLG. HT.	INCAN. FLUOR. LEVEL	LIGHTING	ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND. UNIT	GENT. AIR COND. ROOM SYST.
Second Floor															
General Office	280		4	Good	VC	RT	AC.T.	9'	X	X	Good		Good		X
Family Relations	175		6-8	"	"	"	"	"	X	X	"	"	"	"	X
Court Reporter	130		2	"	"	"	"	"	X	X	"	"	"	"	X
Clerks	105		2	"	"	"	"	"	X	X	"	"	"	"	X
Judges Chambers	260		1+3	X	"	C	"	"	X	X	"	"	"	"	X
Jury Room	260		13	X	X	RT	"	"	X	X	"	"	"	"	X
Jury Panel Room	1050		50	X	X	C	"	"	X	X	"	"	"	"	X
Jury Alternates	140		5	"	"	RT	"	"	X	X	"	"	"	"	X
Conference	105		4	"	"	"	"	"	X	X	"	"	"	"	X
Courtroom #1	1370	Yes	100	"	W	C	"	18'	X	X	"	Good	Yes	"	Good
Library	850		"	VC	C	"	9'	X	X	"	"	"	"	"	X
Courtroom #2	1015	Yes	60	"	W	C	"	18'	X	X	"	Good	Yes	"	Good
Courtroom #3	1035	Yes	60	"	W	C	"	18'	X	X	"	Good	Yes	"	Good
Conference	100		4	"	VC	RT	"	9'	X	X	"	"	"	"	X
Jury Rejects	130		10	"	"	"	"	"	X	X	"	"	"	"	X
Jury Alternates	105		6	X	"	C	"	"	X	X	"	"	"	"	X
Judges Chambers	260		1+3	X	"	C	"	"	X	X	"	"	"	"	X
Judges Chambers	260		1+3	X	"	C	"	"	RT	"	"	"	"	"	X
Jury Room	280		13	X	X	RT	"	"	X	X	"	"	"	"	X
Jury Room	260		13	X	X	RT	"	"	X	X	"	"	"	"	X
Judges Chambers	270		1+3	X	"	C	"	"	X	X	"	"	"	"	X
Judges Chambers	260		1+3	X	"	C	"	"	RT	"	"	"	"	"	X
Sheriff	130		2	"	"	RT	"	"	X	X	"	"	"	"	X
Conference	125		4-5	"	"	RT	"	"	X	X	"	"	"	"	X
Conference	100		4-5	"	"	RT	"	"	X	X	"	"	"	"	X



NEW BRITAIN
SUPERIOR COURT
 $= 20'-0"$

Fifteenth Circuit Court, New Britain

General Information

The fifteenth Circuit Court occupies the leased third floor of the Municipal Building at 125 Columbus Blvd., New Britain.

The building was completed in 1966 and is of contemporary style. It is in a well kept business neighborhood with adequate street lighting.

The building has hot water heat and a central air conditioning system.

Parking


There is a total of 20 on-site parking spaces with 5 reserved for court use. There is nearby street parking available.

Remarks

This Court facility is in excellent condition, is well kept and efficiently handles the court activities. A Public Address System should be provided.

ROOM NAME / USE	SIZE INCHES SQFT	JURY	TOTAL CAPA CITY	TOIL FAC	GENL COND M/F	FINISH			LIGHTING			ACON SYST.	PA SYST.	ADEQUACY OF FURNISHINGS COINFLUENT	AIR COND UNIT CONT ROOM
						HALL	FLOOR	CLG	CLG HT	MEAN	FLUOR				
Third Floor															
Snack Mach.	150	3		Good	HL	RT	ACT	8'		X	Good	Good		Good	X
Jury Assembly	510	30		"	"	"	"	"	"	X	"	"			X
Male Detention	85	1		"	"	"	"	"	"	X	"	"			X
Female Detention	50	1		"	"	"	"	"	"	X	"	"			X
Court Reporter	150	2		"	"	"	"	"	"	X	"	"			X
Resident Judge	220	1	X	"	"	C	"	"	"	X	"	"			X
Resident Judge	150	1	X	"	"	C	"	"	"	X	"	"			X
Jury Deliberation	140	13	X X	"	C	"	"	"	"	X	"	"			X
Presiding Judge	200	1	X	"	W	C	"	"	"	X	"	"			X
Jury Deliberation	210	13	X X	"	HL	C	"	"	"	X	"	"			X
Presiding Judge	205	1	X	"	"	C	"	"	"	X	"	"			X
Waiting & Sec'y	360	3		"	"	RT	"	"	"	X	"	"			X
Liaison Officer	215	2		"	"	"	"	"	"	X	"	"			X
Prosecuting Atty	170	2		"	"	"	"	"	"	X	"	"			X
Prosecuting Atty	180	2		"	"	"	"	"	"	X	"	"			X
Family Relations Conf.	160	3		"	"	"	"	"	"	X	"	"			X
Family Relations Office	155	3		"	"	"	"	"	"	X	"	"			X
Family Relations Office	165	3		"	"	"	"	"	"	X	"	"			X
Family Relations Office	170	3		"	"	"	"	"	"	X	"	"			X
Family Relations General	450	3		"	"	"	"	"	"	X	"	"			X
Probation Officer	380	3		"	"	"	"	"	"	X	"	"			X
Probation Office	140	2		"	"	"	"	"	"	X	"	"			X
Probation Office	155	2		"	"	"	"	"	"	X	"	"			X
Snack Mach	140	2		"	"	"	"	"	"	X	"	"			X
Atty's Lounge	280	6		"	"	"	"	"	"	X	"	"			X
Atty's Conf.	140	4		"	"	"	"	"	"	X	"	"			X
Atty's Conf.	140	4		"	"	"	"	"	"	X	"	"			X
Public Defender	140	4		"	"	"	"	"	"	X	"	"			X
Public Defender Sec'y	140	2		"	"	"	"	"	"	X	"	"			X
Court Records	1400	8		"	"	"	"	"	"	X	"	"			X
Court Records Vault	350	3		"	"	"	"	"	"	X	"	"			X
Court Clerk	145	2		"	"	"	"	"	"	X	"	"			X
Court Stg.	95			"	"	"	"	"	"	X	"	"			X
Public Inquiry	220	3		"	"	"	"	"	"	X	"	"			X
Cashier	140	2		"	"	"	"	"	"	X	"	"			X
Main Courtroom	1920	Yes	70	"	W	C	"	16'		X	"	"		"	Good
Jury Courtroom	960	Yes	30	"	W	C	"	10'		X	"	"		"	Good
Public Toilets															X

NEW BRITAIN - CIRCUIT COURT
3RD FLOOR - MUNICIPAL BUILDING
1" = 20'



Nineteenth Circuit Court - West Hartford

General Information

The Sixteenth Circuit Court is located on the second floor of the West Hartford Town Hall in space leased from the town.

The building was completed in 1936, is of Colonial style with red brick, located in the business center of West Hartford in a moderately well kept neighborhood with excellent street lighting. It is heated by steam and is air conditioned. Two electrically operated elevators plus three stairwells serve this building of two floors and a basement.


卷之三

There is a total of seventy-five on-site parking spaces for the entire building with five reserved for court use. Nearby street metered parking is also available. Parking generally seems adequate.

卷之三

There exists a shortage of space with the Bail Commissioner, Court Reporter and Public Defenders having no offices. Also, heavy use of corridor space for Public waiting was observed. It is understood that there is local interest in providing a new safety building facility to house the Police and Fire Departments plus the Circuit Court. A new larger facility equipped with a public address system is recommended.

WEST HARTFORD - CIRCUIT COURT
2ND FLOOR - TOWN HALL, BUILDING
SCALE 1" = 16'



Seventeenth Circuit Court - 11 North Main Street, Bristol

General Information

The Seventeenth Circuit Court is leased from the City of Bristol and is located on the 2nd, 3rd, and 4th floors in the Bristol City Hall.

The building was constructed in 1962, is of contemporary architecture, heated by hot water and is fully air conditioned.

Parking


100 parking spaces are located on the site, 5 of which are reserved for the court personnel. Others can park on a first come/first serve basis. Additional parking for 300 to 400 cars is located across the street and is available at no charge.

Remarks


Building is in excellent condition in a well kept neighborhood and is well lighted. Both Courtrooms lack public address systems.

ROOM NAME / USE Room Num.	SIZE ft x ft	FLOOR	USE	FINISH	LIGHTING		ACQ. PA STYLING	CANT. CANE STYLING	AIR COOL. WAT. COOL.
					CIG	HT			
West Court Room	160 x 205	1	Jury Room	W	R.T.	N.D.T.	18'	9'	X
West Jury Box	160	1	Jury Box	X	X				X
Hold Room	360	1		X	X				X
Jury Clerk	50	1							X
Jury Assembly Room	125	1							X
East Jury Room	360	1	Jury Room	X	X				X
East Jury Box	250	1	Jury Box	X	X				X
East Judge	180	1	Judge	X					X
East Court Room	950	1	Court Room						X
Public Toilet Rooms									
Third Floor									
Court Clerk	190	3		*	*	HJ			
Asst. Court Clerk	190	3		*	*				
Vault	100	3		*	*				
Judge	165	3		*	*				
Pros. Office	190	3		*	*				
Asst. Prog. Office	145	3		*	*				
Clerical	160	3		*	*				
Waiting	160	3		*	*				
Fourth Floor									
DCM Relations #1	575	4							
" #2	165	4							
" #3	165	4							
Conf. Room	165	4							
* Public Toilets									

BRISTOL
17TH CIRCUIT COURT
2ND FLOOR
1" = 16'-0"



BRISTOL
17TH CIRCUIT COURT
3RD FLOOR
 $1'' = 16'-0''$



Twelfth Circuit Court - East Hartford

General Information

The Twelfth Circuit Court is located on the first floor of the East Hartford Police and Court building and is leased from the Town of East Hartford.

The building was constructed about 1958, is of Contemporary Architecture, located in a moderately well kept and adequately lit neighborhood. The building is heated by hot water and has central air conditioning.

Parking

On site, parking lot provides for 50 reserved parking spaces for court and jurors. Parking is free.


Remarks

Building is in good condition and appears adequate. A "Panic" Button to the Police Station from the Clerks Office was requested in case of unruly prisoners. The associated probation office is located in second floor leased space at 700 Burnside Avenue. A public address system should be installed for improved operation.

Twelfth Circuit Court, East Hartford
437 Tolland Street

ROOM NAME / USE	SIZE sq ft	FLOOR	TOTAL GLASS	GLASS FINISH	LIGHTING	ACOUSTIC PA	VENTILATION UNITS	CENTRAL VENT.	AIR COOL.		
PROS. ATTY.	120	5	X	Good	Incandescent	R.T.	100	100	100		
JUDGE'S Chambers	170	6	X	Good	Incandescent	R.T.	100	100	100		
JURY Room #1	250	14	X	Good	Incandescent	R.T.	100	100	100		
Vault	145	4	X	Good	Incandescent	R.T.	100	100	100		
Court C.R. & Ofc.	290	4	X	Good	Incandescent	R.T.	100	100	100		
Court C.R. & Pub. Def.	145	3	X	Good	Incandescent	R.T.	100	100	100		
Jury Room A	120	5	X	Good	Incandescent	R.T.	100	100	100		
Jury Room B	130	6	X	Good	Incandescent	R.T.	100	100	100		
Court Room	2240	180	X	Good	Incandescent	R.T.	100	100	100		
Court Lobby	640										
Public Toilets Available											

EAST HARTFORD - CIRCUIT COURT
1ST FLOOR - POLICE & COURT BLDG.
SCALE 1" = 16'



Twelfth Circuit Court - Manchester

General Information

The Twelfth Circuit Court uses leased space on the second floor of the Town of Manchester's Police and Court Buildings at 239 Middle Turnpike, Manchester. This building was constructed in 1902, is the former poorhouse and has two floors and a basement.

The structure is brick with a flat roof, mostly colonial in appearance but generally nondescript. A few rooms use window units for air conditioning. Gas-fired boilers provide hot water heat. One stair well plus two fire escapes provide for normal and emergency exits.

The building is in a well kept neighborhood mostly residential with a nearby school. Street lighting is adequate.

Parking

Forty-eight on-site and thirty-five adjacent parking spaces provide sufficient parking for Police and Court needs.


Remarks

This is an old, crowded and generally inadequate facility. It is understood that the narrow corridor overflows with people on court days and there is a shortage of conference space for attorney-client consultations. The general office for court clerks is overcrowded as is the vault.

In a discussion with the Clerk of the court, it was pointed out that the division of the twelfth Circuit Court between East Hartford and Manchester resulted in an inefficient operation that could be improved by consolidations to one building. Being split presents problems in records being at the right location at the right time. Also a single location would improve training and use of personnel. This facility should be replaced.

It is also noted that the Family Relations Office is in second floor leased space at 63 East Center Street, Manchester.

MANCHESTER - CIRCUIT COURT
2ND FLOOR - 239 MIDDLE TPK. EAST
 $11' = 10' - 0''$



Thirteenth Circuit Court - Windsor

General Information

The Thirteenth Circuit Court is located in the Windsor Town Hall on the Ground floor and is leased from the town.

The building was completed in 1967, is well kept, Colonial in appearance and comprised of a ground and two upper floors. The building is sprinklered and has a firealarm system, air conditioning, a hydraulically operated elevator, two stairwells and three ground floor exists.

The building faces the Town Green in a well kept, business neighborhood with adequate street lighting.

Park


Approximately seventy-five parking spaces are available on-site at the rear of the Town Hall. One space is reserved for the Judge. This amount of parking seems adequate for both town and court requirements.

Rena

A clean, well kept facility. Due to layout, there is no direct access from the Judges Chambers to the bench in the Courtroom. A brief discussion with the Judge indicated a need for additional support space for Prosecutors and Public Defenders plus additional conference facilities. Occasional difficulty in clearly hearing the judge would be overcome by installation of a public address system and is recommended.

ROOM NAME / USE	SIZE	TYPE	WALLS	CEIL.	FLOOR	DOORS	GAS	CLO.	AT	FINISH	LIGHTING	AIR CO.	COOL PA.	INDUS. Syst.	CNTL Syst.	POWER Syst.	WATER Syst.
COURT ROOM	2310' x 165'	150'	WOOD PLATE	8' 7"	CONCRETE	12											
JURY DELIBERATION	370'	120'	WOOD PLATE	8' 3"	CONCRETE	10											
DETENTION	830'	120'	WOOD PLATE	8' 3"	CONCRETE	10											
PROSECUTING ATTY.	600'	120'	WOOD PLATE	8' 3"	CONCRETE	12											
CIRCUIT CLERK'S OFFICE	100'	100'	WOOD PLATE	8' 3"	CONCRETE	12											
CIRCUIT COURT CLERK	200'	100'	WOOD PLATE	8' 3"	CONCRETE	1											
JURY ASSEMBLY ROOM	420'	120'	WOOD PLATE	8' 3"	CONCRETE	25											
JURY DILIBERATION	130'	130'	WOOD PLATE	8' 3"	CONCRETE	13											
JUDGE OFFICES	610'	100'	WOOD PLATE	8' 3"	CONCRETE	10											
PUBLIC TOILETS Available																	

WINDSOR
CIRCUIT COURT



SCALE 1" = 20'

New Haven Court House - Present
Superior and Common Pleas Courts
121 Elm Street, New Haven

General Information

This two floor, plus mezzanine and basement structure was built in 1915, is on the basis of the Greek Parthenon and is Classic in style. The major building material is Vermont Marble. It is state-owned and is to be vacated upon completion of the new Superior Courthouse nearby on Church Street. The building is equipped with two electric elevators, steam heat and a fire alarm system.

Parking

There is a total of 47 on site parking spaces for judges and court personnel plus another 20 state paid spaces at the New Haven Coliseum and 25 state paid spaces at State and Court Streets.

Remarks


It is understood that the New Haven Sixth Circuit Court is to vacate their present quarters and move into this building. This would appear to be beneficial. Consideration should be given to updating and modernizing where consistent with the original design.


ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY CAPA CITY	TOTAL CAPA FAC.	TOIL. FAC.	GENL COND.	FLOOR M. F.	FINISH CONC	CLG. FLOOR	CLG. HT.	IMCAN.	LIGHTING FLUOR. LEVEL	ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND UNIT	CENT. ROOM SYST.
Basement																
States Attys & County Detect	545	9			Med	Conc	T	Ac.T.	8'	X	Med			Good	X	
States Attys Storage	450				Poor	" P	Conc	P	12'	X	X	"				
States Attys Storage	250				"	"	"	"	"	X	X	"				
Vault	1375				Med	"	"	"	"	X	X	"				
Record Room	1540				"	"	"	"	"	X	Good					
Cells	1320				"	B	"	"	"	X	Poor	"				
Detention 1	462				"	"	"	"	"	X	"	"				
Detention 2	651				"	"	"	"	"	X	"	"				
Public Defenders 1	110	3			"	P	R.T.	AC.T.	8'	X	Med			Good	"	
Public Defenders 2	120	3			"	"	"	"	"	X	"			"	"	
Public Defenders 3	115	3			"	"	"	"	"	X	"			"	"	
Family Relations Recp.	60	2			"	"	"	"	"	X	"	"		"	"	
Family Relations Post.	50	1			"	"	"	"	"	X	"	"		"	"	
Family Relations Supv.	130	3			"	"	"	"	"	X	"	"		"	"	
Family Relations Officer A	110	3			"	"	"	"	"	X	"	"		"	"	
Family Relations Officer B	100	3			"	"	"	"	"	X	"	"		"	"	
Family Relations Officer C	110	3			"	"	"	"	"	X	"	"		"	"	
Family Relations Case Wk Supv	105	3			"	"	"	"	"	X	"	"		"	"	
Family Relations Gen'l Ofc	660	7			"	"	"	"	"	X	"	"		"	"	
Family Relations Bldg	155	4			"	"	"	"	"	X	"	"		"	"	
Family Relations Collector A	155	3			"	"	"	"	"	X	"	"		"	"	
Family Relations Collector B	150	3			"	"	"	"	"	X	"	"		"	"	
Family Relations Collector C	95	2			"	"	"	"	"	X	"	"		"	"	
Bureau of Support C.P.	480	5			"	"	"	"	"	X	"	"		"	"	
Bureau of Support Supv.	400	5			"	"	"	"	"	X	"	"		"	"	
Public Toilets										X						

John Steven Compton, Superior and Common Pleas Courts
121 Ellis Street, New Haven


page 4 of 4

NEW HAVEN
SUPERIOR & COMMON PLEAS COURTHOUSE
BASEMENT
1" = 20'-0"






SURENDRA S COMMISSION FLENS CONST. A. J. K. H.
MEZZAMIVE
1" = 20'-0"



NEW HAVEN

SUPERIOR & COMMON PLEAS COURTHOUSE
2ND FLOOR
 $1^{\prime\prime} = 20'-0''$



New Haven Temporary Superior and Common Pleas Courthouse
121 Elm Street, New Haven

General Information

This is a temporary - type, one floor, wooden building built about two years ago and tied into the main courthouse for sewer, water and electrical services. It is equipped with smoke detectors and a fire alarm system.

Parking

None - included with main courthouse


Remarks

This facility was designed for temporary use until the new courthouse is completed. As such, removal of this building upon occupancy of the new facility would be desirable.

New Haven Temporary Superior and Common Pleas Courthouse
121 Elm Street, New Haven

NEW HAVEN

*SUPERIOR & COMMON PLEAS COURTS
TEMPORARY BUILDING
1870-71*



New Haven Superior Courts Building (New)
Church St., New Haven, Conn.

General Information

The new Superior Courts facility in New Haven is nearing the completion of construction and will be ready for occupancy in early 1974. The court facilities are located in the basement and nine additional floors.

There are twenty courtrooms in this building consisting of one large criminal courtroom, three small criminal courtrooms and ten small courtrooms, all with jury facilities. In addition there are six small non-jury courtrooms. There is no distinction made as to whether a courtroom is for Superior or Common Pleas court.

The building is of contemporary architecture with a limestone facing in a moderately well kept neighborhood with adequate street lighting.

The building is served by seven elevators, five of which stop at all floors, one serves floors No. 3 thru 9, and one serves all floors but the first.

All Jury Rooms & Judges Chambers have private toilet facilities. Public toilet facilities are located on each floor. All courtrooms are equipped with public address systems.

Jury Assembly room has vending machine food facilities. There is no restaurant in the building.

Parking

Parking on site consists of 31 spaces. Nearby parking facilities are inadequate at present however, extensive future parking is planned by the city of New Haven within walking distance.

Remarks

Capacity of rooms and adequacy of furnishings is not shown on the schedule since furniture has not yet been installed.

ROOM NAME / USE	SIZE APPROX. SQ. FT.	JURY CAPA- CITY	TOTAL TOIL. FAC.	COND. WALLS M. F.	GENI	FINISH	LIGHTING	ACON	P.A.	ADEQUACY OF COURT	FURNISHINGS STIC.	UNIT COURT/PUBLIC	AIR COND. CENT. ROOM SYST.
Basement													
B-01 Lobby	450				P	T	AC.T.	8'	X				X
B-08 Male Cell	260				"	RT	P	"	X				X
B-09 Male Cell	150				"	"	"	"	X				X
B-10 Male Cell	150				"	"	"	"	X				X
B-12 Male Cell	104				"	"	"	"	X				X
B-13 Male Cell	64				"	"	"	"	X				X
B-17 Conf. Room	135				"	"	AC.T.	"	X				X
B-19 Control Room	140				G	"	"	"	X				X
B-21 Female Cell	120				P	"	P	"	X				X
B-22 Conf. Room	80				P	"	AC.T.	"	X				X
B-23 Sheriff's Toilet Rm	120	X			CT	CT	P	"	X				X
B-24 Sheriff's Locker Rm.	190				CT	CT	P	"	X				X
B-25 Garage	440				BL	Conc	Conc	"	X				X
B-26 Deputy Sheriff	120				P	RT	AC.T.	"	X				X
B-37 States Atty Vault	400				P	RT	"	"	X				X
B-36 Vault	2030				P	RT	"	"	X				X
B-18 Toilet - Female	25	X			CT	CT	P	"	X				X
B-16 Toilet - Male	25	X			CT	CT	P	"	X				X
B-28 Kitchen	140				P	RT	AC.T.	"	X				X
Bl-4 Corridor	300				P	RT	P	8'	X				X
B07 Corridor	200				BL	Conc	Conc	"	X				X
B29 Corridor	460				BL	Conc	"		X				X
B-02 Womens Lounge	84				BL	CT	P	8'					X
B-03 Men's Toilet	136				BL	CT	P	"					X
B-04 Men Locker Room	160				BL	CT	P	"					X
B-05 Paint Storage	162				BL	Conc	Conc	"					X
B-06 Work Room	494				BL	"	"						X

ROOM NAME / USE	SIZE APPROX. SQ.FT.	TOTAL TOIL. CAPA- GTY M.F.	GENL COND.	FINISH			LIGHTING			ACOU- STIC, P.A. SYST.	ADEQUACY OF FURNISHINGS COURT PUBLIC	AIR COND. UNIT CENT. SYST.
				JURY CAPA- GTY	FAC. COND.	WALLS FLOOR	CLG.	CLG. HT.	INCAN. FLUOR. LEVEL			
FIRST FLOOR												
101 Jury Room	1512					LS	T	C.T. Varies	X			
102 Court Room	153					GR	R.T. Ac.T.	"				
103 Secretary	120											
104 Waiting Room	84											
105 Clerks Office	230											
107 Post Office	135											
108 Post Office	150											
109 Public Defender Ofc	150									X		
112 Invest Ofc	120									X		
113 Invest Ofc	120									X		
114 General Ofc	210									X		
115 Waiting Room	135									X		
117 Sheriffs Office	140									X		
118 Secretary	168									X		
119 Waiting Room	60									X		
120 Bar Association	112									X		
125 Men's Toilet	110		X			C.T.	C.T.	P	"	X		
126 Women's Toilet	130		X			C.T.	C.T.	P	"	X		
130 Department Head	200					GB	R.T.	Ac.T.	"	X		
131 General Office	984					"	"	"	"	X		
132 Office	112					"	"	"	"	X		
133 Office	128					"	"	"	"	X		
134 Office	176					"	"	"	"	X		
135 Bookkeeping	170					"	"	"	"	X		
140 Woman Toilet	30		X			C.T.	C.T.	P	"	X		
141 Man Toilet	24		X			C.T.	C.T.	P	"	X		
142 Office	104					GB	R.T.	Ac.T.	"	X		
143 Office	104					"	"	"	"	X		
144 Office	104					"	"	"	"	X		
146 Office	75					"	"	"	"	X		
147 Office	75					"	"	"	"	X		
148 Office	120					"	"	"	"	X		
149 Office	100					"	"	"	"	X		
150 Office	120					"	"	"	"	X		
151 Office	120					"	"	"	"	X		
152 Waiting Room	168					"	"	"	"	X		
153 Clerks Office	100					"	"	"	"	X		

ROOM NAME / USE	SIZE APPROX. SQ.FT.	TOTAL TOIL. CAPA- GTY M.F.	GENL COND.	FINISH			LIGHTING			ACOU- STIC, P.A. SYST.	ADEQUACY OF FURNISHINGS COURT PUBLIC	AIR COND. UNIT CENT. SYST.
				JURY CAPA- GTY	FAC. COND.	WALLS FLOOR	CLG.	CLG. HT.	INCAN. FLUOR. LEVEL			
FIRST FLOOR - cont												
154 Invest. Office	100					GB	RT	AC.T.	8'	X		
155 Waiting Area	288					VC	T	"	8'	X		
156 General Office	280					GB	RT	"	8'	X		
157 Invest. Office	86					"	RT	"	8'	X		
158 Pet. Rep.	84					"	RT	"	8'	X		
161 Lounge	475					"	RT	"	8'	X		
111 Corridor	154					GB	RT	"	8'	X		
116 Corridor	252					"	RT	"	"	X		
122 Corridor	500					VC	T	"	"	X		
127 Corridor	340					VC	T	"	"	X		
128 Corridor	458					GB	RT	"	"	X		
160 Corridor	125					GB	RT	"	"	X		
139 Passage	220					BL	Conc	Conc		X		

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA. CITY	TOTAL TOIL. FAC. M.F.	GEN'L COND.	FINISH			LIGHTING			ACOU. STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT	AIRCOND. UNIT CENT. ROOM SYST.
					WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL			
SECOND FLOOR														
201 Lobby	750				LS	T	CT	8'	X	X				X
203 Peat, Atty	120				GB	RT	Ac.T.	"		X				X
204 Conference Room	120				"	"	"	"		X				X
205 Asst. Atty	112				"	"	"	"		X				X
206 Asst. Atty	112				"	"	"	"		X				X
207 Asst. Atty	126				"	"	"	"		X				X
208 Asst. Atty	100				"	"	"	"		X				X
209 Asst. Atty	112				"	"	"	"		X				X
210 States Atty Ofc	220				"	"	"	"		X				X
211 Det. Ofc	64				"	"	"	"		X				X
212 Det Ofc	70				"	"	"	"		X				X
213 Det. Ofc	72				"	"	"	"		X				X
214 Det. Ofc	70				"	"	"	"		X				X
216 File Room	128				"	"	"	"		X				X
217 Safe	26				P	"	"	"		X				X
218 General Office	384				GB	"	"	"		X				X
220 Det. Ofc	72				"	"	"	"		X				X
221 Det. Ofc	88				"	"	"	"		X				X
222 Waiting Room	144				"	"	"	"		X				X
223 Men's Toilet	100				CT	CT	"	"		X				X
224 Women's Toilet	120				CT	CT	"	"		X				X
227 Waiting Room	210				GB	RT	"	"		X				X
228 Reception	400				"	"	"	"		X				X
229 Office	156				"	"	"	"		X				X
230 Office	168				"	"	"	"		X				X
231 Office	140				"	"	"	"		X				X
232 Office	90				P	"	"	"		X				X
233 Vault	600				GB	"	"	"		X				X
235 Office	90				P	"	"	"		X				X
237 Messengers	400				P	"	"	"		X				X
238 Toilet	30			X	CT	CT	"	"		X				X
239 Toilet	25			X	CT	CT	"	"		X				X
242 Vault	2730				P	RT	"	"		X				X
243 Office	187				GB	"	"	"		X				X
244 Office	68				GB	"	"	"		X				X
245 Office	68				GB	"	"	"		X				X
246 Office	68				"	"	"	"		X				X

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA. CITY	TOTAL TOIL. FAC. M.F.	GEN'L COND.	FINISH			LIGHTING			ACOU. STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT	AIRCOND. UNIT CENT. ROOM SYST.
					WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL			
SECOND FLOOR (Cont)														
247 Office	68				G.B.	RT	Ac.T.	8'		X				X
248 Office	80				"	"	"	"		X				X
249 Office	80				"	"	"	"		X				X
250 Office	80				"	"	"	"		X				X
251 Office	80				"	"	"	"		X				X
252 Data Processing	204				"	"	"	"		X				X
254 General Office	960				"	"	"	"		X				X
255 Secretaries	220				"	"	"	"		X				X
256 Chief Clerk	550				"	"	"	"		X				X
257 Waiting	200				"	"	"	"		X				X
215 Supply Room	66				"	"	"	"		X				X
236 Supply Room	63				"	"	"	"		X				X
202 Private Corridor	250				G.B.	RT	Ac.T.	"		X				X
219 Private Corridor	80				"	"	"	"		X				X
226 Public Corridor	444				P	T	"	"		X				X
234 Corridor	250				G.B.	RT	"	"		X				X
253 Corridor	470				G.B.	RT	"	"		X				X
THIRD FLOOR														
301 Lobby	624				VC	T	"	"		X				X
302 Hearing Room	320				P	C	"	"		X				X
303 Voire Dire	126				"	"	"	"		X				X
304 Judge's Chamber	192				"	"	"	"		X				X
305 Judges Toilet	25			X	CT	CT	"	"		X				X
306 Jury Room	192				P	C	"	"		X				X
307 Jury Toilet	25			X	CT	CT	"	"		X				X
308 Jury Toilet	25			X	CT	CT	"	"		X				X
309 Small Criminal Court	1280	X			W	C	"	VAR	X	X		X		X
310 Conf. Room	80				P	C	"	"		X				X
311 Prisoner Hold	56				P	RT	"	"		X				X
313 Jury Alt.	72				P	C	"	"		X				X

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA CITY	TOIL. FAC. M.F.	GEN'L COND.	FINISH		LIGHTING			ACOUSTIC	PA SYST.	ADEQUACY OF FURNISHINGS	AIR COND. UNIT	CENT. ROOM SYST.
					WALLS	FLOOR	CLG.	CLG. HT.	INCAN.					
310 Jury Room	224		x		P	C	Ac.T.	"	x	x	x	x	x	x
311 Men's Toilet	25		x		P	C	Ac.T.	"	x	x	x	x	x	x
312 Women's Toilet	25		x		P	C	Ac.T.	"	x	x	x	x	x	x
313 Jury Court	840	x			W	C	Var	x'	x	x	x	x	x	x
314 Jury Room	224		x		P	C	Ac.T.	"	x	x	x	x	x	x
315 Men's Toilet	25		x		P	C	Ac.T.	"	x	x	x	x	x	x
316 Women's Toilet	25		x		P	C	Ac.T.	"	x	x	x	x	x	x
317 Jury Room	224		x		P	C	Ac.T.	"	x	x	x	x	x	x
318 Men's Toilet	25		x		P	C	Ac.T.	"	x	x	x	x	x	x
319 Women's Toilet	25		x		P	C	Ac.T.	"	x	x	x	x	x	x
320 Jury Court	840	x			W	C	Var	x'	x	x	x	x	x	x
321 Jury Room	224		x		P	C	Ac.T.	"	x	x	x	x	x	x
322 Men's Toilet	25		x		P	C	Ac.T.	"	x	x	x	x	x	x
323 Women's Toilet	25		x		P	C	Ac.T.	"	x	x	x	x	x	x
324 Jury Toilet	25		x		P	C	Ac.T.	"	x	x	x	x	x	x
325 Judge's Toilet	160		x		P	C	Ac.T.	"	x	x	x	x	x	x
326 Judge's Toilet	25		x		P	C	Ac.T.	"	x	x	x	x	x	x
327 Conf. Room	130		x		P	C	Ac.T.	"	x	x	x	x	x	x
328 Voire Dire	140		x		P	C	Ac.T.	"	x	x	x	x	x	x
329 Voire Dire	140		x		P	C	Ac.T.	"	x	x	x	x	x	x
330 Conf. Room	130		x		P	C	Ac.T.	"	x	x	x	x	x	x
331 Jury Alt.	80		x		P	C	Ac.T.	"	x	x	x	x	x	x
332 Jury Court	840	x			W	C	Var	x'	x	x	x	x	x	x
333 Judges Chamber	150		x		P	C	Ac.T.	"	x	x	x	x	x	x
334 Judge's Toilet	25		x		CT	CT	"	"	x	x	x	x	x	x
335 Jury Room	200		x		P	C	"	"	x	x	x	x	x	x
336 Jury Toilet	25		x		CT	CT	"	"	x	x	x	x	x	x
337 Jury Toilet	25		x		CT	CT	"	"	x	x	x	x	x	x
338 Jury Toilet	25		x		CT	CT	"	"	x	x	x	x	x	x
339 Non-Jury Court	840		x		W	C	Var	x'	x	x	x	x	x	x
340 Judge's Chamber	160		x		P	C	Ac.T.	"	x	x	x	x	x	x
341 Judge's Chamber	160		x		CT	CT	"	"	x	x	x	x	x	x
342 Judges Toilet	25		x		P	C	"	"	x	x	x	x	x	x
343 Conf. Room	130		x		P	C	"	"	x	x	x	x	x	x
344 Judge's Chamber	200		x		P	C	"	"	x	x	x	x	x	x
345 Judge's Closet	15		x		P	RT	"	"	x	x	x	x	x	x
346 Judge's Toilet	25		x		CT	CT	"	"	x	x	x	x	x	x
347 Conf. Room	130		x		P	C	"	"	x	x	x	x	x	x
348 Judge's Vestibule	92		x		P	C	Ac.T.	"	x	x	x	x	x	x
311 Corridor	108		x		VC	T	"	"	x	x	x	x	x	x
312 Corridor	592		x		VC	T	"	"	x	x	x	x	x	x
328 Corridor	225		x		VC	T	"	"	x	x	x	x	x	x
344 Corridor	225		x		VC	T	"	"	x	x	x	x	x	x
361 Corridor	966		x		VC	T	"	"	x	x	x	x	x	x

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA CITY	TOIL. FAC. M.F.	GEN'L COND.	FINISH		LIGHTING			ACOUSTIC	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND. UNIT	CENT. ROOM SYST.
					WALLS	FLOOR	CLG.	CLG. HT.	INCAN.					
FOURTH FLOOR														
401 Lobby	624		x		VC	T	Ac.T.	"	x	x	x	x	x	x
402 Hearing Room	320		x		P	C	"	"	x	x	x	x	x	x
403 Voire Dire	126		x		"	"	"	"	x	x	x	x	x	x
404 Judge's Chamber	192		x		"	"	"	"	x	x	x	x	x	x
405 Judges Toilet	25		x		CT	CT	"	"	x	x	x	x	x	x
406 Jury Room	192		x		P	C	"	"	x	x	x	x	x	x
407 Jury Toilet	25		x		CT	CT	"	"	x	x	x	x	x	x
408 Jury Toilet	25		x		CT	CT	"	"	x	x	x	x	x	x
409 Small Criminal Court	1280	x			W	C	Var	x'	x	x	x	x	x	x
410 Conf. Room	80		x		P	C	Ac.T.	"	x	x	x	x	x	x
411 Prisoner Hold	56		x		P	RT	"	"	x	x	x	x	x	x
413 Jury Alt.	72		x		P	C	"	"	x	x	x	x	x	x
414 Toilet Rm	28		x		CT	CT	"	"	x	x	x	x	x	x
415 Toilet Rm	25		x		CT	CT	"	"	x	x	x	x	x	x
416 Men's Toilet	120		x		CT	CT	"	"	x	x	x	x	x	x
417 Women's Toilet	120		x		CT	CT	"	"	x	x	x	x	x	x
420 Jury Court	840	x			VC	C	Var	x'	x	x	x	x	x	x
421 Jury Room	224		x		P	C	Ac.T.	"	x	x	x	x	x	x
423 Jury Toilet	25		x		CT	CT	"	"	x	x	x	x	x	x
424 Jury Toilet	25		x		CT	CT	"	"	x	x	x	x	x	x
425 Judges Chambers	160		x		P	C	"	"	x	x	x	x	x	x
426 Judge's Toilet	25		x		CT	CT	"	"	x	x	x	x	x	x
427 Conf. Room	130		x		P	C	"	"	x	x	x	x	x	x
429 Voire Dire	140		x		P	"	"	"						

ROOM NAME / USE	SIZE APPROX SQ. FT.	TOTAL CAPACITY			FINISH		LIGHTING			P.A. SIST.	ADEQUACY OF FURNISHINGS	AIR COND.		
		JURY CITY	CAP. M.F.	GEN. COND.	WALLS	FLOOR	CLG. HT.	INCAN.	FLUOR.	LEVEL	STIC.	COURT PUBLIC	UNIT ROOM	CENT. SYST.
FIFTH FLOOR (Cont'd)														
440 Conf. Room	100				VC	T	"	"	"	"	X			X
445 Judge's Chamber	124				P	C	"	"	"	"	X			X
447 Judge's Closet	15				P	C	"	"	"	"	X			X
448 Judge's Toilet	14				P	C	"	"	"	"	X			X
449 Conference	30				P	C	"	"	"	"	X			X
450 Jury Alt.	30				P	C	"	"	"	"	X			X
451 Non Jury Court	840				P	C	"	"	"	"	X			X
454 Judge's Vestibule	92				P	C	"	"	"	"	X			X
455 Staircase	84				P	C	"	"	"	"	X			X
163 -														
412 Corridor	108				VC	T	"	"	"	"	X			X
414 Corridor	592				VC	T	"	"	"	"	X			X
423 Corridor	225				VC	T	"	"	"	"	X			X
434 Corridor	225				VC	T	"	"	"	"	X			X
461 Corridor	966				VC	T	"	"	"	"	X			X
FIFTH Floor														
501 Lobby	624				VC	T	"	"	"	"	X			X
502 Hearing Room	272				P	C	"	"	"	"	X			X
503 Jury Alt. & Reject	125				P	C	"	"	"	"	X			X
504 Voir Dire	152				P	C	"	"	"	"	X			X
505 Judge's Chambers	192				P	C	"	"	"	"	X			X
506 Judge's Toilet	25				CT	CT	"	"	"	"	X			X
507 Jury Room	192				P	C	"	"	"	"	X			X
508 Jury Toilet	25		x		CT	CT	"	"	"	"	X			X
509 Jury Toilet	25		x		CT	CT	"	"	"	"	X			X
510 Small Criminal Court	1280	x			W	C	P	Var	X	X	X			X
511 Conf. Room	80				P	C	Ac.T.	8'			X			X
512 Prisoner Hold	56				P	RT	"	"			X			X
513 Conf. Room	80				P	C	"	"			X			X
515 Women's Toilet	120		x		CT	CT	"	"			X			X
516 Men's Toilet	120	x			CT	CT	"	"			X			X

ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY CAPA- CITY	TOIL. M.F.	GEN. COND.	FINISH		LIGHTING			P.A. SIST.	ADEQUACY OF FURNISHINGS	AIR COND.		
					WALLS	FLOOR	CLG. HT.	INCAN.	FLUOR.	LEVEL	ACOU. STIC.	COURT PUBLIC	UNIT ROOM	CENT. SYST.
FIFTH FLOOR (Cont'd)														
518 Jury Court	840				VC	C	P	Var	X	X	X			X
519 Jury Room	224				P	C	Ac.T.	8'			X			X
520 Jury Toilet	25		x		CT	CT	"	"	"	"	X			X
522 Jury Toilet	25		x		CT	CT	"	"	"	"	X			X
523 Judge's Chamber	160				P	C	"	"	"	"	X			X
524 Judge's Toilet	25		x		CT	CT	"	"	"	"	X			X
525 Conf. Room	130				P	C	"	"	"	"	X			X
527 Conf. Room	130				P	C	"	"	"	"	X			X
528 Jury Alt.	80				P	C	"	"	"	"	X			X
529 Voir Dire	140				P	C	"	"	"	"	X			X
530 Voir Dire	140				P	C	"	"	"	"	X			X
531 Jury Court	840	x			W	C	P	Var	X	X	X			X
532 Judge's Chamber	160				P	C	Ac.T.	8'			X			X
533 Judge's Toilet	25				CT	CT	"	"	"	"	X			X
534 Jury Room	200				P	C	"	"	"	"	X			X
535 Jury Toilet	25		x		CT	CT	"	"	"	"	X			X
536 Jury Toilet	25		x		CT	CT	"	"	"	"	X			X
537 Non Jury Court	840				VC	C	P	Var	X	X	X			X
538 Judges Chamber	160				P	C	Ac.T.	8'			X			X
539 Judges Toilet	25		x		CT	CT	"	"	"	"	X			X
540 Conf. Room	90				P	C	"	"	"	"	X			X
542 Conf. Room	144				P	C	"	"	"	"	X			X
544 Voir Dire	200				P	C	"	"	"	"	X			X
547 Jury Court	840	x			VC	C	P	Var	X	X	X			X
548 Judge's Chamber	160				P	C	Ac.T.	8'			X			X
549 Judge's Toilet	25		x		CT	CT	"	"	"	"	X			X
550 Jury Room	242				P	C	"	"	"	"	X			X
551 Jury Toilet	25		x		CT	CT	"	"	"	"	X			X
552 Jury Toilet	25		x		CT	CT	"	"	"	"	X			X
163 -														
514 Corridor	108				VC	T					X			X
526 Corridor	225				VC	T					X			X
541 Corridor	218				VC	T					X			X
555 Corridor	966				VC	T					X			X
556 Corridor	544				VC	T					X			X

ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY	TOTAL CAPA- CITY	TOIL. FAC.	GEN'L COND.	WALLS	FLOOR	CLG.	CLG. HT.	FINISH			LIGHTING			ACOU- STIC	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT	AIR COND. UNIT CENT. ROOM	CENT. SYST.
										JURY	CAPACITY	M.F.	WALLS	FLOOR	CLG.	INCAN.	FLUOR.	LEVEL		
SIXTH FLOOR																				
601 Lobby	624				VC	T	AC.T.	8'	"	X									X	X
602 Hearing Room	320				P	C	"	"	"	X									X	X
603 Voire Dire	165				P	C	"	"	"	X									X	X
604 Judge's Chamber	255				P	C	"	"	"	X									X	X
605 Judges Toilet	25				CT	CT	"	"	"	X									X	X
606 Jury Room	360				P	C	"	"	"	X									X	X
607 Jury Toilet	25				CT	CT	"	"	"	X									X	X
608 Jury Toilet	25				CT	CT	"	"	"	X									X	X
609 Large Criminal Court	1728	X			VC	C	P	Var	"	X									X	X
612 Prisoner Hold	120				P	RT	AC.T.	8'	"	X									X	X
613 Conf. Room	88				P	C	"	"	"	X									X	X
614 Conf. Room	80				P	C	"	"	"	X									X	X
616 Men's Toilet	120				CT	CT	"	"	"	X									X	X
617 Women's Toilet	120				CT	CT	"	"	"	X									X	X
618 Lobby	494				VC	T	"	"	"	X									X	X
620 Jury Court	840	X			VC	C	P	Var	"	X								X	X	
621 Jury Room	224				P	C	AC.T.	8'	"	X								X	X	
622 Jury Toilet	25				CT	CT	"	"	"	X								X	X	
624 Jury Toilet	25				CT	CT	"	"	"	X								X	X	
625 Judge's Chamber	160				P	C	"	"	"	X								X	X	
626 Judge's Toilet	25				CT	CT	"	"	"	X								X	X	
627 Conf. Room	130				P	C	"	"	"	X								X	X	
630 Voir Dire	140				P	C	"	"	"	X								X	X	
631 Voir Dire	140				P	C	"	"	"	X								X	X	
632 Conf. Room	130				P	C	"	"	"	X								X	X	
633 Jury Alt.	80				P	C	"	"	"	X								X	X	
634 Jury Court	840	X			VC	C	P	Var	"	X								X	X	
635 Judge's Chamber	160				P	C	AC.T.	8'	"	X								X	X	
636 Judge's Toilet	25				CT	CT	"	"	"	X								X	X	
637 Jury Room	200				P	C	"	"	"	X								X	X	
638 Jury Toilet	25				CT	CT	"	"	"	X								X	X	
639 Jury Toilet	25				CT	CT	"	"	"	X								X	X	
640 Non Jury Court	840				VC	C	P	Var	"	X								X	X	
641 Judge's Chamber	160				P	C	AC.T.	8'	"	X								X	X	
642 Judge's Toilet	25				CT	CT	"	"	"	X								X	X	
643 Conf. Room	90				P	C	"	"	"	X								X	X	


ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY	TOTAL CAPA- CITY	TOIL. FAC.	GEN'L COND.	WALLS	FLOOR	CLG.	CLG. HT.	FINISH			LIGHTING			ACOU- STIC	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT	AIR COND. UNIT CENT. ROOM	CENT. SYST.
										JURY	CAPACITY	M.F.	WALLS	FLOOR	CLG.	INCAN.	FLUOR.	LEVEL		
SIXTH FLOOR (Cont'd)																				
647 Voir Dire	200				P	C	Ac.T.	8'	"	X									X	X
648 Conf. Room	144				P	C	"	"	"	X									X	X
650 Jury Court	840	X			VC	C	P	Var	"	X								X	X	
651 Judges Chamber	160				P	C	Ac.T.	8'	"	X								X	X	
652 Judges Toilet	25			X	CT	CT	"	"	"	X								X	X	
653 Jury Room	242				P	C	"	"	"	X								X	X	
654 Jury Toilet	25			X	CT	CT	"	"	"	X								X	X	
657 Jury Toilet	25			X	CT	CT	"	"	"	X								X	X	
661 Toilet Rm. ofc G10	25			X	CT	CT	"	"	"	X								X	X	
662 Toilet Rm. Ofc. G10	25			X	CT	CT	"	"	"	X								X	X	
610 Corridor	118				VC	T	"	"	"	X									X	X
628 Corridor	225																			

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA- CITY	TOIL. COND.	FINISH			LIGHTING			P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND.
				FAC.	COND.	WALLS	FLOOR	CLG.	HT.			
SEVENTH FLOOR												
711 Office	120											
712 Office	120											
713 Office	120											
714 Hearing Room	120											
715 Office	120											
716 Reception Area	120											
717 Reception Area	120											
718 Reception Area	120											
719 Reception Area	120											
720 Reception Area	120											
721 Reception Area	120											
722 Reception Area	120											
723 Reception Area	120											
724 Reception Area	120											
725 Library - Main Level	700											
726 Library - Upper Level	3350											
727 Work Room	200											
728 Information Office	150											
729 Carrel	49											
730 Carrel	56											
731 Carrel	42											
732 Carrel	49											
733 Carrel	49											
734 Carrel	66											
735 Carrel	49											
736 Corridor	504					VC	T	"	8'		X	
737 Corridor	100					P	T	"	8'		X	
738 Corridor	324					VC	T	"	8'		X	
EIGHTH FLOOR												
801 Lobby	500					VC	T	"	8'		X	
802 Office	210					P	RT	"	8'		X	
804 Office	210					P	RT	"	8'		X	
806 Office	230					P	RT	"	8'		X	

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA- CITY	TOIL. COND.	FINISH			LIGHTING			ACOUSTIC SYST.	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND.
				FAC.	COND.	WALLS	FLOOR	CLG.	HT.				
EIGHT FLOOR (Cont'd)													
808 Office	253					P	RT	Ac.T.	8'			X	
810 Office	192					"	"	"	"			X	
812 Office	224					"	"	"	"			X	
814 Office	204					"	"	"	"			X	
816 Office	290					"	"	"	"			X	
818 Office	192					"	"	"	"			X	
821 Womens Toilet Room	140		X			CT	CT	"	"			X	
822 Womens Rest Room	144					P	RT	"	"			X	
823 Secretaries	300					"	"	"	"			X	
824 Supply	40					"	"	"	"	X		X	
825 Office	264					"	"	"	"			X	
827 Office	264					"	"	"	"			X	
829 Office	264					"	"	"	"			X	
831 Office	350					"	"	"	"			X	
833 Clerk	168					"	"	"	"			X	
834 Office	228					"	"	"	"			X	
836 Clerk	240					"	"	"	"			X	
837 Office	280					"	"	"	"			X	
839 Office	244					"	"	"	"			X	
841 Office	244					"	"	"	"			X	
843 Office	244					"	"	"	"			X	
845 Office	244					"	"	"	"			X	
847 Office	230					"	"	"	"			X	
849 Office	230					"	"	"	"			X	
851 Office	214					"	"	"	"			X	
853 Office	230					"	"	"	"			X	
855 Office	272					"	"	"	"			X	
857 File Room	122					"	"	"	"			X	
858 Judges Toilet Room	480		X			CT	CT	"	"	X	X		
820 Corridor	500					VC	T	"	"			X	
862 Corridor	604					VC	T	"	"			X	
863 Corridor	880					P	T	"	"			X	


New Haven Superior Courts Building (New)
Church St. at Wall St.

ROOM NAME / USE	SIZE SF. SOFT	TYPE CASA CITY M.F.	FOR FAC CITY M.F.	FINISH MUS/FLOOR C.G.	LIGHTING CIG W.	ACCL WAV FLUORESC STG SIST	ACCY PROGRESS COIN	AIR COND CENT COOLING FAN SIST
NINTH FLOOR								
901 Lobby	1750			VC	FLU	"	X	X
902 Lounge	632			P	FLU	"	X	X
903 Corridor	140			VC	FLU	"	X	X
904 Men's Toilet Room	220			VC	FLU	"	X	X
905 Vending Machines	288			P	FLU	"	X	X
906 Women's Toilet Room	224			VC	FLU	"	X	X
910 Hats & Crafts	460			P	FLU	"	X	X
911 Reception	160			P	FLU	"	X	X
912 Lounge	252			P	FLU	"	X	X
913 Lounge	336			P	FLU	"	X	X
914 Lounge	364			P	FLU	"	X	X
915 Jury Assembly	2600			VC	T	"	X	X
916 Office	220			P	FLU	"	X	X
918 Chair Storage	168			GB	FLU	"	X	X
908 Corridor	150			VC	T	"	X	X
909 Corridor	175			BL	Conc	Conc	X	X
920 Corridor	406			VC	T	FLU T.	"	X




BASEMENT FLOOR PLAN
1'6" = 1'0"

SUPERIOR COURTS BLDG
NEW HAVEN, CONN.




FIRST FLOOR PLAN

SUPERIOR COUNTS SHOW




SUPERIOR COUNTS SHOW




SECOND FLOOR PLAN
1" = 16' 0"

SUPERIOR COURTS BLOG
NEW JERSEY.COM





SUPERIOR COURTS BLOG
NEW JERSEY COM

172

SUPERIOR COURTS BLDG.
NEW HAVEN, CONN.


173

SUPERIOR COURTS BLDG.
NEW HAVEN, CONN.FOURTH FLOOR PLAN
1" = 16'0"




FIFTH FLOOR PLAN
1/16" = 1' 0"

SUPERIOR COURTS BLDG
NEW HAVEN, CONN.




SIXTH FLOOR PLAN
1/16" = 1'-0"

SUPERIOR COURTS BLDG
NEW HAVEN, CONN.



NEW HAVEN, CONN.


卷之三



7

$$116'' = 1^{\circ} - 0^{\prime}$$

SUPERIOR COURTS BLDG.
NEW HAVEN, CONN.



Sixth Circuit Court - New Haven

General Information

These facilities are very likely the worst in the State. The Buildings are old, dilapidated and poorly maintained.

This facility was completed in the Eighteen Seventys and except for exterior architectural merit, has long outlived its usefulness. The Building is located in the heart of the downtown area and faces the New Haven Green.

Parking

Except for spaces provided at the rear of this building for the presiding judge and prosecuting attorney parking is practically non-existent adjacent to the building. Within walking distance, however, is a municipal garage facility and a few on street metered spaces.

Remarks


A poorly laid out facility - there is no direct access from the Judges Chambers to the Court Rooms. The Judge must walk through a corridor full of waiting people to get to his bench.

The annex building is scheduled for demolition to make room for a new City Library with the Circuit Court operation scheduled to move to the present Superior Court House. This facility should be replaced as soon as possible.


ROOM NAME / USE	SIZE APPROX. SQ.FT.	JURY	TOTAL CAPA- CITY	TOIL FAC.	GEN'L COND M.F.	FINISH			LIGHTING			ACOH STIC	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT/PUBLIC	AIR COND. UNIT ROOM	CENT. SYST.
						WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL				
FIRST FLOOR																
Circuit Court Clerks	748	5		Poor	PL.	R.T.	PL	20'		X	Poor	Poor		Poor	No	No
Clerks Ofc	96	1		"	"	"	"	"		X	"	"		"	"	"
Mail Room	48	1		"	"	"	"	"		X	"	"		"	"	"
Waiting Room	96	3		"	"	"	"	"		X	"	"		Poor	"	"
Prosecutor Ofc. Area	697	4-5		"	"	"	"	"		X	"	"		"	"	"
Storage Room	112	-		"	"	"	"	"		X	"	"		"	"	"
Vault	340	-		"	"	"	"	"		X	"	"		"	"	"
Clerks #1	187	2		"	"	"	"	"		X	"	"		"	"	"
Clerks #2	170	2		"	"	"	"	"		X	"	"		"	"	"
Traffic Fines	375	6		"	"	"	"	"		X	"	"		"	"	"
Walk way to other half of Bldg																
180-	File Room	247	1	"	"	"	"	"		X	"	"		"	"	"
	Small Claims Office	510	3	"	"	"	"	"		X	"	"		"	"	"
	Jury Assembly & Storage	765	3	"	"	"	"	"		X	"	"		"	"	"
	Court Room #1	2072	Yes	110	"	"WD	"	WD		X	"	"	No	"	Poor	"
	Judges Chamber	280	2	x	"	PL	"	PL		X	"	"		"	"	"
	Public Defender	288	2	x	x	"	"	"	14'	X	"	"		"	"	"

ROOM NAME / USE	SIZE APPROX. SQ.FT.	JURY	TOTAL CAPA- CITY	TOIL FAC.	GEN'L COND M.F.	FINISH			LIGHTING			ACOH STIC	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT/PUBLIC	AIR COND. UNIT ROOM	CENT. SYST.
						WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL				
SECOND FLOOR																
Court Room #2	2128	Yes	32		Poor	Plstr	R.T.	PL	20'		X	Poor	Poor	No	Poor	No
Jury Room	288		13	x	x	"	"	"	10'	X	"	"		"	"	"
Judge Chamber	360		2	x	"	"	"	"	20'	X	"	"		"	"	"
Public Defender #1	247		3	"	"	"	"	"	20'	X	"	"		"	"	"
Public Defender Clerks	252		2	"	"	"	"	"	20'	X	"	"		"	"	"
Public Defender #2	255		3	"	"	"	"	"	20'	X	"	"		"	"	"
Small Claims Court	352		3	"	"	"	"	Wood	12'	X	"	"		Poor	"	"
Judge #1	221		2	"	"	"	"	"	20'	X	"	"		"	"	"
Jury Assembly	238		12	"	"	"	"	PL	12'	X	"	"		"	"	"
Court Reporter	216		2	x	"	"	"	"	20'	X	"	"		"	"	"
Storage Rm	171			"	"	"	"	"		X	"	"		"	"	"
Judge #2	306		2	"	"	"	"	"		X	"	"		"	"	"
Public Def. Sec'y	170		2	"	"	"	"	"		X	"	"		"	"	"
Public Def. #1	90		2	"	"	"	"	"		X	"	"		"	"	"
Public Def. #2	90		2	"	"	"	"	"		X	Fair	"		"	"	"
Court Room #3	1764	Yes	35	"	"	"	"	Wood	40'	X	Poor	"	No	"	Poor	"
Pros. Conf. Rm.	196		3-4	"	"	"	"	PL	20'	X	Fair	"		"	"	"
Male Pen.	414		1-10	"	B	"	"	7'	X	Poor	"			"	"	"

NEW HAVEN
CIRCUIT COURT
1ST FLOOR
1" = 20'-0"



NEW HAVEN
CIRCUIT COURT
2ND FLOOR
1" = 20'-0"



Seventh Circuit Court

Standard Municipal Building
165 Miller Street, Meriden

General Information

This city-owned building was originally constructed in 1930 and extensively renovated in 1966. It is contemporary in style and well kept in a moderately well kept industrial and residential neighborhood. The circuit court occupies the majority of the second floor on a leased basis. The building is air conditioned has a hydraulic elevator and has a central fire alarm system.

Parking


There are two parking facilities available for court use:

1. Vacated school yard at the rear of the building used as a parking lot for autos used by court personnel; 2. A 45 car parking lot across Miller Street used by Jurors.

SCHILLER

Aside from a lack of court storage space, this facility appeared to be well used and efficient. Addition of a public address system

MERIDEN - CIRCUIT COURT
2ND FLOOR - MUNICIPAL BUILDING
SCALE 1" = 20'



Fifth Circuit Court - Milford

General Information

This is a well maintained seven year old colonial style building with a brick exterior. Housed also within this building is the police headquarters for Milford. Court space is leased from the City of Milford and is in a well kept business area which is adequately lit.


The court facilities themselves are generally well lit and well furnished.

Parking

Ten spaces are reserved for the immediate court personnel - (Judge, Prosecutor, Lawyers etc.) Also approximately 100 spaces are available on a first come first served basis - for jurors etc. Nearby, both on and off street parking would accommodate another 100 plus cars.

Remarks

This circuit court could generally be classified as an up-to-date building with generally adequate furnishings and court facilities. A public address system is not installed at this location.



MILFORD
CIRCUIT COURT

Eighth Circuit Court - West Haven

General Information

The Eighth Circuit Court facility consists of approximately 10,200 square feet, is leased from the Town of West Haven, and is located on the second floor of the West Haven City Hall, 355 Main Street, West Haven.

The building was constructed in 1968, is of colonial architecture, well maintained, is air conditioned and heated by hot water. Two elevators are available.

Parking

Six spaces, in the 40 space, on site, parking lot, are reserved for court personnel. An adjacent lot provides an additional 250 spaces at no charge, on a first come/first serve basis.

Remarks

Court facilities appear to be in good condition.

CONTINUED
2 OF 3

Eighth Circuit Court - West Haven

Eighth Circuit Court - West Haven Code II

General Information

The Eighth Circuit Court facility consists of approximately 10,200 square feet, is leased from the Town of West Haven, and is located on the second floor of the West Haven City Hall, 355 Main Street, West Haven.

The building was constructed in 1968, is of colonial architecture, well maintained, is air conditioned and heated by hot water. Two elevators are available.


Parking

Six spaces, in the 40 space, on site, parking lot, are reserved for court personnel. An adjacent lot provides an additional 250 spaces at no charge, on a first come/first serve basis.

Remarks

Court facilities appear to be in good condition.

ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY CAPA CITY	TOTAL FAC. M. F.	GEN COND.	FINISH	LIGHTING	ACQU STG.	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND. UNIT	CENT. ROOM	COURT PUBLIC
West Court Room	1900	Yes	120	Good P.W	R.T. AC	X	Good	Yes	Good	X		
West Judge Office	140	5	X	" BL	C	X	"	"	"	X		
West Jury Room	215	10	X	" BL	R.T.	X	"	"	"	X		
East Court Room	1000	Yes	62	" P,W	R.T.	X	"	"	Yes	"	Good	X
East Judge Office	160	5	X	" BL	C	X	"	"	"	X		
East Jury Room	280	12	X	" BL	R.T.	X	"	"	"	X		
Jury Assembly Room	670	45	-	" BL	"	X	"	"	"	X		
Court Clerk Ofc	190	3	-	" BL	"	X	"	"	"	X		
Asst. Court Clerk Ofc	160	4	-	" BL	"	X	"	"	"	X		
Court Clerk - Gen. Ofc.	500	8	-	" BL,B	"	X	"	"	"	X	Good	X
Vault	170	1	-	" B	"	X	"	"	"	X		
Court Reporter	140	3	-	" BL	"	X	"	"	"	X		
Office	100	4	-	"	"	X	"	"	"	X		
Detention Room	100	4	-	"	"	X	"	"	"	X		
Prosecutor Ofc	110	5	-	"	"	X	"	"	"	X		
Asst. Pros. Ofc	110	4	-	"	"	X	"	"	"	X		
Pros. Clerical & Waiting	170	8	-	"	"	X	"	"	"	X		
Storage	180	-	-	"	"	X	"	"	"	X		
Public Defender	120	5	-	"	"	X	"	"	"	X		
Head of Domestic Rel.	170	8	-	"	"	X	"	"	"	X		
Domestic Rel. Ofc.	100	4	-	"	"	X	"	"	"	X		
Domestic Rel. Clerical	670	12	-	"	"	X	"	"	"	X		
Storage & Coffee	120	-	-	"	"	X	"	"	"	X		
Court Lobby	570	30	-	" GB	"	X	"	"	"	X		



WEST HAVEN
CIRCUIT COURT

1' = 16'-0"

Fifth Circuit Court - Ansonia

General Information

This building is of Colonial Design and was built about 50 years ago. It is in fairly good condition heated by a hot water boiler. The Court facilities are located entirely on the second floor of the City Hall Building in a well lighted Business section of town. Facilities are leased from the Town of Ansonia.


Parking

There are eight parking spaces reserved for the Court. Located nearby is a large municipal parking facility.

Remarks

This is an old generally well kept but antiquated facility which needs a serious look at the over crowded clerical facilities. There was also expressed by the occupants of this facility a need for more up to date furnishings. A new larger more modern facility is recommended.

1941



**ANSONIA CIRCUIT COURT
2ND FLOOR - TOWN HALL**

165

SCALE 1" = 10'

Superior and Common Pleas Courts
7 Kendrick Avenue, Waterbury

General Information

This State-owned facility was originally constructed in about 1892 with the third floor added about 1909. The building has 3 floors and a basement, is in classic style of stone and brick exterior and looks sound despite being stained, dirty and in need of cleaning. The building has an electric elevator plus a fire alarm system and smoke detectors in the basement. The building is "Downtown" in a business neighborhood with adequate street lighting.

Parking

There are 21 on-site parking spaces reserved for court use. Additional paid parking is available from nearby commercial lots.


Remarks

This building is to be replaced by a new Superior Court facility under construction. The building, being of older vintage does not meet todays building standards. With major renovations this could be a very adequate location for the circuit court.


ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY CAPA CITY	TOIL. FAC.	GENL. COND.	FLOOR M. F.	FINISH CLG. INCAN.	FLUOR. HT.	LIGHTING STIC.	ACOU. SYST.	P.A. UNIT	ADEQUACY CENT. COURT	AIR COND. PUBLIC ROOM SYST.
Basement												
Deputy Sheriff	190	6	Med	P	Conc	P	8'	X	Med	Good		
Jury Assembly	880	40	"	P,W	R.T.	AC,T.	"	X	"	"	X	
Public Defender	400	4	"	"	L	P	"	X	"	"	X	
Vault	220			B	Conc	"	"	X	"			
Public Defender Clerk	180	3	Med	P,W	L	"	"	X	"	Good	X	
Cells (2)	595			B	Conc	Conc	"	X	"			
Men's Room , Women's Room			X	X								
First Floor												
Mini Courtroom	645	No	20	Med	P	R.T.	AC,T.	14'	X	Med	No	Good Good
Resident Judge C.P.	225	4	X	"	"	"	"	X	"	"	X	
" Superior	320	8	"	"	"	"	"	X	"	"	X	
Judges Sec'y's	340	2	"	"	P	15'	X	Good	"	"	X	
Ass't. States Atty	360	5	Good	W	"	9'	X	Good	"	"	X	
Superior Courtroom	2120	Yes	40	Med	W,P	"	15"	X	MedGood	No	Good	X
Jury Room	305	15	X	"	P	"	"	X	"	"	X	
Judges Chambers	210	5	X	"	"	"	"	X	"	"	X	
Judges Coat Room	95		"	"	"	"	"	X	"	"	X	
C.P. Clerk	85	2	"	"	"	"	"	X	"	"	X	
C.P. Clerks	180	5	"	"	"	"	"	X	"	"	X	
Vault	180		"	"	"	"	"	X	"			
Bureau of Support	330	4	X	Med	"	"	"	X	"	Good		
Vault	240							X	"			
Second Floor												
Resident Judge	360	10	Med	P	R.T.	P	15'	X	Med	Good	No	Good
States Atty	180	5	"	"	"	"	"	X	"	"	X	
Ass't States Atty & Detect.	345	8	"	"	L	"	"	X	"	"	X	
Superior Clerk & Ass't	335	6	Good	W,P	R.T.	AC,T.	9'	X	Good	"		
Superior Court room	2200	Yes	40	Med	"	P	15'	X	MedGood	No	Good	
Jury Room	305	14	X	"	P	"	"	X	"	"	X	
Judges Chambers	305	10	X	"	W,P	"	"	X	"	"	X	
Lawyers Conf. Room	280	7	"	P	"	"	"	X	"	"	X	
Vault	180		"	L	"	"	"	X	"	"	X	
Superior Court Clerks	570	6	Med	"	R,T	"	"	X	"	"	X	
Storage	80		"	"	"	"	"	X	"	"	X	
Computers	275	2	"	"	"	"	"	X	"	"	X	
Men's Room			X									

Superior and Common Pleas Courts
7 Kendrick Avenue, Waterbury

WATERBURY
SUPERIOR & COMMON PLEAS COURTHOUSE
1ST FLOOR
1" = 16'-0"




WATERBURY
SUPERIOR & COMMON PLEAS COURTHOUSE
2ND FLOOR
1" = 16'-0"




-200-

WATERBURY
SUPERIOR & COMMON PLEAS COURTHOUSE
3RD FLOOR
1" = 16'-0"



-201-

WATERBURY
 SUPERIOR & COMMON PLEAS COURTHOUSE
 BASEMENT
 1' 6"-0"



New Waterbury Court House
 Grand St. - Waterbury, Conn.

General Information

The new Waterbury Court facility is under construction with occupancy expected in 1974. The court facilities are located on three floors with an additional 2850 sq. ft. vault in the basement.

The building is of Contemporary architecture with a limestone exterior.

There are five courtrooms in this building. Court Rooms #1 & #2 are designated Criminal Court Rooms and have jury facilities. The remaining three courtrooms, two of which have jury facilities, are not identified as to whether they are for use by Superior or Common Pleas Court. All Court rooms are equipped with Public Address systems. The building has three elevators which service all floors.

All Jury Rooms and Judges Chambers have private toilet facilities. Public toilet facilities are located on each floor.

Jury Assembly room has vending machine food facilities. There is also a small staff lunch room on the first floor.

Parking

Provisions are included for thirty parking spaces on the site. Public parking in the neighborhood is limited.

Remarks

Capacity of rooms and adequacy of furnishings is not shown on the schedule since furniture has not yet been installed.


ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY	TOTAL CAPA- GITY	TOIL. FAC. M.F.	GEN'L COND.	FINISH			LIGHTING			ACOU- STIG.	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT PUBLIC	AIR COND.	
						WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL			UNIT ROOM	CENT. SYST.
FIRST FLOOR																
1-2 Lobby	1600				G.B.	Slate	Ac.T	10'		x	Good					Yes
1-4 Investigator	180				"	R.T	Ac.T	9'		x	"					"
1-5 Asst. Def.	153				"	"	"	"		x	"					"
1-6 Public Defender	238				"	"	"	"		x	"					"
1-7 Waiting Room	84				"	"	"	"		x	"					"
1-8 Gen Ofc. - Pub Def	132				"	"	"	"		x	"					"
1-9 Investigator	96				"	"	G.P.	"		x	"					"
1-10 Storage	16				"	"	Ac.T	"		x	"					"
1-12 Assist Atty	108				"	"	"	"		x	"					"
1-13 Assist Atty	180				"	"	"	"		x	"					"
1-14 Assist Atty	136				"	"	"	"		x	"					"
1-15 State Atty	192				"	"	"	"		x	"					"
1-16 Detective	80				"	"	"	"		x	"					"
1-17 Waiting Room	108				"	"	"	"		x	"					"
1-18 Storage	20				"	"	GB	"		x	"					"
1-19 States Atty Gen Ofc.	276				"	"	Ac.T	"		x	"					"
1-20 Asst Atty	96				"	"	"	"		x	"					"
1-21 Detectives	96				"	"	"	"		x	"					"
1-23 Storage	20				"	"	GB	"		x	"					"
1-24 Detective	96				"	"	Ac.T	"		x	"					"
1-25 Detective	72				"	"	"	"		x	"					"
1-26 Detective	88				"	"	"	"		x	"					"
1-27 File Room	143				"	"	"	"		x	"					"
1-28 Locker Room	78				"	"	"	"		x	"					"
132 Control	64				BL	"	"	"		x	"					"
133 Men Toilet	25				CT	CT	P	"	x		"					"
134 Male Cell	120				G	RT	P	8'	x		"					"
135 Male Cell	234				BL	RT	P	9'	x		"					"
136 Female Cell	140				BL	RT	P	9'	x		"					"
137 Female Toilet	20				CT	CT	P	8'	x		"					"
138 Conference	70				CL	RT	Ac.T	9'		x	"					"
FIRST FLOOR (Cont'd)																
1-40 Lobby	192					BL	RT	Ac.T	9'	x	Good					Yes
1-42 Superintendant	150					BL	RT	Ac.T	9'	x	"					"
1-43 Prisoners Unload	600					BL	Conc	P	10'	x	"					"
1-44 Truck Dock	264					BL	Conc	P	90'	x	"					"
1-45 Storage	90					BL	Conc	P	9'	x	"					"
1-47 Messenger	204					GB	RT	Ac.T	9'	x	"					"
1-48 Asst. Clerks	192					GB	RT	Ac.T		x	"					"
1-49 Clerk	132					GB	RT	Ac.T		x	"					"
1-50 Men's Toilet	90		x			CT	CT	GB	8'	x	"					"
1-51 Storage	72					BL	RT	GB	8'	x	"					"
1-52 Women Lounge	50					CT	CT	GB	9'	x	"					"
1-53 Women Toilet	88		x			CT	CT	GB	8'	x	"					"
1-55 Coroner	144					BL	RT	GB	8'	x	"					"
1-56 Vault	696					Conc	Conc	Conc	8'2"	x	"					"
1-58 Sup. Court Gen. Ofc	990					GB	RT	Ac.T	9'	x	"					"
1-59 Waiting Room	252					GB	RT	Ac.T	9'	x	"					"
1-60 C.P. Court Gen. Ofc.	990					GB	RT	Ac.T	9'	x	"					"
1-61 Clerk	135					GB	RT	Ac.T	9'	x	"					"
1-62 Office #3	100					GB	RT	Ac.T	9'	x	"					"
1-64 Vault	375					Conc	Conc	Conc	8'2"	x	"					"
1-66 Toilet	30					CT	CT	P	8'	x	"					"
1-67 Office #4	100					GB	RT	Ac.T	9'	x	"					"
1-68 Office #5	180					GB	RT	"	"	x	"					"
1-70 Office #6	160					"	"	"	"	x	"					"
1-71 Fam. Rel. Gen. Ofc.	594					"	"	"	"	x	"					"
1-72 Office #2	88					"	"	"	"	x	"					"
1-73 Office #1	88					"	"	"	"	x	"					"
1-74 Storage	88					"	"	"	"	x	"					"
1-75 Clerk	88					"	"	"	"	x	"					"
1-76 Asst. Clerk	88					"	"	"	"	x	"					"
1-77 Bus. Supt. Gen. Ofc	375					"	"	"	"	x	"					"
1-79 Waiting Room	270					"	"	"	"	x	"					"

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA CITY	TOTAL FAC M.F.	TOIL COND.	GEN'L COND.	FINISH WALLS FLOOR	CLG	CLG HT.	INCAN	FLUOR	LEVEL	ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT PUBLIC	AIR COND. UNIT	CENT. ROOM SYST.
FIRST FLOOR (Cont'd)																
1-51 Press Room	144					BL RT	AC.T	9'		x				Yes		
1-52 Concessions	132					BL RT	AC.T	9'		x				"		
1-54 Staff Lunch	430					BL RT	AC.T	9'		x				"		
SECOND FLOOR																
2-1 Lobby	1600					GB C	AC.T	9'		x				"		
2-2 Vestibule	96					GB C	" "	"		x				"		
2-3 Conference	100					BL C	" "	"		x				"		
2-4 Conference	100					BL C	" "	"		x				"		
2-5 Courtroom No. 1	1850	x				B&W C	"	Var		x				"		
2-7 Jury Room	320					BL C	"	9'		x				"		
2-8 Jury Toilet	25		x			CT CT	GB	8'	x					"		
2-9 Jury Toilet	25		x			CT CT	"	"	x					"		
2-10 Judge Toilet	25		x			CT CT	"	"	x					"		
2-11 Judge Chamber	240					GB C	"	"		x				"		
2-13 Prisoner Hold	30					BL RT	AC.T	9'	x					"		
2-16 Voir Dire	260					BL C	" "	"		x				"		
2-17 Judge Chamber	210					GB C	" "	"		x				"		
2-18 Judge Toilet	25		x			CT CT	GR	8'	x					"		
2-19 Jury Room	240					GB C	AC.T	9'		x				"		
2-20 Jury Toilet	25		x			CT CT	GR	8'	x					"		
2-21 Jury Toilet	25		x			CT CT	GR	8'	x					"		
2-23 Court Room No2	1088	x				GB&W C	AC.T	Var		x				"		
2-24 Conference	96					BL C	"	9'		x				"		
2-25 Vestibule	50					GB C	" "	"		x				"		
2-26 Conference	96					BL C	" "	"		x				"		
2-27 Judge Chamber	220					GB C	" "	"		x				"		
2-28 Judge Toilet	25		x			CT CT	GB	8'	x					"		
2-29 Storage	20					BL RT	AC.T	9'	x					"		
2-30 Court Rm #3	1326	x				GB&W C	"	Var		x				"		
2-31 Conference	84					BL C	"	9'		x				"		
2-32 Vestibule	50					GB C	"	9'		x				"		
2-33 Conference	84					BL C	"	9'		x				"		


ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA CITY	TOTAL FAC M.F.	TOIL COND.	GEN'L COND.	FINISH WALLS FLOOR	CLG	CLG HT.	INCAN	FLUOR	LEVEL	ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS COURT PUBLIC	AIR COND. UNIT	CENT. ROOM SYST.
SECOND FLOOR (Cont'd)																
2-34 Jury Room	260					GB C	Ac.T	9'		x	Good				Yes	
2-35 Jury Toilet	25		x			CT CT	GB	8'	x		"				"	
2-36 Jury Toilet	25		x			CT CT	GB	8'	x		"				"	
2-38 Voir Dire	250					GB C	Ac.T	9'		x	"				"	
2-39 Judge Chamber	196					GB C	Ac.T	9'		x	"				"	
2-40 Judge Toilet	25		x			CT CT	GB	8'	x		"				"	
2-41 Court Room No4	1080		x			GB&W C	Ac.T	Var		x	"			"		
2-42 Storage	20					BL RT	GB	8'	x		"				"	
2-44 Vestibule	50					GB C	Ac.T	9'		x	"				"	
2-46 Judge Chamber	192					GB C	Ac.T	9'		x	"				"	
2-47 Judge Toilet	25		x			CT CT	GB	8'	x		"				"	
2-48 Jury Room	272					GB C	Ac.T	9'		x	"				"	
2-49 Jury Toilet	25		x			CT CT	GB	8'	x		"				"	
2-50 Jury Toilet	25		x			CT CT	GB	8'	x		"				"	
2-51 Court room No. 5	1155	x				GB&W C	Ac.T	Var		x	"			"		
2-53 Conference	84					GB C	AC.T	9'		x	"			"		
2-54 Vestibule	50					GB C	AC.T	9'		x	"			"		
2-55 Conference	70					GB C	AC.T	9'		x	"			"		
2-56 Womens Toilet	150		x			CT CT	GB	8'	x		"			"		
2-57 Mens Toilet	220		x			CT CT	GB	8'	x		"			"		
2-60 Lawyers Lounge	270					GB C	AC.T	9'		x	"			"		
THIRD FLOOR																
3-1 Lobby	480					GB C	Ac.T	12'		x	"				"	
3-2 Jury Assembly	1800					GB C	Ac.T	11'8		x	"				"	
3-3 Coats	150					BL C	Ac.T	8'		x	"				"	
3-4 Men's Toilet	224					CT CT	GB	"	x		"				"	
3-5 Women's Lounge	100					CT CT	GB	"	x		"				"	
3-6 Women's Toilet	120					CT CT	GB	"	x		"				"	
3-7 TV Room	190					BL C	Ac.T	"		x	"				"	
3-13 Reporter	81					BL RT	AC.T	"		x	"				"	
3-14 Reporter	135					BL RT	AC.T	"		x	"				"	

ROOM NAME / USE	SIZE SF	TOTAL CITY SF	TOL CITY SF	GEN CITY SF	FINISH	LIGHTING	ACON Syst	PA Syst	AIR COND Syst	
	IN USE SF	CITY SF	UP	COND CITY SF	MANUF FLOOR	CIG HIT	CIG HIT	FLUORESCENT LAMP	STIC Syst	DAY CON Syst
THIRD FLOOR (Cont'd)										
3-16 Reporter	143				BL	RT	" 10', T	8'	X	Good
3-17 Reporter	100				BL	"	"	"	X	Good
3-18 Reporter	102				BL	"	"	"	X	Good
3-19 Corridor					BL	RT	"	"	X	"
3-20 Judges Toilet	23				CT	CT	GB	"	X	"
3-21 Resident Judge fl	280				CA	C	AC, T	10'	X	"
3-22 Resident Judge #2	222				CA	C	"	"	X	"
3-23 Resident Judge #3	200				GB	C	"	"	X	"
3-24 Resident Judge #4	200				GR	C	"	10' / 8'	X	"
3-25 Resident Judge #5	220				GB	C	"	"	X	"
3-26 Secretary	300				GR	C	"	8'	X	"
3-28 Library	2400				GB	C	"	21' / 15	X	"
3-30 Library Office	96				GB	C	"	8'	X	"
3-31 Women Toilet	96		X		CT	CT	GB	8'	X	"
3-33 Men Toilet	144				CT	CT	GB	8'	X	"
3-35 Hearing Room	280				C	C	AC, T	10'	X	"
3-39 Recording Room	40				RT	RT	"	8'	X	"
3-39 Recording Room	40				RT	RT	"	8'	X	"


WATERBURY
NEW SUPERIOR & COMMON PLEAS COURTHOUSE
1ST FLOOR - GRAND ST.
1" = 20'-0"



1928-08-20
Sightings of Sooty Terns
The Point - 1000 ft.
1000 ft.



WATERLOO
NEW STYLING & COMMON PLATE CONSTRUCTION
3RD FLOOR
1" = 20'-0"



Fourth Circuit Court
City Hall, 235 Grand Street, Waterbury

General Information

This court occupies about half of the second floor of the Waterbury City Hall on a leased basis. The building was completed in 1915, is classic-colonial in style of stone, brick and white trim. The appearance is good in a well kept business-governmental neighborhood with adequate street lighting. The building has three floors and a basement, hot water heat and only limited air conditioning.

Parking

There are five on-site parking spaces reserved for court use (Judges and prosecutors). Street parking and paid parking facilities provide for additional parking.

Remarks


Acoustics in both court rooms is poor. There is also a shortage of court storage space. The building is old but still looks quite well. worn floor coverings; carpets, floor tile and linoleum should be replaced. Consideration could be given to relighting dull areas. Office space is over-crowded. Renovations should not be considered unless additional space can be provided. Serious consideration should be given to the renovation and use of the old Superior Court Building.

Fourth Circuit Court
 City Hall, 235 Grand Street, Waterbury

ROOM NAME / USE	SIZE APPROX. SQ. FT.	JURY CAPA- CITY	TOTAL FAC.	TOIL. COND. M.F.	GENL. COND. M.F.	FINISH	CLG. FLOOR	CLG. HT.	INCAN. FLUOR. LEVEL	ACOU. STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND. UNIT	CENT. COUN. ROOM SYST.	
Second Floor															
Courtroom 2	1975	Yes	85	Med	W.P.	C.	W.P.	25'	X	Med.	Poor	Yes	Good	X	
Judges Chambers 2	395		7	X	"	P	"	AC.T.	12'	X	"	"	"		
Resident Judge	240		10	X	"	"	"	"	12	X	"	"	"		
Jury Assembly	550		30	X	"	R.T.	"	"	X	"	"	"	"		
Vault	60				"	Conc.	Conc.	"	X	"	"				
Public Defender	195		6	Med	"	R.T.	P	"	X	"				Good	
Bail Commissioner	120		3	"	"	P	"	"	X	"					
Courtroom 1	1975	Yes	60	"	W.P.	"	W.P.	25'	X	"	"	poor	No	"	Good
Judges Chambers	165		5	X	"	P	L	P	12'	X	"	"	"		
Jury Deliberation	270		16	X	"	"	"	"	"	X	"	"	"		
Small Claims 1	240		3	"	"	R.T.	AC.T.	"	"	X	"	"	"		
Small Claims 2	130		3	Good	"	"	"	"	"	X	Good	"	"		
Court Clerk	130		2	"	"	"	"	"	"	X	"	"	"		
Genl Clerks Office	560		10	X	Med	W.P.	"	P	14'	X	Med	"	"	X	
Court Reporter	130		2	Good	P	"	AC.T.	"	12'	X	Good	"	"		
Prosecutor A	130		2	"	"	"	"	"	"	X	"	"	"		
" B	130		2	"	"	C	"	"	"	X	"	"	"		
" C	130		2	"	"	"	"	"	"	X	"	"	"		
" D	265		4	X	"	"	"	"	"	X	"	"	"		

Fourth Circuit Court
City Hall, 235 Grand Street, Waterbury

WATERBURY
CIRCUIT COURT
2ND FLOOR- CITY HALL
1" = 20'-0"



Bridgeport State Court House Building
Main St., Bridgeport Conn.

General Information

The new State Court House facility in Bridgeport is nearing the completion of Construction and will be ready for occupancy in early 1974. The court facilities are located in the basement and seven additional floors.

There are fourteen courtrooms in this building consisting of one large criminal court room, and ten small courtrooms, all with jury facilities. In addition there are three small non-jury courtrooms. There is no distinction made as to whether a courtroom is for Superior or Common Pleas Court.

The building is of contemporary architecture with a limestone facing.

The building is served by three elevators, which stop at all floors.

All Jury Rooms & Judges Chambers have private toilet facilities. Public toilet facilities are located on each floor. All court rooms are equipped with public address systems.

Jury Assembly room has vending machine food facilities. There is also a lunch room off the first floor main lobby.

Parking

Parking on site consists of 108 spaces under a plaza at basement level. On street parking and commercial parking facilities are located nearby.

Remarks

Capacity of rooms & adequacy of furnishings is not shown on the schedule since furniture has not yet been installed.

State Court House Complex
Main Street, Bridgeport Conn

ROOM NAME / USE	SIZE APPROX. sq. ft.	TOTAL CAPA. CITY	JURY CAPA. FAC.	TOIL. COND.	GENL. COND.	FINISH WALLS FLOOR	CLG. HT.	INCA. FLUOR.	AIR COND. UNIT	ADEQUACY OF FURNISHINGS	P.A. SYST.	COURT/PUBLIC ROOM SYST.	AIR COND. CENT. ROOM SYST.	
BASEMENT														
2 Corridor	1010					R.T. AC.T	8'		x	Good				x
5 Storage	414					Conc.	" 10'	x	"				x	x
6 Engr. Office	170					R.T.	"	x	"				x	x
7 Engr. Toilet Rm.	66	x				C.T.	P	x	"				x	x
8 Staff Toilet	110	x				C.T.	P	x	"				x	x
9 Staff Locker Rm.	216					R.T. AC.T	"	x	"				x	x
10 Sheriffs Toilet Rm.	128				x	C.T. P	"	x	"			x	x	x
11 Sheriffs Locker Rm.	234					R.T. AC.T	"	x	"			x	x	x
15 Corridor	500					R.T.	" 8'	x	"			x	x	x
17 Engr. work Rm & St.J	430					Conc.	" 10'	x	"			x	x	x
18 Workshop	400					"	"	x	"			x	x	x
19 Storage	216					"	"	x	"			x	x	x
19A Telephone Room	380					" Exposed		x	"			x	x	x
20 Corridor	672					R.T. AC.T	8' "	x	"			x	x	x
21 Storage	264					R.T.	" 10'	x	"			x	x	x
23 Police Van	450					Conc.	"	x	"			x	x	x
24 Conference Rm.	60					B.T.	" 8' 8"	x	"			x	x	x
25 Control	60					"	" 9' 4"	x	"			x	x	x
26 Passage	500					"	" 11'	x	"			x	x	x
27 Vestibule	100					"	" 11'	x	"			x	x	x
28 Male Cell #1	378					"	" 11'	x	"			x	x	x
29 Male Cell #2	460					"	" 11'	x	"			x	x	x
30 Toilet	30					C.T. P	" 8' 8"	x	"			x	x	x
34 Vault	3860					R.T. AC.T	" 8' 4"	x	"			x	x	x

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY	TOTAL CAPA CITY	TOIL. GENL. COND.	FINISH WALLS FLOOR	CLG. HT.	LIGHTING			ACOU STIC. SYST.	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND. UNIT	GENE SYST.
							INCAN.	FLUOR.	LEVEL					
FIRST FLOOR														
101 Vestibule	432			P	P	"	10'	X						
102 Lobby	2430			P	P	"	10'	X						
103 Lawyer Room	1066			P&P	P	PC	7'							
104 Vestibule	432			P	P	P	10'	X						
105 Corp. Office	126			P	P	PC	7' 2"	X						
106A Corp. State Courts	121			P	P	"	10'	X						
106B Clerks	99			BL	"	"	"							
110 Waiting Room	199			P	"	"	"							
111 Clerk - Cotton Plans	1020			BL	"	"	"							
112 Bookkeepers	122			P	"	"	"							
113 Asst. Clerk	176			P	"	"	"							
114 Clerk	192			P	"	"	"							
116 Vault Superior Court	1402			B	"	P	10' 6"	X						
118 Vault Cotton Plans	748			B	"	P	"							
120 Womens Toilet	150		X	CT	CT	P	8' 8"	X						
121 Mens Toilet	102			B	"	P	"							
122 Mens Toilet	150		X	CT	"	P	"							
124 Waiting Room	300			P	RT	AC.T	10'	X						
125 Clerk Superior Court	1528			P&GB	"	"	"							
126 Asst. Clerk #8	108			P&GB	"	"	"							
127 Asst. Clerk #9	108			"	"	"	"							
128 Asst. Clerk #7	118			"	"	"	"							
129 Asst. Clerk #6	80			"	"	"	"							
130 Bookkeepers	170			"	"	"	"							
132 Asst. Clerk #5	120			GB	"	"	"							
133 Chief Clerk	165			GB	"	"	"							
134 Asst. Clerk #4	100			P&GB	"	"	"							
135 Asst. Clerk #3	132			"	"	"	"							
136 Asst. Clerk #2	110			"	"	"	"							
137 Asst. Clerk #1	132			"	"	"	"							
138 Post Office	600			BL	"	"	"							

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY	TOTAL CAPA CITY	TOIL. GENL. COND.	FINISH WALLS FLOOR	CLG. HT.	LIGHTING			ACOU STIC. SYST.	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND. COURT	UNIT	GENE SYST.
							INCAN.	FLUOR.	LEVEL						
SECOND FLOOR															
200 Corridor	628				P	RT	AC.T	8' 8"		X	Good				
200A Corridor	162				"	"	"	"		X	"				
200B Corridor	120				"	"	"	"		X	"				
202 Unassigned	400				"	"	"	"		X	"				
205 Men's Toilet	200	X			CT	CT	P	"		X	"				
207 Women's Toilet	170		X		CT	"	AC.T	"		X	"				
208 Unassigned	400				P	RT	"	"		X	"				
210 Waiting Room	144				P	RT	"	"		X	"				
211 Storage	120				BL	RT	"	"	X		"				
212 Secretary	182				P&GB	"	"	"		X	"				
213 Coroner	252				"	"	"	"		X	"				
214 Family Relations	168				"	"	"	"		X	"				
215 Family Relations	168				GB	"	"	"		X	"				
216 Bureau of Support	165				"	"	"	"	X		"				
217 Passage	144				"	"	"	"	X		"				
218 Bureau of Support	140				"	"	"	"	X		"				
219 Bureau of Support	168				"	"	"	"	X		"				
220 Storage	60				"	"	"	"	X		"				
221 Passage	136				GB&P	"	"	"	X		"				
222 Bureau of Support	80				"	"	"	"	X		"				
223 Bureau of Support	90				GB	"	"	"	X		"				
225 Bureau of Support	564				"	"	"	"	X		"				
226 Waiting Room	120				"	"	"	"	X		"				
227 Family Relations	90				"	"	"	"	X		"				
228 Family Relations	90				"	"	"	"	X		"				
229 Family Relations	90				"	"	"	"	X		"				
230 Family Relations	120				"	"	"	"	X		"				
232 Passage	224				"	"	"	"	X		"				
233 Family Relations	90				"	"	"	"	X		"				
234 General Ofc. & Bookkeep	790				"	"	"	"	X		"				
235 Waiting Room	196				"	"	"	"	X		"				
236 Storage	100				BL	"	"	"	X		"				
237 Reception Typist	100				P	"	"	"	X		"				
238 Corridor	840				P	"	"	"	X		"				
239 Corridor	348				P	"	"	"	X		"				
239A Corridor	120				P	"	"	"	X		"				
239B Corridor	156				P	"	"	"	X		"				

230

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA CITY	TOTAL TOIL M.F.	GEN COND	FINISH WALLS FLOOR CLG.	CLG. HT.	LIGHTING INCAN. FLUOR. LEVEL STIC.	ACOU STIC. P.A. SYST.	ADEQUACY OF FURNISHINGS COURT	AIR COND. UNIT ROOM	CENT. SYST.
SECOND FLOOR (Continued)											
241 Secretary	104				GB	RT	Ac.T	8'8"	X	Good	
242 Clerk	140				"	"	"	"	X	"	
243 Public Defender	100				"	"	"	"	X	"	
244 Public Defender	110				"	"	"	"	X	"	
245 Passage	72				GB	"	"	"	X	"	
246 Public Defender	147				GB	"	"	"	X	"	
247 Public Defender	123				GB	"	"	"	X	"	
248 Secretaries	186				GB	"	"	"	X	"	
249 Waiting Room	108				GB&P	"	"	"	X	"	
250 Storage	48				GB	"	"	"	X	"	
251 Public Defender	288				GB&P	"	"	"	X	"	
252 Spare	252				P	"	"	"	X	"	
255 Passage	80				GB&P	"	"	"	X	"	
256 Waiting Room	120				GB&P	"	"	"	X	"	
257 General Office	380				"	"	"	"	X	"	
258 Storage	80				GB	"	"	"	X	"	
259 Detective	572				"	"	"	"	X	"	
260 File Room	250				"	"	"	"	X	"	
261 Corridor	180				GB&P	"	"	"	X	"	
262 Conf. Room	130				P	"	"	"	X	"	
263 Spare	88				P	"	"	"	X	"	
264 Women's Cell	250				BL&B	"	"	"	X	"	
265 Womans Toilet	15		x		BL	CT	"	"	X	"	
266 Toilet Room	20		x		CT	CT	"	"	X	"	
267 Passage	200				BL	"	"	"	X	"	
268 Storage	56				BL	"	"	"	X	"	
269 Waiting	130				P	"	"	"	X	"	
270 Secretary	130				P	"	"	"	X	"	
271 Deputies	130				GB&P	"	"	"	X	"	
272 Sheriff	252				P	"	"	"	X	"	
273 States Attorney	252				P	"	"	"	X	"	
274 States Attorney	168				GB&P	"	"	"	X	"	
275 States Attorney	168				GB	"	"	"	X	"	
276 States Attorney	168				GB	"	"	"	X	"	
277 States Attorney	168				GB	"	"	"	X	"	
278 States Attorney	154				GB	"	"	"	X	"	

221

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA CITY	TOTAL TOIL M.F.	GEN COND	FINISH WALLS FLOOR CLG.	CLG. HT.	LIGHTING INCAN. FLUOR. LEVEL STIC.	ACOU STIC. P.A. SYST.	ADEQUACY OF FURNISHINGS COURT	AIR COND. UNIT ROOM	CENT. SYST.
THIRD FLOOR											
300 Corridor	940				P	RT	Ac.T	8'8"	X		
302 Probation Office	252				P	"	"	"	X		
303 Press Room	231				P	"	"	"	X		
305 Men's Toilet	200		x		CT	CT	P	"	X		
307 Womens' Toilet	180		x		CT	CT	P	"	X		
308 Voire Dire #5	210				P	RT	Ac.T	"	X		
309 Voire Dire #6	252				P	"	"	"	X		
312 Judge's Chamber	345				P&W	C	"	"	X		
313 Judge's Toilet	25		x		CT	CT	P	"	X		
314 Conf. Room #1	110				P	RT	Ac.T	"	X		
315 Conf. Room #2	110				P	"	"	"	X		
316 Conf. Room #3	120				P	"	"	"	X		
317 Superior Court #1	1284	x			P&W	C	"	Var	X	X	Good x
318 Jury Room	430				P	RT	"	8'8"	X		
319 Exhibit Storage	60				BL	"	"	8'8"	X		
320 Exhibit Storage	60				BL	"	"	"	X	X	
321 Jury Toilet	25		x		CT	CT	P	"	X		
322 Jury Toilet	25		x		CT	CT	P	"	X		
323 Jury Toilet	25		x		CT	TT	P	"	X		
324 Jury Toilet	25		x		CT	CT	P	"			
325 Jury Room	354				P	RT	Ac.T	"			
326 Superior Court #2	1210	x			P&W	C	P	Var	X	X	Good x
327 Conference Room	100				P	RT	Ac.T	8'8"	X		
328 Judge's Toilet	25		x		CT	CT	P	"	X		
329 Judge's Chamber	234				P&W	C	Ac.T	"			
332 Voire Dire #1	228				P	RT	"	"	X		
333 Voire Dire #2	342				P	RT	"	"	X		
334 Corridor	672				P	RT	"	"	X		
335 Public Lounge	456				P	C	"	"	X		
336 Voire Dire #3	323				P	RT	"	"	X		
337 Voire Dire #4	228				P	"	"	"	X		
340 Jury Holding Room	224				B	"	"	"	X		
342 Exhibit Storage	72				BL	"	"	"	X		
343 Conf. Room	112				P	"	"	"	X		
344 Criminal Court	2154				P&W	C	P	Var	X	X	Good x

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA- CITY	TOTAL TOIL. FAC. COND. M.F.	GEN'L COND.	FINISH				LIGHTING			PA SYST.	ADEQUACY OF FURNISHINGS COURT	AIR COND. UNIT CENT. ROOM
					WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL			
THIRD FLOOR (Cont'd)														
345 Jury Room	480				P	C	AC.T	8'8"		X	Good			
346 Jury Toilet	25			X	CT	CT	P	"	X					
347 Jury Toilet	25			X	CT	CT	P	"	X					
348 Judge's Chamber	252				P&W	C	AC.T	"		X				
350 Judge's Toilet	25			X	CT	CT	P	"	X					
351 Judges Conf. Room	286				P	C	AC.T	"		X	"			
352 Conf Room #4	100				P	RT	AC.T	"		X	"			
356 Corridor	668				P	RT	AC.T	"		X	"			
357 Prisoner's Dock	217				P	RT	P	"		X	"			
FOURTH FLOOR														
400 Corridor	660				P	RT	AC.T	"		X	"			
402 Secretaries	231				P	RT	"	"		X	"			
404 Judge's Toilet	25			X	CT	CT	P	"	X		"			
405 Judge	252				P&W	C	AC.T	"		X	"			
407 Men's Toilet Room	200			X	CT	CT	P	"	X		"			
409 Women's Toilet Room	180			X	CT	CT	P	"		X	"			
410 Lawyers Lounge	462				P	C	AC.T	"		X	"			
412 Corridor	500				"	RT	"	"		X	"			
413 reporters	156				"	"	"	"		X	"			
414 Reporters	84				"	"	"	"		X	"			
415 Reporters	144				"	"	"	"		X	"			
416 Reporters	84				"	"	"	"		X	"			
417 Reporters	132				"	"	"	"		X	"			
418 Reporters	84				"	"	"	"		X	"			
419 Reporters	132				"	"	"	"		X	"			
420 Reporters	84				"	"	"	"		X	"			
421 Reporters	132				"	"	"	"		X	"			
422 Corridors	660				"	"	"	"		X	"			
424 Official Reporters	228				"	"	"	"		X	"			
425 Official Reporters	228				"	"	"	"		X	"			
426 Office	209				"	"	"	"		X	"			
427 Office	180				"	"	"	"		X	"			
455 Toilet for 427	25				CT	CT	P	"	X	"				


ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY CAPA- CITY	TOTAL TOIL. FAC. COND. M.F.	GEN'L COND.	FINISH				LIGHTING			P.A. SYST.	ADEQUACY OF FURNISHINGS COURT	AIR COND. UNIT CENT. ROOM
					WALLS	FLOOR	CLG.	CLG. HT.	INCAN.	FLUOR.	LEVEL			
FOURTH FLOOR (Cont'd)														
428 Office	180				P	RT	AC.T	8'8"		X	Good			
456 Toilet for 428	25				CT	CT	P	"	X		"			
429 Office	180				P	RT	AC.T	"		X	"			
450 Toilet for 429	25				CT	CT	P	"	X		"			
430 Office	172				P	RT	AC.T	"		X	"			
460 Toilet for 430	25				CT	CT	P	"	X		"			
433 Judge	220				P&W	C	AC.T	"		X	"			
434 Judge Toilet	25		X		CT	CT	P	"	X		"			
438 Judge	190				P&W	C	AC.T	"		X	"			
437 Judges Toilet	25		X		CT	CT	P	"	X		"			
439 Judge	190				P&W	C	AC.T	"		X	"			
440 Judge Toilet	25		X		CT	CT	P	"	X		"			
443 Judge Toilet	25		X		CT	CT	P	"	X		"			
444 Judge	241				P&W	C	Act.	"		X	"			
445 Corridor	500				P	RT	"	"		X	"			
447 Storage	100				BL	RT	"	"		X	"			
449 Judges Vault	160				P	RT	"	"		X	"			
452 Reporter's Vault	430				P	RT	"	"		X	"			
FIFTH FLOOR														
500 Corridor	660				P	RT	AC.T	"		X	"			
502 Voir Dire	448				P	RT	AC.T	"		X	"			
505 Men's Toilet	200		X		CT	CT	P	"		X	"			
507 Women's Toilet	180		X		CT	CT	P	"		X	"			
508 Voir Dire	210				P	RT	AC.T	"		X	"			
509 Voir Dire	252				P	RT	"	"		X	"			
511 Passage	120				P	RT	"	"		X	"			
512 Judge	190				P&W	C	"	"		X	"			
513 Judge Toilet	25		X		CT	CT	P	"		X	"			
516 Judge Toilet	25		X		CT	CT	P	"	X		"			
517 Judge	190				P&W	C	AC.T	"		X	"			
518 Conf. Room	88				P	RT	AC.T	"		X	"			
519 Courtroom #1	690				P&W	C	P	Var	X		"			
520 Conf. Room	100				P	RT	AC.T	8'8"		X	"			

ROOM NAME / USE	SIZE APPROX. SQ.FT.	TOTAL VOL GEN			FINISH			LIGHTING			ACOU STIC	PA SIST	ADEQUACY OF FURNISHINGS	UNIT COURT	CENT. ROOM	AIR COND.
		JURY CITY	CAPACITY M.F.	FAC. COND.	WALLS	FLOOR	CLG. HT.	INCAN.	FLUOR.	LEVEL						
FIFTH FLOOR (CONT'D)																
521 Courtroom #2	820	x			P&W	C	P	Var.	x	x	Good	x				
522 Jury Room	348				P	RT	AC.T	8'8"		x						
523 Jury Toilet Room	25		x		CT	CT	P	"	x							
524 Jury Toilet Room	25		x		CT	CT	P	"	x							
525 Conf. Room	120				P	RT	AC.T	"								
526 Court Room #3	830	x			P&W	C	P	Var.	x	x						
527 Jury Toilet Room	25		x		CT	CT	P	8'8"	x							
528 Jury Toilet Room	25		x		CT	CT	P	"	x							
529 Jury Room	348				P	RT	AC.T	"								
532 Judge's Toilet	25		x		CT	CT	P	"	x							
533 Judge	252				P&W	C	AC.T	12'								
534 Judge's Toilet	25		x		CT	CT	P	8'8"	x							
535 Judge-Referee Room	228				P&W	C	AC.T	12'								
536 Corridor	660				P	RT	AC.T	8'8"								
537 Court Hearing Room	570				P&W	C	AC.T	12'								
538 Conf. Room	110				P	RT	AC.T	8'8"								
539 Toilet Room	25				CT	CT	P	"	x							
540 Voir Dire Room	228				P	RT	AC.T	"								
544 Judge	286				P&W	C	AC.T	12'								
545 Jury Toilet	25		x		CT	CT	P	8'8"	x							
546 Judge Toilet	25		x		CT	CT	P	"	x							
547 Jury Room	318				P	RT	AC.T	"								
548 Jury Toilet Room	25		x		CT	CT	P	"	x							
549 Exhibit Storage	55				BL	RT	AC.T	"								
550 Courtroom 4	1145	x			P&W	C	P	Var	x							x
551 Conference	132				P	RT	AC.T	8'8"								
552 Exhibit Storage	55				BL	RT	AC.T	"								
553 Courtroom 5	1218	x			P&W	C	P	Var	x						x	
554 Jury Toilet Room	25		x		CT	CT	P	8'8"	x							
555 Jury Room	385				P	RT	AC.T	"								
556 Jury Toilet	25		x		CT	CT	P	"	x							
558 Jury Toilet	25		x		CT	CT	P	"	x							
559 Judge	325				P&W	C	AC.T	12'								
561 Conf. Room	130				P	RT	AC.T	8'8"								
562 Conf. Room	130				P	RT	AC.T	"								
563 Corridor	868				P	RT	AC.T	"								

ROOM NAME / USE	SIZE APPROX. SQ.FT.	JURY CITY	TOTAL CAPA M.F.	TOIL. COND.	FINISH			LIGHTING			ACOU STIC	P.A. SIST	ADEQUACY OF FURNISHINGS	COURT PUBLIC	UNIT ROOM	CENT. SYST.	AIR COND.
					WALLS	FLOOR	CLG. HT.	INCAN.	FLUOR.	LEVEL							
SIXTH FLOOR																	
600 Corridor	660				P	RT	AC.T	8'8"		x							
602 Voir Dire Room	448				P	RT	AC.T	12'		x							
605 Men's Toilet	200				CT	CT	P	"		x							
607 Women's Toilet	180				CT	CT	P	"		x							
608 Voir Dire Room	210				P	RT	AC.T	"		x							
609 Voir Dire Room	252				P	RT	AC.T	"		x							
611 Passage	120				P	RT	AC.T	8'8"		x							
612 Judge	190				P&W	C	AC.T	1w'		x							
613 Judge's Toilet	25				CT	CT	P	8'8"	x								
616 Judge's Toilet	25				CT	CT	P	"	x	x							
617 Judge	190				P&W	C	AC.T	12'		x							
618 Conf. Room	100				P&W	RT	AC.T	8'8"		x							
619 Court Room 7	713				P&W	C	AC.T	Var	x	x						x	
620 Conf. Room	100				P	RT	AC.T	8'8"		x							
621 Court Room 8	1008	x			P&W	C	P	Var	x	x						x	
622 Jury Room	348				P	C	AC.T	12'		x							
623 Jury Toilet	25		x		CT	CT	P	8'8"	x								
624 Jury Toilet	25		x		CT	CT	P	"	x								
625 Jury Toilet	25		x		CT	CT	P	"	x								
626 Jury Toilet	25		x		CT	CT	P	"	x								
627 Jury Room	348				P	C	AC.T	12'		x							
628 Conf. Room	100				P	RT	AC.T	8'8"		x							
629 Court Room 9	910	x			P&W	C	P	Var	x	x						x	
632 Judge's Toilet	25		x		CT	CT	P	8'8"	x								
633 Judge	252				P&W	C											


ROOM NAME / USE	SIZE APPROX SQ.FT.	TOTAL CAPA			GEN'L COND.	FINISH	LIGHTING			ACOU STIC.	PA SYST.	ADEQUACY OF FURNISHINGS		AIR COND.	
		JURY CITY	TOIL. M.	FAC. F.			WALLS	FLOOR	CLG. HT.	INCAN.	FLUOR.	LEVEL	COURT ROOM	PUBLIC ROOM	UNIT
SIXTH FLOOR (Cont'd)															
659 Jury Toilet	25		x		CT	CT	P	8'8"	x						
660 Jury Toilet	25		x		CT	CT	P	8'8"	x						
661 Jury Room	320				P&W	C	AC.T	12'		x					
662 Court Room 11	1028	x			P&W	C	P	Var	x	x			x		
663 Conf Room	100				P	RT	AC.T	8'8"		x					
664 Corridor	868				P	RT	AC.T	8'8"		x					
665 Conf Room	100				P	RT	AC.T	8'8"		x					
666 Court Room 10	713				P&W	C	P	Var	x	x			x		
667 Passage	120				P	RT	AC.T	8'8"		x					
668 Judge	220				P&W	C	AC.T	12'		x					
669 Judge Toilet	25		x		CT	CT	P	8'8"	x						
670 Judge Toilet	25		x		CT	CT	P	8'8"	x						
671 Judge	207										x				
SEVENTH FLOOR (Cont'd)															
700 Corridor	640				P	RT	AC.T	10'		x					
702 Office	200				P	RT	AC.T	12'		x					
703 Work Room	88				P	RT	AC.T	8'8"		x					
706 Women's Toilet Rm	390		x		CT	CT	P	8'8"		x					
708 Men's Toilet Room	310	x			CT	CT	P	8'8"		x					
709 Jury Adm. Office	200				P	RT	AC.T	12'		x					
711 Jury Assembly Room	4750				P	RT	AC.T	12'		x					
714 Judge's Toilet	25		x		CT	CT	P	8'8"	x						
725 Judge	160				P&W	C	AC.T	12'		x					
716 Judge	178				P&W	C	AC.T	12'		x					
717 Judge's Toilet Rm	25		x		CT	CT	P	8'8"	x						
719 Corridor	660				P	RT	AC.T	8'8"		x					
721 Judges Sec'vs	178				P	RT	AC.T	12'		x					
722 Sec'y Toilet Rm	25		x		CT	CT	P	8'8	x						
723 Judge's Toilet Rm	25		x		CT	CT	P	8'8	x						
724 Judge	178				P&W	C	AC.T	12'		x					
727 Judge	178				P&W	C	AC.T	12'		x					
728 Judge's Toilet	25		x		CT	CT	P	8'8	x						
729 Judge's Toilet	25		x		CT	CT	P	8'8	x						
730 Judge	178				P&W	C	AC.T	12'		x					

ROOM NAME / USE	SIZE APPROX SQ.FT.	JURY	TOTAL CAPA			GEN'L COND.	FINISH			LIGHTING			ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS		AIR COND.	
			CITY	TOIL. M.	FAC. F.		WALLS	FLOOR	CLG. HT.	INCAN.	FLUOR.	LEVEL			COURT ROOM	PUBLIC ROOM	UNIT	CENT. SYST.
SEVENTH FLOOR (Cont'd)																		
732 Judge's Toilet	25		x			CT	CT	P	8'8"	x		Good						
733 Judge	118					P&W	C	Ac.T	12'		x	"						
737 Asst. Libr Office	168					P	C		8'8"		x	"						
738 Library	4404					P	C	Ac.T	12'6"		x	"						
730 Asst. Libr. Office	132					P	C				x	"						
740 Mechanical Room																		
741 Corridor	384					P	RT	Ac.T			x	"						
EIGHTH FLOOR																		
800 Library Stack Area (Above Library 738) Not Shown	4404					P	RT	Ac.T	10'6"		x	"						




BRIDGEPORT
STATE COURT HOUSE BUILDING
1ST FLR.
1" = 16'-0"


229




230




231






BRIDGEPORT
STATE COURT HOUSE BUILDING
5TH FLOOR
1" = 16'-0"




234



BRIDGEPORT
STATE COURT HOUSE BUILDING
7TH FLOOR
1" = 16'-0"

235



Stamford Superior Court

Stamford - Superior and Common Pleas Courthouse
(Fairfield County Courthouse)

General Information

The Stamford Superior and Common Pleas Court facility was built in 1957, is of contemporary architecture and is owned by the State of Connecticut. The building is two stories in height with a basement.

Parking

Five parking spaces are provided at the rear of the building for Judges and Prosecuting Attorneys. Adjacent to the site are spaces for approximately 75 vehicles (jurors and public parking).

Remarks


A well maintained modern facility with a fire alarm system and air conditioning. The courtrooms, however, should be equipped with public address systems.

ROOM NAME / USE	SIZE APPROX. SQ. FT.	JURY CAPA- CITY	TOTAL FAC. COND.	TOIL. M.	GENI- FLOOR	FINISH CLS.	CLG. HT.	INCAN. FLUOR.	LIGHTING	ACOU- STIC.	P.A. FURNISHINGS	ADEQUACY OF COURT	AIR COND. UNIT	CENT. ROOM SYST.
BASMENT														
Jury Assembly	1634	100	x	x	Good	GB	R.T	A.C.T.	8'4"	x	Good	No	Good	Yes
Vault - Common Pleas	308				"	"	"	"	9'4"	x	"	"	"	"
Record Storage	220				"	"	"	"		x	"	"	"	"
Vault Superior Court	308				"	"	"	"		x	"	"	"	"
Family Relations	768	10			"	"	"	"		x	"	"	"	"
Bureau of Support	768	10			"	"	"	"		x	"	"	"	"
Future Storage	352				"	"	"	"		x	"	"	"	"
Storage	160				"	"	"	"		x	"	"	"	"
FIRST FLOOR														
Jury Assembly #1	574	40			"	P	R.T	"	10'6"	x	"	"	"	"
Jury Room	400	13			"	P	"	"		x	"	"	"	"
Judges Chambers	280	1+3			"	P	"	"		x	"	"	"	"
Common Pleas Court Rm.	1254	Yes	70		"	W	C/R.T.	"	11'6"	x	"	"	Good	"
Library	1790	25			"	P	R.T	"	10'	x	"	"	"	"
Library Ofc.	130	2			"	"	"	"		x	"	"	"	"
Com. Pleas Clerical	448	3			"	"	"	"		x	"	"	"	"
Vault (Com. Pls.)	196				"	"	"	"		x	"	"	"	"
Vault (Sup.)	196				"	"	"	"		x	"	"	"	"
Superior Court (Clerical)	448	4			"	"	"	"	9'4"	x	"	"	"	"
Comm. Ofc.	288	2			"	"	"	"		x	"	"	"	"
Sup. Court Atty #1	144	1			"	"	"	"		x	"	"	"	"
Sec'y Sup. Ct. Atty's	176	1			"	"	"	"		x	"	"	"	"
Sup. Court Atty #2	144	1			"	"	"	"		x	"	"	"	"
Com. Pls. Atty	160	1			"	"	"	"		x	"	"	"	"
Sec'y #1	144	1			"	"	"	"		x	"	"	"	"
Sheriff	144	1			"	"	"	"		x	"	"	"	"
Sec'y #2	160	1			"	"	"	"		x	"	"	"	"
Judges Chamber.	220	1+3			"	"	"	"		x	"	"	"	"
Jury Room	400	13			"	"	"	"		x	"	"	"	"
Jury Assembly #2	574	40			"	"	"	"		x	"	"	Good	"
Superior Court Rm.	1254	70			"	C/B.D.	"	"		x	"	"	Good	"


Stamford Superior Court

ROOM NAME / USE	SIZE sq ft	TYPE	CAB	FAC	GND	WALLS	COR	CIG	CAS	CHAN	PLATE	STYL	ROOF	FINISH	LIGHTING	ACCO	PA	AIR COND	VENT	WAT	NON STYL
Judge Office #1	306	1+2	100	1	25	25	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Judge Office #2	289	1+2	100	1	25	25	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Prob. Asst. Office #1	639	10	35	10	10	10	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Prob. Asst. Office #2	527	10	10	10	10	10	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Hearing Room #2	527	10	10	10	10	10	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Office Room	276	3	10	10	10	10	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Protection Officer	245	3	10	10	10	10	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Press	247	2	10	10	10	10	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Court Steno	285	2	10	10	10	10	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Cafe Room	160	4	10	10	10	10	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Superior Court Rm.	254	Yes	70	10	10	10	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Jury Assembly #2	561	40	XX	10	RT	RT	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Jury Room	418	13	XX	10	10	10	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	
Judge Chambers	261	1+3	X	10	10	10	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	10'6"	


STAMFORD
SUPERIOR & COMMON PLEAS COURTHOUSE
BASEMENT
1" = 20'-0"



STAMFORD
SUPERIOR & COMMON PLEAS COURTHOUSE
1ST FLOOR
 $1'' = 20'-0''$



STAMFORD
SUPERIOR & COMMON PLEAS COURTHOUSE
2ND FLOOR
 $1'' = 20'-0''$



Stamford First Circuit Court

General Information

The Stamford Circuit Court facility is leased from the city and is located at the edge of the downtown area in Stamford.

The building is a modern contemporary structure two stories in height with a basement and was originally constructed in 1961 with the second floor being added in 1971.

Parking

Fifteen on site parking spaces are provided for the court with an additional 25 spaces on an adjacent site for the Jurors. There is also on street parking for the public.

Remarks


Except for the lack of a public address system, which should be provided in the courtrooms, this facility is bright and well furnished and well maintained. There is also a modern fire alarm system in this building.

Stamford Circuit Court


ROOM NAME / USE	SIZE APPROX Sq.Ft.	JURY CAPA CITY	TOTAL CAPA CITY	TOIL. FAC.	GENL COND.	FINISH WALLS FLOOR	CLG. HT.	CLG. INCAN. FLUOR. LEVEL	LIGHTING STIC.	ACOU STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS	COURT PUBLIC ROOM	AIR COND. UNIT	CENT. ROOM SYST.
BASEMENT															
Attorneys Conf	496	6	x	Good	W	R.T	8'	x	Good	Good	Good	Good	Good	x	x
Lounge - Employees	256	10	xx	n	n	n	n	x	n	n	n	n	n	n	x
Vault	288			n	GB	n	n	n	x	n	n	n	n	n	x
Prisoner Holding RM	225	2	n	GB	n	n	n	x	x	n	n	n	n	n	x
Public Defender Storage	1575	12	w	W	n	n	n	x	x	n	n	n	n	n	x
Clerical Area	360			u	GB	n	n	x	x	n	n	n	n	n	x
Family Relations	619			n	W	n	n	x	x	n	n	n	n	n	x
Conference Room	1540	10	w	W	n	n	n	x	x	n	n	n	n	n	x
Mail Room	320	6	xx	n	W	n	n	x	x	n	n	n	n	n	x
FIRST FLOOR															
Family Relations	208	2	-	Good	GB	R.T	9'	x	n	n	n	n	n	n	x
Asst. Pros. Atty	192	2	n	n	n	n	n	x	n	n	n	n	n	n	x
Pros. Atty	192		n	n	n	n	n	x	n	n	n	n	n	n	x
Clerks Office	432	5	n	n	n	n	n	x	x	n	n	n	n	n	x
Vault	272			n	n	n	n	x	x	n	n	n	n	n	x
Resident Judge	168	1+3	x	n	n	n	n	x	x	n	n	n	n	n	x
Resident Judge	168	1+3	x	n	n	n	n	x	x	n	n	n	n	n	x
Judges Chamber	200	1+3	x	n	W	C	n	x	x	n	n	n	n	n	x
Jury Room	240	13	xx	n	R.T	n	n	x	x	n	n	n	n	n	x
Courtroom #1	1575	Yes	130	n	C/RT	n	n	x	x	n	n	n	n	n	Good
Storage	156			n	RT	n	n	x	x	n	n	n	n	n	x
Courtroom #2	1540	No	130	n	C/ET	n	n	x	x	n	n	n	n	n	Good
Judges Chamber	200	1+3	x	n	C	n	n	x	x	n	n	n	n	n	x
Cashier Office	420	4	n	RT	n	n	n	x	x	n	n	n	n	n	x

Stanford Circuit Court

STAMFORD
CIRCUIT COURT
BASEMENT
1" = 20'-0"




STAMFORD
CIRCUIT COURT
1ST FLOOR
1" = 20'-0"



-246-

STAMFORD
CIRCUIT COURT
2ND FLOOR
1" = 20'-0"



-247-

Norwalk Circuit Court

APPEAL TO FIRST CIRCUIT COURT

信息反馈 Information

The Norwalk Circuit Court is leased from the City of Norwalk and is located on the second floor of the Police Building which is a contemporary styled air conditioned facility built in 1960.

The building is located in a moderately well kept business-residential neighborhood with adequate street lighting.


卷之三

There are approximately 200 total parking spaces provided on premises for court use.

卷之三

This court facility is a modern well maintained court facility with simple but adequate furnishings, although a public address system should be provided in the courtroom.

ROOM NAME / USE	SIZE APPROX. SQ.FT.	JURY CAPA- CITY	TOTAL CAPA- CITY	TOIL. COND. FAC. M.F.	GENL. COND. FAC. M.F.	FINISH WALLS FLOOR	CLG. HT.	CLG. HT.	INCAN. FLWRS	LEVEL	LIGHTING	ACOU- STIC SYST.	P.A. SYST.	ADEQUACY OF FURNISHINGS	COURT PUBLIC	AIR COND.	
																X	
Second Floor																	
Court Clerk	187	5	5	Good	P	R.T.	AC.T	9'6"	"	"	X	Good	Good	No	Good	"	X
Vault	165	-	"	"	"	"	"	"	"	"	X	"	"	"	"	"	X
Domestic Relations	88	2	"	"	"	"	"	"	"	"	X	"	"	"	"	"	X
Court Room	1,632	Yes	110	x x	"	P/W	"	P	20'	X	"	"	"	"	"	Good	X
Prisoners Room	55	5	5	"	"	P	"	AC.T	9'6"	X	"	"	"	"	"	"	X
Jury Room	209	12	x x	"	"	"	"	"	"	X	"	"	"	"	"	"	X
Judge	187	5	x	"	"	"	"	"	"	X	"	"	"	"	"	"	X
Library & Jury Assembly	476	25	"	"	"	"	"	"	"	X	"	"	"	"	"	"	X
Pros. Atty.	91	2	"	"	"	"	"	"	"	X	"	"	"	"	"	"	X
Steno.	104	2	"	"	"	"	"	"	"	X	"	"	"	"	"	"	X
Conference	156	8	"	"	"	"	"	"	"	X	"	"	"	"	"	"	X



WORRALK

CIRCUIT COURT

260

Stratford Second Circuit Court

General Information

The Stratford Court facilities are located in the Police Building at 900 Longbrook Avenue, Stratford. The building was built in 1970 and is of Colonial Style, and is leased from the Town of Stratford. The building is located in a well kept residential neighborhood with adequate street lighting.

Parking


No problem exists in regard to parking at this court facility. There are over one hundred total spaces for the court, jurors and public use.

Remarks

A modern facility, this building is air conditioned and is well furnished. Court room acoustical quality is very good especially when compared with older facilities. No public address system is available.

ROOM NAME / USE	SIZE	CEIL. HEIGHT	FINISH	LIGHTS	ACCS.	A/C QNS	AIR COND.	CNT.	CNT.	WAN. SIST.	SIG. SIST.	ROUNDSYS.	ROUNDSYS.
LIBRARY	23	8'	EXPOSED B. P. T.	8'	X	300	X	X	X	X	X	X	X
Judge's Room	1	8'	EXPOSED B. P. T.	8'	X	300	X	X	X	X	X	X	X
Conference	6	8'	EXPOSED B. P. T.	8'	X	300	X	X	X	X	X	X	X
Library	64	10'	EXPOSED B. P. T.	8'	X	300	X	X	X	X	X	X	X
Conductor	167	10'	EXPOSED B. P. T.	8'	X	300	X	X	X	X	X	X	X
Prosecutor	180	2	EXPOSED B. P. T.	8'	X	300	X	X	X	X	X	X	X
Detention Chambers	117	1	X	8'	X	300	X	X	X	X	X	X	X
Indict. Balancing	156	6	X	8'	X	300	X	X	X	X	X	X	X
Clark	120	2	X	8'	X	300	X	X	X	X	X	X	X

STRATFORD
CIRCUIT COURT
2ND FLR.-POLICE BLDG.
16'-0"



Danbury 3rd Circuit & Superior Court

General Information

The Danbury Circuit & Superior Court facilities are located on the first and second floor, respectively, of the court house. This old, classic-style building is State-owned and is located in the downtown Business District of Danbury. The area is moderately well lit.

Parking


There are four on site spaces provided for the Court. The remainder is on street metered parking.

Remarks

The acoustics in the courtroom is probably the worst in the state, mainly because of the high vaulted ceiling, a public address system is definitely needed. Replacement rather than renovating should be considered.


Danbury 3rd Circuit & Superior

ROOM NAME / USE	SIZE APPROX SQ. FT.	JURY CAPA.	TOTAL CAPA CITY	TOIL. FAC.	GEN. COND.	FINISH WALLS	FLOOR	CLG.	CLG. HT.	INCAN. FLUOR.	LIGHTING	ACOU. STIC.	P.A. SYST.	ADEQUACY OF FURNISHINGS	AIR COND. UNIT	CENT. COURT/PUBLIC ROOM SYST.
FIRST FLOOR - CIRCUIT																
Vault	450				Fair	Plst	R.T. Plist	10'	X	X	Fair	Fair	Fair	No	No	
Jury Room	375	35	X	X	Good	"	"	X	X	"	"	"	Good	"	"	
Clerks Office	168	3	X	X	Fair	"	"	AC.T.	"	X	"	"	Fair	"	"	
Office	295	7			"	"	"	Dist.	"	X	"	"	"	"	"	
Judges Chambers	220	1-4	X		"	"	"	"	X	X	"	"	"	"	"	
Judges Chambers	196	1-4	X		"	"	"	"	X	X	"	"	"	"	"	
Court Room	1575	Yes	65		"	"	"	"	X	X	"	"	No	"	"	
Deliberation Room	154	15	X		"	"	"	"	X	X	"	"	"	"	"	
Prosecutors Office	196	4			"	"	"	"	X	X	"	"	"	"	"	
Clerks Office	84	1			"	"	"	"	X	X	"	"	"	"	"	
SECOND FLOOR - SUPERIOR																
Jury Room	342	25			Good	W/P	R.T. Plist	10'	X	X	Fair	Fair	No	No		
Jury Room	196	15	X		"	"	"	X	X	"	"	"	Fair	"	"	
Conf. Room	220	10			Fair	"	"	"	X	X	"	"	"	"	"	
Sheriff	90	1			"	"	"	"	X	X	"	"	Fair	"	"	
Clerks	196	2			"	"	"	"	X	X	"	"	"	"	"	
Library	390				"	"	"	"	X	X	"	"	"	"	"	
Lawyers Room	196	5			"	"	"	"	X	X	"	"	"	"	"	
Judges Chambers	247	1-4			"	"	"	"	X	X	"	"	"	"	"	
Deliberation Room	252	15	X		"	"	"	"	X	X	"	"	"	"	"	
Court Room	1680	Yes	40		"	"	"	"	36'	X	X	"	Poor	No	"	



DANBURY CIRCUIT COURT

$$131'' = 10' - 0''$$



Bridgeport Circuit Court
Underwood Building
975 Broad St., Bridgeport

General Information

The Bridgeport Circuit Court is located on the first and second floors of the former Underwood Typewriter Company building. The building is four stories in height and is a typical factory type building. The court rooms and associated rooms were constructed in 1969 and are leased from the Underwood - Commerce Property Inc. The neighborhood is poorly kept and poorly lit.

Two elevators and three stairwells service the second floor.

The building is not air-conditioned and is generally not well kept.

Parking

There are some reserved spaces in a small parking lot across this street. The general public must park on the street which has very limited parking. Most nearby streets are posted for no parking.

Remarks



The court and facilities are definitely sub-standard. On a typical court day people are lined up in the corridors which do not have any receptacles for trash, consequently these corridors are in deplorable condition. The two prisoner holding cells are in very poor condition and in addition the prisoners may be viewed from the corridor.

Most of the offices are crowded, hot and poorly ventilated.

In general the entire court set-up is not conducive to today's standards for the operation of a dignified court system, and should be replaced.

Bridgeport Circuit Court

ROOM NAME / USE	SIZE APPROX. SQ.FT.	JURY CAPA- CITY	TOTAL CAPA- FAC	GENL COND	FINISH WALLS	CLG. FLOOR	CLG. HT.	FLUOR. LEVEL	LIGHTING	ACOU- STIC.	P.A. SYSTEM	ADEQUACY OF FURNISHINGS	AIR COND. UNIT	CENT. ROOM SYST.
FIRST FLOOR														
78 Family Relations	417	8	Fair	G.B.	R.T.	ACT	10'	X	Fair	Fair	No	Fair	None	None
67 Family Rel. Director	272	3	n	n	n	n	n	x	n	n	n	n	n	n
68 Storage	272		n	n	n	n	n	x	n	n	n	n	n	n
69 Office	69	3	x	x	n	n	n	x	n	n	n	n	n	n
77 Clerks	960	8	n	n	n	n	n	x	n	n	n	n	n	n
64 Interview Offices	540	2ea	n	n	n	n	n	x	n	n	n	n	n	n
74 Office	204	3	n	n	n	n	n	x	n	n	n	n	n	n
63 VAULT	698		n	n	n	n	n	x	n	n	n	n	n	n
56 General Office Staff	2100	14	n	n	n	n	n	x	n	n	n	n	n	n
Court Steno	540	2	n	n	n	n	n	x	n	n	n	n	n	n
Storage	270		n	n	n	n	n	x	n	n	n	n	n	n
51 Lounge	200	5	n	n	n	n	n	x	n	n	n	n	n	n
52 Women's Lav.	60		n	n	n	n	n	x	n	n	n	n	n	n
53 Mens Lav.	112		n	n	n	n	n	x	n	n	n	n	n	n
57 Chief Clerk	336	3	n	n	n	n	n	x	n	n	n	n	n	n
58 Storage	84		n	n	n	n	n	x	n	n	n	n	n	n
FOURTH FLOOR														
1 Traffic Pros.	150	2	n	n	w	n	n	x	n	n	n	n	n	n
2 Jury Pros.	150	2	n	n	n	n	n	x	n	n	n	n	n	n
3 Jury Pros.	150	2	n	n	n	n	n	x	n	n	n	n	n	n
4 Chief Pros.	216	2	n	n	n	n	n	x	n	n	n	n	n	n
5 Pros. Receptionist	332	4	n	n	n	n	n	x	n	n	n	n	n	n
6 Records	431		Door	n	n	n	n	x	n	n	n	n	n	n
7 Bail Conn.	204	2	n	n	n	n	n	x	n	n	n	n	n	n
8 Presiding Judges Office	338	2	x	Fair	W	n	n	x	n	n	n	n	n	n
9 Cashier Office	377	4	n	GB	n	n	n	x	n	n	n	n	n	n
10 Womens Lockup	130		n	n	n	n	n	x	n	n	n	n	n	n
11 Mens Lockup	208		n	n	n	n	n	x	n	n	n	n	n	n
12 Courtroom #1	1066	50	n	n	n	n	n	x	n	n	n	n	n	Fair
17 Public Defender	158	2	x	n	n	n	n	x	n	n	n	n	n	n
18 Public Defender	158	3	n	n	n	n	n	x	n	n	n	n	n	n
20 Public Defender	144	4	n	n	n	n	n	x	n	n	n	n	n	n
Lawyers Consultation	413	2	n	n	n	n	n	x	n	n	n	n	n	n
46 Jury Assembly Room	726	60	n	n	n	n	n	x	n	n	n	n	n	n
47 Voir Dire	109	5	x	x	n	n	n	x	n	n	n	n	n	n
40 Jury Deliberation	135	13	x	x	n	n	n	x	x	x	x	x	x	x
41 Judges Chambers	135	2	x	n	n	n	n	x	n	n	n	n	n	n
39 Courtroom #4	784	yes	50	n	n	n	n	x	n	n	n	n	n	Fair



F - USED AS JURY
 P - USED AS COURT
 N - USED FOR BOTH
 H - NOT USED
 - - - - -

COURTROOM USAGE

October

COUNTY

REOM COURT 1 2 3 4 5 8 9 10 11 12

BERKSHIRE COUNTY

BARNSTABLE CO.	Sup	Sup	N	F	F	P	F	H	FJ	F	F	N
	CP	CP	N	FJ	FJ	FJ	PJ	H	N	N	N	N
BUCKLEY CO.	I	Cir	P	P	N	P	N	H	JF	N	N	N
WILKES BARRE CO.	Cir	N	P	N	N	P	H	N	JF	JF	JF	N
NEW YORK CITY	Cir	N	N	N	N	P	H	N	P	H	N	N

BEDFORD COUNTY

BEDFORD CO.	I	Cir	N	P	N	N	H	N	N	N	N	N
BERKSHIRE CO.	Sup	Sup	N	F	F	P	N	H	FJ	FJ	P	N
	CP	CP	N	F	P	N	H	N	P	N	N	N
WILKES BARRE CO.	I	Cir	N	N	N	H	P	N	P	N	N	N

BLADEN COUNTY

BLADEN CO.	I	Cir	P	N	P	F	F	H	P	P	F	P
NEW LONDON CO.	I	Cir	P	N	P	F	F	H	P	P	F	P
NEW LONDON CO.	Sup	Sup	N	JF	JF	JP	H	JF	JF	JF	P	N
	CP	CP	N	N	N	N	H	JF	JF	JF	N	N
NEW MILFORD CO.	Sup	Sup	N	N	N	P	N	H	FN	FN	N	N
	CP	CP	N	N	N	P	N	H	FN	FN	N	N
WILKES BARRE CO.	I	Cir	N	P	N	P	N	H	F	P	N	N

BLADEN COUNTY

BLADEN CO.	I	Sup	N	P	P	F	P	H	F	F	P	N
MIDDLETON CO.	I	Sup	N	P	P	F	P	H	F	F	P	N
	2	CP	N	N	N	N	P	H	F	F	P	N
MIDDLETON CO.	Other	Other	N	N	N	N	P	H	F	F	P	N

BLADEN COUNTY

BLADEN CO.	13	Sup	N	JF	JF	P	N	H	F	F	P	N
WILKES BARRE CO.	13	Sup	N	N	N	N	P	N	H	F	P	N
	CP	CP	N	N	N	N	P	N	H	F	P	N
WILKES BARRE CO.	I	Cir	N	N	N	P	N	H	P	JF	N	N
WILKES BARRE CO.	I	Cir	N	N	N	P	N	H	P	JF	N	N

FOR OCTOBER 1973

October

	15	16	17	18	19	22	23	24	25	26	29	30	31	Percent Usage
														Non-Jury
														Non-Jury Use
BERKSHIRE COUNTY	N	FJ	F	F	P	N	N	N	N	N	N	N	N	9
	N	N	N	N	N	N	N	N	N	FJ	N	N	N	20
	F	N	N	N	N	N	N	N	P	PJ	N	N	P	6
	N	F	FJ	FJ	F	N	FJ	FJ	N	FJ	N	F	N	36
	N	N	N	N	N	N	N	N	N	FJ	N	F	N	0
	N	N	N	N	N	N	N	N	N	P	N	N	N	0
	N	N	N	N	N	N	N	N	N	N	N	N	N	14
	N	N	N	N	N	N	N	N	N	N	N	N	N	17
	N	N	N	N	N	N	N	N	N	N	N	N	N	69
BEDFORD COUNTY	N	F	N	N	N	N	N	N	N	N	N	N	N	0
	N	FJ	FJ	P	N	N	N	N	N	FJ	P	N	FJ	29
	N	N	FJ	FJ	N	N	N	N	N	FJ	PJ	N	N	16
	N	N	N	N	N	N	N	N	N	N	N	N	N	0
	N	N	N	N	N	N	N	N	N	N	N	N	N	11
	N	N	N	N	N	N	N	N	N	N	N	N	N	13
	N	N	N	N	N	N	N	N	N	N	N	N	N	76
BLADEN COUNTY	F	P	F	F	P	P	N	P	F	P	F	P	F	0
	F	N	FJ	FJ	PJ	N	N	FJ	P	F	P	N	FJ	55
	N	N	FJ	FJ	PJ	N	N	FJ	FJ	N	N	N	FJ	43
	F	F	F	N	N	N	N	N	N	N	N	N	N	0
	N	N	N	N	N	N	N	N	N	N	N	N	N	36
	N	N	N	N	N	N	N	N	N	N	N	N	N	64
	N	N	N	N	N	N	N	N	N	N	N	N	N	0
	N	N	N	N	N	N	N	N	N	N	N	N	N	2
	N	N	N	N	N	N	N	N	N	N	N	N	N	98
	N	N	N	N	N	N	N	N	N	N	N	N	N	5
	N	N	N	N	N	N	N	N	N	N	N	N	N	52
	N	N	N	N	N	N	N	N	N	N	N	N	N	43
	N	N	N	N	N	N	N	N	N	N	N	N	N	0
	N	N	N	N	N	N	N	N	N	N	N	N	N	15
	N	N	N	N	N	N	N	N	N	N	N	N	N	26
	N	N	N	N	N	N	N	N	N	N	N	N	N	59
BLADEN COUNTY	N	F	N	N	N	N	N	N	N	N	N	N	N	23
	N	N	N	N	N	N	N	N	N	N	N	N	N	11
	N	N	N	N	N	N	N	N	N	N	N	N	N	80
	N	N	N	N	N	N	N	N	N	N	N	N	N	0
	N	N	N	N	N	N	N	N	N	N	N	N	N	9
	N	N	N	N	N	N	N	N	N	N	N	N	N	91
	N	N	N	N	N	N	N	N	N	N	N	N	N	7
	N	N	N	N	N</									

卷之三

COURTROOM USAGE

EXHIBITION	COURT- ROOM	COURT	1	2	3	4	5	8	9	10	11	12
			1	2	3	4	5	8	9	10	11	12
HANCOCK COUNTY												
New Britain Other	1	Sup	N	N	JF	JF	P	H	JF	JF	F	F
	2	Sup	JF	N	N	N	N	H	F	N	F	N
	3	CP	N	F	F	P	N	H	N	F	F	N
Manufacture #12	1	Cir	N	F	F	P	N	H	JF	JF	F	F
East Hartford #12	1	Cir	F	P	F	P	N	H	JF	JF	F	F
Winton #13	1	Cir	P	F	F	P	N	H	JF	JF	F	F
Hartford #14	1	Cir	F	P	F	P	N	H	JF	JF	F	F
75 Elm Street #14	2	Cir	P	F	F	P	N	H	JF	JF	F	F
Quinn #14	3	Cir	F	P	F	P	N	H	JF	JF	F	F
New Britain #15	4	Cir	P	F	F	P	N	H	JF	JF	F	F
	1	Cir	N	F	F	P	N	H	JF	JF	F	F
West Hartford #16	2	Cir	F	P	F	P	N	H	JF	JF	F	F
Hartford #17	3	Cir	P	F	F	P	N	H	JF	JF	F	F
	1	Cir	N	F	F	P	N	H	JF	JF	F	F
	2	Cir	F	P	F	P	N	H	JF	JF	F	F
Hartford Other	Crim 1	Sup	N	N	F	F	N	H	JF	JF	F	F
	Crim 2	Sup	N	N	F	F	N	H	JF	JF	F	F
	Crim 3	Sup	N	N	F	F	N	H	JF	JF	F	F
	Jury 4	Sup	N	N	F	F	N	H	JF	JF	F	F
	Jury 5	Sup	N	N	F	F	N	H	JF	JF	F	F
	Jury 6	Sup	N	N	F	F	N	H	JF	JF	F	F
	Jury 7	Sup	N	N	F	F	N	H	JF	JF	F	F
	Jury 8	Sup	N	N	F	F	N	H	JF	JF	F	F
	South	CP	N	N	F	F	N	H	JF	JF	F	F
	East	CP	N	N	F	F	N	H	JF	JF	F	F
	North	CP	N	N	F	F	N	H	JF	JF	F	F
	Bearing Other	CP	N	N	F	F	N	H	JF	JF	F	F
Trinity Street		Sup	N	N	F	F	N	H	JF	JF	F	F
		CP	N	N	F	F	N	H	JF	JF	F	F

FOR OCTOBER 1973

October

Percent Usage
Non- Non-
ry Jury Jury

15	16	17	18	19	22	23	24	25	26	29	30	31	Jury	Jury	Jury
N	FJ	FJ	FJ	F	N	N	FJ	PJ	F	N	FJ	FJ	52	16	32
N	F	F	F	F	N	N	F	F	F	F	F	N	5	55	40
N	PJ	PJ	FJ	N	N	N	PJ	PJ	FJ	N	FJ	FJ	27	5	68
F	P	P	F	P	P	P	P	F	P	F	F	P	0	68	32
F	FJ	FJ	FJ	F	P	P	FJ	FJ	F	P	FJ	PJ	46	36	18
FJ	FJ	PJ	FJ	P	F	P	F	F	P	F	F	F	29	55	16
F	F	F	F	P	P	P	F	F	P	F	F	P	0	77	23
F	P	P	P	P	P	P	F	P	P	F	P	P	0	66	34
P	F	F	P	P	P	P	N	F	P	F	PJ	N	14	34	52
PJ	FJ	FJ	FJ	FJ	N	P	FJ	F	N	P	F	FJ	48	27	25
P	P	P	P	F	N	N	F	F	F	P	P	P	0	45	55
P	N	N	N	N	N	N	P	P	N	N	N	N	0	11	89
F	F	F	F	F	F	N	F	F	N	F	F	F	0	82	18
N	N	N	N	F	P	N	N	N	P	N	F	F	0	43	57
N	N	N	F	F	F	N	N	N	N	F	N	N	0	18	82
F	F	F	P	F	F	N	N	N	P	F	F	FJ	9	57	34
P	P	F	F	F	P	P	N	P	P	F	F	P	0	61	39
FJ	FJ	FJ	FJ	PJ	F	P	FJ	FJ	PJ	F	N	N	32	16	52
N	F	F	F	P	N	N	F	F	P	N	F	F	9	64	27
N	FJ	FJ	FJ	F	N	N	F	FJ	F	N	FJ	FJ	43	34	23
N	FJ	FJ	FJ	N	N	N	FJ	FJ	FJ	N	FJ	FJ	52	7	41
N	F	P	P	F	F	N	N	N	P	F	F	F	0	59	41
N	F	F	F	F	N	N	F	F	F	F	F	F	0	64	36
N	FJ	FJ	FJ	PJ	N	N	FJ	FJ	FJ	N	FJ	FJ	73	0	27
N	N	FJ	FJ	FJ	FJ	N	FJ	FJ	FJ	N	FJ	FJ	59	0	41
N	N	PJ	PJ	PJ	PJ	N	N	N	PJ	N	FJ	PJ	30	9	61
N	N	FJ	FJ	FJ	PJ	N	N	N	FJ	FJ	PJ	N	41	0	59
N	N	P	F	F	F	P	N	N	F	P	P	N	0	34	66
N	N	PJ	PJ	FJ	N	N	N	N	FJ	PJ	N	FJ	39	0	61
N	N	N	N	N	N	N	N	N	N	N	N	N	0	7	93
N	N	N	N	N	N	N	N	N	N	N	N	N	0	5	95
N	N	P	P	F	F	F	N	N	N	N	N	N	0	30	70
F	F	F	F	F	P	N	N	N	N	N	N	F	0	55	45

FOR OCTOBER 1973

CONFIRMATION OF ROOM USAGE

October													Percent Usage		
15	16	17	18	19	22	23	24	25	26	29	30	31	Jury	Non-Jury	Non-Use
N	F	F	F	P	N	N	F	F	P	N	F	F	0	70	30
N	JP	JF	JF	JF	N	N	JF	JF	JF	N	JF	JF	66	9	25
N	JP	JF	JF	N	N	N	N	JF	JF	N	F	F	55	9	36
N	JF	JF	N	N	N	N	N	N	N	N	N	N	36	0	64
N	JF	JF	JF	JF	N	N	JF	JF	JF	N	JF	JF	68	0	32
N	JF	JF	JF	JF	N	N	N	N	N	N	JF	JF	52	5	43
N	F	JF	JF	JF	N	N	F	F	JF	N	F	F	18	46	36
P	F	F	F	F	N	N	F	P	F	N	F	F	4	66	30
N	JF	JF	JF	JP	N	N	JF	JF	P	N	JF	JF	68	2	30
N	JF	JF	JP	JF	N	N	JF	JF	JF	N	JF	JF	57	0	43
N	N	JF	JF	JF	N	N	JF	JP	JF	N	JF	JF	34	0	66
N	N	N	N	N	N	N	N	N	N	N	P	N	0	2	98
N	JF	JF	JF	JF	N	N	JF	JF	F	N	JF	JF	50	25	25
N	N	N	N	F	N	N	JF	JF	F	N	N	N	27	18	55
N	N	N	N	N	N	N	F	P	F	N	F	F	16	23	61
N	N	N	N	N	N	N	F	N	N	N	N	N	0	0	100
F	P	F	P	P	F	F	F	JF	P	P	P	F	5	59	36
P	P	F	N	P	P	JP	JF	F	N	F	JF	JF	41	32	27
F	P	F	N	N	F	F	F	N	F	F	F	N	0	57	43
N	JF	JF	JF	JF	N	N	N	N	N	N	N	N	23	2	75
F	F	F	N	P	F	JF	JF	JF	P	F	JF	F	32	43	25
F	P	F	P	P	F	F	F	F	P	P	F	F	2	78	20
P	P	F	F	F	P	P	P	P	P	P	N	F	0	66	34
P	P	F	P	P	P	P	P	F	P	P	F	F	7	50	43
P	P	P	N	N	P	P	P	N	N	P	N	N	0	14	86
F	P	N	P	N	P	N	P	P	N	N	F	F	14	25	61
F	N	N	F	F	P	F	P	P	P	P	F	P	0	52	48
F	N	N	P	N	P	F	F	P	N	N	F	P	9	20	71
F	F	JF	JF	JF	F	F	F	F	P	N	F	JF	23	61	16
F	JF	JF	JP	F	P	JP	JF	JF	N	P	JF	JF	36	27	37
											19		32		49

N	JP	JF	JF	JP	N	N	JP	JF	JF	N	JF	JF	68	0	32
N	JP	JP	N	JP	N	N	JP	JP	JP	N	JP	JP	45	0	55
N	F	F	F	JP	N	N	JF	JF	P	N	N	F	11	53	36
N	JP	N	F	JP	N	N	JP	JF	P	N	F	F	18	36	46
N	JF	JF	N	JF	N	N	JF	JF	JF	N	JP	JP	68	0	32
N	F	F	N	F	N	N	JF	JF	JP	N	JP	P	27	30	43
N	JF	JF	JF	JF	N	N	JF	JF	JP	N	JF	N	68	0	32
N	JF	JF	P	N	N	N	JP	JF	JP	N	JP	JP	55	2	43
N	JF	JF	JF	JF	N	N	JF	N	N	N	N	N	57	0	43
N	N	P	F	F	N	N	F	P	F	N	F	F	0	57	43
N	JP	JF	JF	P	N	N	JP	JP	P	N	JF	JF	46	11	43

西漢書
新漢書
後漢書
晉書
宋書
南史
北史
梁書
陳書
隋書
唐書

COURTROOM USAGE

**COURT-
ROOM COURT**

<http://www.allinonecontent.com>

FOR OCTOBER 1973

October

Percent Use
Non- Non-
y Jury Use

N	F	F	F	P	N	N	FJ	FJ	N	N	FJ	FJ	27	39	34
N	F	F	F	P	N	N	FJ	FJ	N	N	FJ	FJ	25	32	43
N	N	N	N	N	N	N	N	N	N	N	N	N	2	0	98
N	N	N	N	N	N	N	N	N	N	N	N	N	34	20	46
N	F	F	F	N	N	N	N	N	FJ	N	F	F	2	52	46
N	F	F	F	N	N	N	N	N	FJ	F	F	F	9	64	27
F	F	F	F	P	P	P	P	P	F	P	P	P	5	66	29
F	F	F	F	P	P	P	P	P	F	P	P	P	5	59	36
F	F	F	F	P	P	P	P	P	F	P	P	P	23	41	36
FJ	N	N	F	F	F	F	32	25	43						
N	N	N	N	N	N	N	N	N	N	N	N	N	0	9	91
N	N	N	N	N	N	N	N	N	N	N	N	N	0	2	98
N	N	N	N	N	N	N	N	N	N	N	N	N	0	2	98
F	F	F	F	F	F	F	P	P	F	F	F	F	0	84	16
FJ	PJ	PJ	FJ	FJ	FJ	FJ	57	32	11						
NP	FJ	FJ	FJ	FJ	N	P	F	F	FJ	FJ	FJ	FJ	36	27	37
P	P	P	P	P	P	F	P	P	FJ	FJ	FJ	FJ	0	68	32
P	PJ	41	16	43											
N	N	N	N	N	N	N	N	N	N	N	N	N	0	7	93
F	F	F	F	F	F	F	F	F	F	F	F	F	0	86	14
													28	32	40

END